STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

MARI 65942

10/28/2015

WELL I.D. LABEL# L 103'
START CARD # 212'
ORIGINAL LOG # MAR

		I upo I c	,, _
-[103761	-	
ſ	212733		
Ī	MARION	64909	

(1) LAND OWNER Owner Well I.D.				
First Name RICHARD Last Name KRAFT	(9) LOCATION OF WELL (legal description))		
Company KRAFT MASONARY	_ · ·			
Address 8644 WARNER DRIVE	County MARION Twp 7.00 S N/S Range 2.			
City SALEM State OR Zip 97317	Sec <u>26</u> <u>SE</u> <u>1/4 of the SE</u> <u>1/4 Tax Lo</u>			
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat' or	DMG DD		
Alteration (complete 2a & 10) Abandonment(complete 5a)	Lat or or			
(2a) PRE-ALTERATION	Eong	DMS or DD		
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address			
Casing: 12 0 194 .250 • X	1/4 MILE WEST OF HOWELL PRAIRIE RD ON STATE S	ST. SOUTH SIDE		
Material From To Amt sacks/lbs Seal: Bentonite Chips 0 10 13 Sacks				
Seal: Bentonite Chips 0 10 13 Sacks (3) DRILL METHOD	(10) STATIC WATER LEVEL			
X Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi)) + SWL(ft)		
	Existing Well / Pre-Alteration 8/10/2015	126		
Reverse Rotary Other	Completed Well 9/9/2015	62		
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?	?		
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 146.00			
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(ft)			
		psi) · SWL(II)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	9/9/2015 340 365 300	62		
Depth of Completed Well 365.00 ft.				
BORE HOLE SEAL sacks/				
Dia From To Material From To Amt lbs 16 0 240	1			
12 240 350 Calculated	4			
8 350 365	1			
Calculated	(11) WELL LOG Ground Elevation			
How was seal placed: Method A B C D E	Material From	n To		
X Other BRADEN HEAD METHOD	Soil med brown) 2		
Backfill placed from ft. to ft. Material	Clay soft brown 2	2 7		
Filter pack from ft. to ft. Material Size	Clay mix soft yellow- brown 7	7 19		
Explosives used: Yes Type Amount	Siltstone gritty brown, some decomp			
	Sandstone med brown 50			
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Basalt med hard grey 8			
Proposed Amount Actual Amount	Basalt altered multi color 14 Basalt hard grey 16			
(6) CASING/LINER	Basalt multi colored med-hard 22			
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Basalt hard grey 23			
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$	Basalt fractured hard blk 23			
● 10 □ 0 210 .250 ● X	Basalt semi fractured blk 23	38 260		
● 8 □ 210 290 .250 ● ○ X □	Basalt altered multi colored 26	50 265		
	Basalt hard grey 26	55 336		
Shoe Inside Outside Other Location of shoe(s)	<u> </u>			
Temp casingYes From To				
(7) PERFORATIONS/SCREENS				
Perforations Method	L			
Screens Type Material	Date Started 8/10/2015 Completed 9/10/2	2015		
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/	(unbonded) Water Well Constructor Certification			
Screen Liner Dia From To width length slots pipe size	I certify that the work I performed on the construction, de	eenening alteration or		
	abandonment of this well is in compliance with Orego			
	construction standards. Materials used and information repo			
	the best of my knowledge and belief.			
	License Number Date			
(8) WELL TESTS: Minimum testing time is 1 hour				
Pump Bailer Air Flowing Artesian	Signed			
	(bonded) Water Well Constructor Certification			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 200 138 200	I accept responsibility for the construction, deepening, alteration, or abandonment			
200	work performed on this well during the construction dates rep			
	performed during this time is in compliance with Orego			
Temperature 52 °F Lab analysis Yes By	construction standards. This report is true to the best of my k			
	License Number 723 Date 10/28/2015	_		
Water quality concerns? Yes (describe below) TDS amount From To Description Amount Units	10/28/2013	<u>, </u>		
	Signed CHARLES STADELI (E-filed)			
	Contact Info (optional) Chuck Stadeli 503-551-1930			
	<u> </u>			

WATER SUPPLY WELL REPORT -	MARI 65942	WELL I.D. LABEL# L 10	
continuation page	10/28/2015	START CARD # 21 ORIGINAL LOG # MA	
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd 10 0 210 .250 Image: Company of the compa	Water Quality From To	y Concerns	Amount Units
10 290 270 Sacks		WATER LEVEL	
BORE HOLE SEAL	sacks/ mt lbs	From To Est Flow	v SWL(psi) + SWL(ft)
FILTER PACK From To Material Size	(11) WELL L	OG Material	From To
Casing Liner Dia + From To Gauge Stl Plstc WI	d Thrd		
Perf/ Casing/ Screen Screen Scrn/slot Slot # of Screen Liner Dia From To width length slots	s pipe size		
(8) WELL TESTS: Minimum testing time is 1 hour Yield gal/min Drawdown Drill stem/Pump depth Duration	n (hr)	етагкѕ	