NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report

WATER WELL REPORT WATER RESOURCES DEPARTMENT. SEP 2 1 1987ATE OF OREGON MARTIN State Well No. SALEM, OREGON 97310
within 30 days from the date ALER RESOURCES
of well completion.

(Please type or print)

of well completion. State Permit No. (10) LOCATION OF WELL: (1) OWNER: NEFD HAM County MARION Driller's well number 7 T. 75R. 2W NW4 SE 4 Section Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): Reconditioning [New Well Deepening [Abandon [] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Driven [] Domestic | Industrial | Municipal | Static level ft. below land surface. Cable Jetted [Irrigation Test Well Other Bored | Artesian pressure lbs, per square inch. Date CASING INSTALLED: Threaded | Welded | (12) WELL LOG: Diameter of well below casing 8 "Diam from + 1 tt to 177 ft. Gage 256 Depth drilled 17 ft. Depth of completed well ______ ft. Gage Formation: Describe color, texture, grain size and structure of materials; _____ft. to ______ft. Gage ____ and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Yes | No. MILLS KNIFE Type of perforator used MATERIAL BROWN 3/5 in. by 2 /2 in. Size of perforations 126 perforations from 122 ft. to 137 CLOY BROWN SOWN 46 120 perforations from 141 ft. to 151 ft. CEXHITITO GROUPS 180 perforations from 157 SOND GRAVES CEMERITED GRAVE (7) SCREENS: Well screen installed? | Yes | No SAKID WITH CARIE 10 Manufacturer's Name GRAVES AND CLAY BROWN 118 120 ERRUH WISDLAN SOUN 120 137 Diam. Slot size Set from ft. to COMMITTED GROUN 140 152 Diam. Slot size Set from ft. to ft. GROVEL AND SAND CEMANTA CPOVET Drawdown is amount water level is lowered below static level (8) WELL TESTS: GRALL AND JAHP Was a pump test made? Yes No If yes, by whom? COMMITTED FRAUE! Yield 305 gal./min. with 70 ft. drawdown after 8 Bailer test gal./min. with ft. drawdown after g.p.m. erature of water 5 Depth artesian flow encounteredft. Work started /2/20 1978 Completed /2/37/ Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal—Material used CEMENT Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Well sealed from land surface to ________ft. Materials used and information reported above are true to my best knowledge and belief Diameter of well bore to bottom of seal in. XO Date 1112 19/7 Diameter of well bore below seal Number of sacks of cement used in well seal Drilling Machine Operator's License No. How was cement grout placed? MIXED AND PROCEY) Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge, and belief. Was a drive shoe used? Xes 🗌 No Plugs Size: location

Contractor's License No. 5.7.9. Date

Did any strata contain unusable water? 🗌 Yes 🔀 No

Was well gravel packed?

Yes No Size of gravel:

Type of water?

Method of sealing strata off