MARI 67112

STATE OF OREGON

Westerberg Drilling, I	nc.	······			
36728 S. Kropf Rd.	WELL I.D. LABEL# L	127213			
•	START CARD #	214966			
Molalia, OR 97038	ORIGINAL LOG#	MARION	3794 / 3795	ı	

(as required by ORS 537.765 & OAR 690-205-0210) Molalia, OR	97038 ORIGINAL LOG # MARION 3794 / 3795				
(1) LAND OWNER Owner Well I.D. Last Name	MAR 1 6711	2_			
First Name Last Name	(9) LOCATION OF WELL (legal description)				
Company Golden Valley Farms LLC Address 7385 Howell Prairie Rd NE	County MARION Twp 6 S N/S Range 2 W E/W	v wm			
City Silverton State OR Zip 97381	Sec <u>4</u> SW 1/4 of the <u>NW</u> 1/4 Tax Lot <u>500</u>				
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat " or DMS or Long " or DMS or	r DD			
X Alteration (complete 2a & 10) Abandonment(complete 5a)	Long or DMS or	DD			
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wid Thrd	Street address of well Nearest address				
Dia + From To Gauge Stl Plstc Wld Thrd Casing: 12 0 260 .250 ✓	Waconda Rd, North Side & East of I-5	\neg			
Material From To Amt sacks/lbs Seal: See MARI 3794					
(3) DRILL METHOD	(10) STATIC WATER LEVEL				
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration 10-05-2017 35				
Reverse RotaryOther	Completed Well 10-12-2017 35				
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?				
Industrial/Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found				
Thermal Injection Other	SWL Date From To Est Flow SWL(psi) + SWL(fl	t)			
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)	10-17-2017 See MARI 3794 35				
Depth of Completed Well ft. BORE HOLE SEAL sacks/		4			
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs		\dashv			
Calculated		_			
Calculated	(11) WELL LOG Ground Elevation				
How was seal placed: Method A B C D E	Material From To Original well log has this well in Section 5. It is in	_			
Other ft. to ft. Material	Section 4.				
Filter pack from ft. to ft. Material Size		\Box			
Explosives used: Yes Type Amount	Well produces too much sand to pump at 500 gpm.				
(52) ABANDONMENT USING UNHYDRATED BENTONITE	Still pumps sand at 300 gpm but a much reduced	\exists			
Proposed Amount Pounds Actual Amount Pounds	rate. Recommend not pumping above 300 gpm.	4			
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plste Wld Thrd		\dashv			
Casing Liner Dia + From To Gauge Stl Plste Wld Thrd	RECEIVED BY OWRD	コ			
	<u> </u>				
	NOV 1 7 2017	_			
	101 1 2011	_			
Shoe Inside Outside Other Location of shoe(s)		\dashv			
Temp casing Yes Dia From + To	SALEM, OR	コ			
(7) PERFORATIONS/SCREENS	<u> </u>	\dashv			
Perforations Method		_			
Screens Type Material Perf/S Casing/Screen Scm/slot Slot # of Tele/	Date Started 10-05-2017 Completed 10-12-2017	==_			
creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification				
	I certify that the work I performed on the construction, deepening, alteration abandonment of this well is in compliance with Oregon water supply				
	construction standards. Materials used and information reported above are tr				
	the best of my knowledge and belief. License Number 1358 Date 10-12-2017				
(8) WELL TESTS: Minimum testing time is 1 hour	License Number 358 Date 10-12-2017				
Pump Bailer Air Flowing Artesian	Signed My 5				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water W. Constructor Certification				
500 31 4.5	I accept responsibility for the construction, deepening, alteration, or abando				
300 17 6	work performed on this well during the construction dates reported above. All performed during this time is in compliance with Oregon water supply				
Temperature 56 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and be				
Water quality concerns? Yes (describe helow) TDS amount	License Number 688 Pate 11-13-2017				
From To Description Amount Units	Signed Stem of Studle				
	Contact Info (optional)				

MARI 67112

WATER SUPPLY WELL REPORT - continuation page	Westerb 36728 S. Molalia,	Krop	of Rd.	S	I.D. LABEL# L TART CARD # GINAL LOG #		
(2a) DDE ALTEDATION	wolding,	UK				11 120	1 127117
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc W	ld Thrd			uality Concern			1 67112
Thom to dauge surfishery	1 [From	To	Description	Amou	ınt Units
	1 -		l			 	
					_ .		
Material From To Amt sack	s/lbs						
					···		
			<u> </u>	<u> </u>			
(5) DODE HOLE CONCEDUCTION			(10) STA	TIC WATER	LEVEL		
(5) BORE HOLE CONSTRUCTION	A T		SWL Date	e From	To Est Flo	ow SWL(psi)	+ SWL(ft)
BORE HOLE SEA Dia From To Material From		sacks/					
iviaterial Prof	n To Amt	lbs	 				
	Calculated		ļ 		 	 i	+
	Calculated	\dagger					
	Calculated						
	Calculated	+	 			 	
	T					+	
	Calculated]					
FILTER PACK			(11) WEI	LLOG		 	
From To Material Size			(11) ****			F	T
			I	Material		From	To
			REC	SEIVED B.	Y OWRD		
(6) CASING/LINER				NOV 1 7	2017		_
Casing Liner Dia + From To Gauge	Stl Pistc Wld	Thrd		NOA T	<u> </u>	+	
		_					
	HQQH	Н		SALEM,	OB		
	$H \times \times H$		l 				
	I B B I	H					
		Ц	11				_
	\mathbb{R}^{2}	Н				-	_
	$H \times \mathcal{A}H$	\vdash					
		ш	\	· · · · · · · · · · · · · · · · · · ·			
**	 						
(7) PERFORATIONS/SCREENS							
Perf/S Casing/ Screen Scm/slot	Slot # of	Tele/	l				
creen Liner Dia From To width	length slots	pipe size	<u> </u>	·		_	
		 					
			ļ				
		 	1				
		 					
	 	 	Commen	ts/Remarks			
	<u> </u>		Commen		· · · · · · · · · · · · · · · · · · ·		
(8) WELL TESTS: Minimum testing time is	s 1 hour				p. Couldn't get bit pa		
Yield gal/min Drawdown Drill stem/Pump de		hr)			& test pumped for 6	hours. Welded	on 15"
Tion Parinin Diamoni Dilli semi-mih de	pui Duration (I	···· <i>·</i>	suckup and	ı put on well tag.	No Drilling Done		
	<u> </u>	_	{ }				
 	+	-					-
			11				1
							1