

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

MARI 678

RECEIVED

WATER WELL REPORT

WATER RESOURCES DEPARTMENT

SALEM, OREGON 97310

within 30 days from the date of well completion

OCT 3 1978

STATE OF OREGON

(Please type or print)

WATER RESOURCES DEPT. not write above this line

SALEM, OREGON

State Well No. 43/1w-22

State Permit No. _____

MARI 678

(1) OWNER:

Name Paul Daily 148
Address Rte 2 Box 3 Aurora, Oregon 97002

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
2" Diam. from +1 ft. to 157 ft. Gage 1/4"
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

PERFORATIONS:

Perforated? Yes No.
Type of perforator used Pre-perforated pipe
Size of perforations 2 1/2 in. by 3/16 in.
960 perforations from 106 ft. to 126 ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level 39'
Was a pump test made? Yes No If yes, by whom? driller
Yield: 1100 gal./min. with 75 ft. drawdown after 8 hrs.
1000 " 68 " 8 "
800 " 45 " 8 "
Bailer test gal./min. with _____ ft. drawdown after _____ hrs.
Artesian flow g.p.m. _____
Temperature of water _____ Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Cement
Well sealed from land surface to 21 ft.
Diameter of well bore to bottom of seal 26 in.
Diameter of well bore below seal 22 in.
Number of sacks of cement used in well seal 45 sacks
How was cement grout placed? pumped

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: 3/4
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County Marian Driller's well number _____
1/4 1/4 Section 22 T4S R. 1W W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 68 ft.
Static level 39 ft. below land surface. Date 9/12/78
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing _____
Depth drilled 157 ft. Depth of completed well 157 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Surface	0	3	
Brown clay	3	29	
Blue sandy clay	29	68	
Black sand	68	78	
Blue clay	78	90	
Sand & gravel	90	93	
Sand	93	98	
Gravel	98	145	
Blue sandy clay	145	157	

Work started Aug 25 1978 Completed Sept 12 1978
Date well drilling machine moved off of well Sept 14 1978

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] John T. Miller Date Oct 2, 1978
(Drilling Machine Operator)
Drilling Machine Operator's License No. 26

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name John T. Miller (Type or print)
Address 1780 Tomlin Woodburn, Ore 97071
[Signed] John T. Miller (Water Well Contractor)
Contractor's License No. 277 Date Oct 2, 1978



Oregon Water Resources Department
725 Summer Street NE, Suite A
Salem Oregon 97301
(503) 986-0900
www.oregon.gov/owrd

Application for
Well ID Number

RECEIVED

JUN 22 2021

Do not complete if the well already has a Well Identification Number.

OWRD

I. OWNER INFORMATION

Current Owner Name (please print): Pavel Snegirev and Ksenia Snegirev
Mailing Address: 19602 Boones Ferry Rd. NE
City, State, Zip: Hubbard, OR 97032
Mail Well ID to: [X] SAME AS ABOVE [] In Care Of (C/O)
Name & Address:
City, State, Zip:

II. WELL LOCATION INFORMATION (Please fill out as completely as possible)

Township: 4S (North / South) Range: 1W (East / West) Section: 22 SW 1/4 of the SW 1/4
Tax Lot (usually last 3-5 numbers of Tax Map #): 700 County Marion
GPS Coordinates:
Street Address of Well, City: 19602 Boones Ferry Rd. NE, Hubbard, OR 97032
If the property had a different street address in the past:

III. GENERAL WELL INFORMATION (Please fill out as completely as possible, AND attach copy of Well Report, if available)

Use of Well (domestic, irrigation, commercial, industrial, monitoring): Irrigation
Date Well Constructed (or property built): 9/12/1978 Total Well Depth: 157' Casing Diameter: 12"
Owner at time the well was constructed (if known): Paul Daily Well Report # (if known): MARI 678
Other Information:

SUBMITTED BY (please print): William E. McGill, CWRE
PHONE: (503) 510-3026 / EMAIL &/or FAX: willmcgill.surveying@gmail.com

Send application to: Oregon Water Resources Department 725 Summer St NE, Suite A, Salem, Oregon 97301, fax to (503) 986-0902, or you are welcome to email the completed form to Ladeena.K.Ashley@oregon.gov.

For Official Use Only by the Oregon Water Resources Department:

Received Date:

6-22-21

Well Report Number:

MARI 678

Well Identification #:

L-143048

DOMESTIC WELL

.....information provided by Fred Hildebrand, owner of property prior to 1967. The STATE OF OREGON WATER RESOURCES DEPARTMENT has no record of this well.

110 ft. depth

20 g.p.m.

----- hardly any drawdown
----- no water softener needed

Well driller: J. T. Miller

IRRIGATION WELL

.....information provided by John Singer, former lessee of 50 acres.

50 h.p. pump:

----- ran 80 sprinklers at 7 g.p.m. output = 560 g.p.m., easily
----- with 50 h.p. pump, estimates a maximum output of 600 g.p.m.

RECEIVED

JUN 22 2021

OWRD