NOTICE TO WATER WELL CONTRACTO The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM, OREGON within 30 days from the date

Was well gravel packed? Yes No Size of gravel:

Gravel placed from ft. to

WATER WELL REPORTECTIVED State Well No. 75/2W-8aa

(Please type or print)

FEB 1 3 1975 State Permit No. G 7247 (Do not write above this line STATE ENGINEER of well completion. (10) LOCATION OF WELL: (1) OWNER: LUTHER OSBORM Driller's well number 4340 FLETCHER RD. N.E. 14 Section 8 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening 🔲 Reconditioning [Abandon [] If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Domestic | Industrial | Municipal | Static level /8 ft. below land surface. Date / 15 Cable Irrigation 🐹 Test Well 🗌 Other Artesian pressure Ibs. per square inch. Date CASING INSTALLED: Threaded [Welded 2 (12) WELL LOG: Diameter of well below casing 8 " Diam. from + 6" ft. to 136 ft. Gage , 0,250 Depth drilled ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; " Diam. from _____ ft. to ____ ft. Gage ____ and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? XYes | No. MILLS KNIFE Type of perforator used MATERIAL Size of perforations 3/8 in. by 2 1/2" TUPSOIL perforations from 95 ft. to 130 ROWN CLAY SANDY BROWN SILT 30 SANOY BLUE CLAY 30 perforations from _____ ft. to LACK SAND (7) SCREENS: Well screen installed?

Yes RLACK SAND & GRAVEL Manufacturer's Name 71 BLUE CLAY STONE Diam. Slot size Set from ft. to BROWN GRAVEL 84 Diam. Slot size Set from GREY COAY & GRAVEL 120 MED, BROWN GRAVEL 123 Drawdown is amount water level is lowered below static level (8) WELL TESTS: BROWN CLAY & GRAVEL Was a pump test made?
Yes No If yes, by whom? ft. drawdown after hrs. 50 gal./min. with 0 ft. drawdown after Bailer test hrs. g.p.m. perature of water 55° Depth artesian flow encountered ... Work started DEC 3 1974 Completed JAU 15 Date well drilling machine moved off of well JAN 15 (9) CONSTRUCTION: RENTONITE Well seal-Material used ... Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials, used and information reported above are true to my best knowledge and belief. Well sealed from land surface to 201 Diameter of well bore to bottom of seal 12 in. Diameter of well bore below seal Date 1-15 1975 Number of sacks of cement used in well seal Drilling Machine Operator's License No. Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons of water 30 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? Yes No Plugs Size: location ft. Name Cobinsons EofA Did any strata contain unusable water? 🗌 Yes 🌠 No Type of water? depth of strata Method of sealing strata off

..... Date,