MARI 68155

STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210) WELL I.D. LABEL# L 131612

START CARD # 1039580

ORIGINAL LOG #

(1) LAND OWNER Owner Well I.D. 5904	MARIO	8150
First Name Last Name Company Mayfield Farms	(9) LOCATION OF WELL (legal description)	~ 0,5
Address 18555 SW Teton Ave.	County MARION Twp 3 S N/S Range 1 W	E/W WM
City Tualatin State OR Zip 97062	Sec 32 SE 1/4 of the SE 1/4 Tax Lot 1700	
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot	
Alteration (complete 2a & 10) Abandonment(complete 5a)	Tax Map Number Lot Lat " or DN Long " or DM	AS or DD
(2a) PRE-ALTERATION Dia + From To Gauge St! Plstc Wld Thrd	Street address of well Nearest address	4S or DD
Casing: Casing		
Material From To Amt sacks/lbs Seal: RECEIVED	11303 Amdt Rd. NE - Aurora, OR 97002	
Seal: RECEIVED	(40) OFF A FILE VALABLE A FILE	
(3) DRILL METHOD X Rotary Air Rotary Mud	(10) STATIC WATER LEVEL Date SWL(psi) + SW	'L(ft)
Rotary Air Rotary Mud Cable Auger College Reverse Rotary Other	Existing Well / Pre-Alteration	L(IL)
		96
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?	
☐ Industrial/ Commercial ☐ Livestock ☐ Dewateri QWRD	WATER BEARING ZONES Depth water was first found 185	
ThermalInjectionOther	SWL Date From To Est Flow SWL(psi) + SW	VL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	08-24-2018 185 207 350 +	96
Depth of Completed Well 217 ft. BORE HOLE SEAL socket		
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs		
16 0 217 Cement 20 120 84 S	╢┝ ┈┈┈╎┈┈╎┝╇╸	
Calculated 47.8		
Bentonite	(11) WELL LOG Ground Florence	
How was seal placed: Method A B XC D E	Ground Elevation	_
Xother Poured dry		2
Backfill placed from ft. to ft. Material 8/12		34
Filter pack from 120 ft to 197 ft. Material Colorado Size 10/20		54
Explosives used: Yes Type Amount		12
(5a) ABANDONMENT USING UNHYDRATED BENTONITE		82
Proposed Amount Pounds Actual Amount Pounds		87
(6) CASING/LINER		02
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		17
	201 2	''
	JONES DRILLING CO., INC.	
	29400 SANTIAM HWY.	
	LEBANON, OR 97355	$\overline{}$
Shoe Inside Outside Other Location of shoe(s)	541-367-2560 541-451-2686	
Temp casing X Yes Dia 16 From 0 To 217		
(7) PERFORATIONS/SCREENS	1-800-915-8388	
Screens Type Wrap rib Material Stainless steel	Date Started08-13-2018 Completed 08-24-2018	
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification	
creen Liner Dia From To width length slots pipe size Screen 12 167 207 .02 .02	I certify that the work I performed on the construction, deepening, alter	ration, or
	abandonment of this well is in compliance with Oregon water sup	oply well
	construction standards. Materials used and information reported above a the best of my knowledge and belief.	re true to
	License Number 1411 Date 09-19-2018	
(8) WELL TESTS: Minimum testing time is 1 hour	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Pump Bailer Air Flowing Artesian	Signed Signed	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification	
175 205 1	I accept responsibility for the construction, deepening, alteration, or aba	andonment
	work performed on this well during the construction dates reported above.	. All work
	performed during this time is in compliance with Oregon water su construction standards. This report is true to the best of my knowledge an	
Temperature 64 °F Lab analysis Yes By		
Water quality concerns? Yes (describe below) TDS amount 160 From To Description Amount Units	License Number 1684 Date 09-19-2018	
	Signed	
	Contact Info (optional) johosdrilling@hotmail.com	
ORIGINAL - WATER RESOURCES D	PEPARTMENT //	