7/18/2025

RECEIVE 33

STATE OF OREGON WATER SUPPLY WELL REPORT

(as required by ORS 537.765 & OAR 690-205-0210)

MAY 1 3 2019

WELL I.D. LABEL# L	131605	
START CARD #	1042551	
ORIGINAL LOG #		

(1) LAND OWNER Owner Well I.D. 5994	MARI- 68533		
First Name Last Name OWRD	(9) LOCATION OF WELL (legal description)		
Address P.O. Box 717	County MARION Twp 10 S N/S Range 2	W E/W WM	
City Jefferson State OR Zip 97352	Sec 17 NW 1/4 of the NE 1/4 Tax Lot 203	5	
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot	DMS or DD	
Alteration (complete 2a & 10) Abandonment(complete 5a)	Tax Map Number Lot Lat " or Long " or	_ DMS or DD	
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address	_ DIVIS OF DB	
Casing:	36226 Jefferson Scio Dr Jefferson, OR 97352		
Material From To Amt sacks/lbs Seal:			
(3) DRILL METHOD	(10) STATIC WATER LEVEL		
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + Existing Well / Pre-Alteration	SWL(ft)	
Reverse Rotary Other	Completed Well 05-01-2019	21	
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?		
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found _	64	
Thermal Injection Other	SWL Date From To Est Flow SWL(psi)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	-	21	
Depth of Completed Well 89 ft.	00 0. 20.5		
BORE HOLE SEAL sacks/			
Dia From To Material From To Amt lbs 16 0 89 Bentonite 0 18 N018			
Calculated 9	<u>'</u>	Ц	
	(11) WELL LOG Ground Flevation		
How was seal placed: Method A B C D E	Glowid Lievation		
How was seal placed: Method A B C D E Other Poured dry	Material From 0	To 2	
Backfill placed from ft. to ft. Material	Brown clay 2	10	
Filter pack from ft. to ft. Material Size	Cemented gravel 10	27	
Explosives used: Yes Type Amount	Gravel & sand cemented 27 Cemented gravel 35	35 70	
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Blue gravel & sand 70	84	
Proposed Amount Pounds Actual Amount Pounds	Blue clay 84	89	
(6) CASING/LINER		 	
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd		 	
● C 12 X 2 87 250 ● X			
	JONES DRILLING CO., INC.		
	29400 SANTIAM HWY.	1	
	LEBANON, OR 97355		
Shoe Inside Outside Other Location of shoe(s)	541-367-2560 541-451-2686	<u> </u>	
Temp casing X Yes Dia 16 From 0 To 89	1-800-915-8388	 	
(7) PERFORATIONS/SCREENS Perforations Method Torch cut	1-000-215-0.700		
Screens Type Material	Date Started 04-25-2019 Completed 05-01-2019		
Perf/S Casing/ Screen Scrn/slot Slot # of Tele/ creen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification		
creen Liner Dia From To width length slots pipe size Perf Casing 27 87 .625 12 800	1 certify that the work I performed on the construction, deepening	ng, alteration, or	
	abandonment of this well is in compliance with Oregon wa		
	construction standards. Materials used and information reported a the best of my knowledge and belief.	above are true to	
	License Number, 1411 Date 5/07/1	9	
(8) WELL TESTS: Minimum testing time is 1 hour	V-L	 	
Pump Bailer • Air Flowing Artesian	Signed		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr) 500 80 1	(bonded) Water Well Constructor Certification		
300 80 1	I accept responsibility for the construction, deepening, alteration, or abandonmen work performed on this well during the construction dates reported above. All work		
	performed during this time is in compliance with Oregon water supply well		
Temperature 61 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowle		
Water quality concerns? Yes (describe below) TDS amount 176	License Number 1684 Date 5 07 11	9	
From To Description Amount Units	Signed		
	Contact Info (ortional) joylesdrilling@hotmail.com		
ORIGINAL - WATER RESOURCES I	DEPAKIMENI //		