STATE OF OREGON	MARI	69320		D. LABEL#	_		
WATER SUPPLY WELL REPORT			STA	RT CARD#	1046622	2	
(as required by ORS 537.765 & OAR 690-205-0210)	7/22/	2020	ORIGI	NAL LOG#	!		
1) LAND OWNER Owner Well I.D.					-		
First Name DELORES Last Name WELLS		(9) LOCATI	ION OF W	ELL (legal	descript	ion)	
Company THRUSH, CICILY					_		W E/W WM
Address 6545 62ND AVE NE		Sec 2 S					
City SALEM State OR Zip 97305		Toy Mon Number	<u> </u>	the 1444	- 1/4 10	# LOT 100	<u>, </u>
	onversion	Tax Map Numbe	-i "	or		л	DMS or DD
Alteration (complete 2a & 10) Abandonmen	t(complete 5a)	Long		or			DMS or DD
2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thr	·d	Stre	eet address of v	vell ON	learest addr	ess	_ DIVIS OF DD
Dia + From To Gauge Stl Plstc Wld Thr Casing:	i i	7900 NE WAC		7011	- Curest addi		
Material From To Amt sacks/lbs	_	SALEM OR					
Seal:		'					
3) DRILL METHOD		(10) STATIO	C WATER 1				
Rotary Air Rotary Mud Cable Auger Cable Mu	ud	Existing Wo	ell / Pre-Alterat	Dat	te SWL	(psi) +	SWL(ft)
Reverse Rotary Other		Completed V		1011		ㅡ 片	
4) PROPOSED USE Domestic X Irrigation Commun	nity	Completed		Artesian?	Dry F	Iole?	
Industrial/Commercial Livestock Dewatering	inty	WATED DEADD	_		-		
Thermal Injection Other		WATER BEARI					
		SWL Date	From	To E	st Flow S	NL(ps1)	+ SWL(ft)
5) BORE HOLE CONSTRUCTION Special Standard	(Attach copy)	3/23/2020	98	124			33
Depth of Completed Well 211.00 ft.		3/26/2020	156	158			39
BORE HOLE SEAL Dia From To Material From To	sacks/	4/3/2020	164	188			39
Dia From To Material From To 16 0 36 Bentonite Chips 0 36	Amt 1bs 1750 P	4/7/2020	198	209			39
12 36 211 Calculated							
		(11) 11/151 1 1	. 00				
Calculated		(11) WELL I	LOG (Ground Elevati	ion		
How was seal placed: Method A B C D	E		Material]	From	То
X Other OAR 690-210-0340		Topsoil				0	2
Backfill placed from ft. to ft. Material		Clay, brown, me				2	19
Filter pack from 161.7 ft. to 211 ft. Material GRAVEL Siz	ze pea gravel	Silt, brown, hard Silt, Olive gray,				19 54	54 63
Explosives used: Yes Type Amount		Sand and silt, br				63	74
5a) ABANDONMENT USING UNHYDRATED BENTO	NITE	Clay, gray, hard.				74	78
Proposed Amount Actual Amount		Silt, dark brown	, soft			78	86
6) CASING/LINER	-	Silt, dark gray, s				86	91
Casing Liner Dia + From To Gauge Stl Pls	tc Wld Thrd	Clay, dark gray,				91	98
\bullet 12 \times 2 166 250 \bullet (Gravel, brown sand, cobbles to 5"				98 124	124 134
0 10 161.7 211 .250		Clay, greenish gray, hard, sticky Clay, brown, soft				134	140
		Clay, dark gray, soft, some gravel				140	146
	$\exists \sqcup \sqcup$	Clay, dark greenish gray, soft, sandy				146	154
		Gravel and sand		und		154	156
Shoe Inside Outside Other Location of shoe(s)	166	Gravel and black	,			156	158
Temp casing Yes Dia From + To		Clay, green, med Silt, dark gray, s				158 160	160 164
7) PERFORATIONS/SCREENS		Gravel and black		obbles		164	188
Perforations Method plasma cutter							100
Screens Type V WIRE Material Stainle: Perf/ Casing/ Screen Scrn/slot Slot #	of Tele/	Date Started3	8/17/2020	Con	npleted <u>5</u>	/8/2020	
<u> </u>	ots pipe size	(unbonded) Wa	ater Well Con	structor Certi	fication		
	88	I certify that the	e work I perfo	rmed on the	construction	ı, deepenin	ng, alteration, or
Screen Liner 10 166.7 187.9 .25		abandonment o					
		construction sta			information	reported a	bove are true to
		the best of my k	_		D 4		
		License Number	т		Date		
8) WELL TESTS: Minimum testing time is 1 hour		Signed					
Pump Bailer • Air Flowin	g Artesian						
Yield gal/min Drawdown Drill stem/Pump depth Duratio	<u> </u>	(bonded) Water	r Well Constru	ictor Certifica	ation		
600 210 4	1	I accept respons					
		work performed performed durir					
_		construction star					
Temperature 53 °F Lab analysis Yes By	2			_		-	
Water quality concerns? Yes (describe below) TDS amount 14: From To Description Amou	nt Units	License Number	783	1	Date 7/22/2	020	
		Signed IVAN	I GROSSEN (E	E-filed)			
		Contact Info	tional)	,			

L	132863	
#	1046622	
#		

continuation page	7/22/2020	ORIGINAL LOG #	10022	
(2a) PRE-ALTERATION	Water Qual	ity Concerns		
Dia + From To Gauge Stl Plstc Wld Thrd		Γο Description	Amount	Units
Material From To Amt sacks/lbs				+
	— (10) STATIO	C WATER LEVEL		
(5) BORE HOLE CONSTRUCTION	SWL Date		SWL(psi) +	⊦ SWL(ft)
	acks/			T
Dia From To Material From To Amt	lbs			
			<u> </u>	
Calculated		+ + + + + + + + + + + + + + + + + + + +	 	+
Calculated				
Calmited			<u> </u>	_
Calculated			 	+
Calculated				
FILTER PACK	(11) WELL	IOC		
From To Material Size	(II) WEEL		F	Tr.
	Cemented grav	Material	From 188	To
		gray, some gravel, hard	189.5	189.5 193
	Silt, dark green	n, sandy	193	195
6) CASING/LINER	Clay, greenish Cemented gray	gray, hard, sticky	195	198
Casing Liner Dia + From To Gauge Stl Plstc Wld Tl	Gravel, claybo		198 209	209
	_		-	
	-			
	⊣ Ⅱ			
	-			
	-			
]			
7) PERFORATIONS/SCREENS				
2	Tele/ pe size			
	Comments/	 /Remarks		
	Lift bar 1.5' fr			
(8) WELL TESTS: Minimum testing time is 1 hour		s welded top of 10" (can feed gravel a	as needed)	
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)				