AUG 1 5 1961: STATE ENGINEER

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

WATER WELL REPORT STATE OF OREGON

tate	Well	Νo.	2/2 W	300BC

SALEM, OREGON STATE ENGINEER STATE	State Permit No	
(1) OWNER: SALEM OREGON Name Leggord (N. 10/h)	(11) WELL TESTS: Drawdown is amount we lowered below static lev Was a pump test made? Tes No If yes, by whom	ater level is el BECKERTRA
Address At 2 Bot 5-20	Yield: 6 () gal./min. with 7.3 ft. drawdown	11
Solom, Oregan	" " "	, , ,
(2) LOCATION OF WELL:	"	,,
County MARION Owner's number, if any—	Bailer test gal./min. with ft. drawdown	after hrs.
14 14 Section 10 T. 75 R. 2W W.M.	Artesian flow g.p.m. Date	
Bearing and distance from section or subdivision corner	Temperature of water 25 Was a chemical analysis made	de? 🗌 Yes 🖆 No
	(12) WELL LOG: Diameter of well	6 inches.
	Depth drilled 1.36 ft. Depth of completed we	- · ·
	Formation: Describe by color, character, size of material	and structure, and
	show thickness of aquifers and the kind and nature of the stratum penetrated, with at least one entry for each ch	ange of formation.
	MATERIAL	FROM TO
(3) TYPE OF WORK (check):	7070012	0 6
New Well Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 11.	CANDY CLAY	21 31
ir apandonment, describe material and procedure in item 11.	CEMENTED GRAVEL	91 132
PROPOSED USE (check): (5) TYPE OF WELL:	CFMENTED SAND	132 136
Domestic Industrial Municipal Rotary Driven	CEMENTED CAND	136 138
Irrigation Test Well Other Dug Bored	SEPHENICO SOLY)	0 6 72 8
(6) CASING INSTALLED: Threaded □ Welded 🗗		
"Diam. from		
"Diam. from ft. to ft. Gage" '' Diam. from ft. to ft. Gage		
Diant. Iron		
(7) PERFORATIONS: Perforated? ☐ Yes ☐ No		
Type of perforator used		-
SIZE of perforations in. by in. perforations from ft. to ft.		
perforations from ft. to ft.		
perforations fromft. toft.		
perforations from ft. to ft.		
perforations fromft.		
(8) SCREENS: Well screen installed □ Yes DNo		
Manufacturer's Name		
Type Model No		
Diam. Slot size Set from ft. to ft.		
Slot size Set from ft, to ft.	Work started WUL V26196/. Completed Och	NO 5 19 6: /
(9) CONSTRUCTION:	(13) PUMP:	I
Was well gravel packed? Yes No Size of gravel:	Manufacturer's Name BERKEY	
Gravel placed fromft. toft.	Type: SUB	LP S
Was a surface seal provided? FYes No To what depth? ft.		
Material used in seal— SENTON / TE	Well Driller's Statement:	
Did any strata contain unusable water? Tyes Tyo	This well was drilled under my jurisdiction a true to the best of my knowledge and belief.	nd this report is
Type of water? Depth of strata		•
Method of sealing strata off	NAME WILLIAM DISTEINNETT	ne or print)
(10) WATER LEVELS:	Address 361 WARNER MINERD.	or print) ORE CITY
Static level 5 ft. below land surface Date Conf. Artesian pressure lbs. per square inch Date	Driller's well number	7
	march of	
Log Accepted by:	[Signed] (Well Drifter)	Ind II
[Signed] Councer) Date Cuy 5, 195	License No. Date Control	15 19/
	· //·	
(USE ADDITIONAL S	HEETS IF NECESSARY)	