STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

MARI 69522

11/16/2020

WELL I.D. LABEL# START CARD# ORIGINAL LOG#

		ragerorr
L	139138	
	1049663	

(1) LAND OWNER Owner Well I.D.				
First Name Last Name	(9) LOCATION OF WELL (legal description))		
Company KUENZI TURF INC.	County MARION Twp 7.00 S N/S Range 1.	.00 W E/W WM		
Address 6475 STATE STREET	Sec <u>7 NE 1/4 of the NW 1/4 Tax Lo</u>			
City SALEM State OR Zip 97317	Tax Map Number Lot			
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat' or _44.98317000	DMS or DD		
Alteration (complete 2a & 10) Abandonment(complete 5a) (2a) PRE-ALTERATION	Lat or d4.98317000 Long or122.85950000	DMS or DD		
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address			
Casing:	4076 DESART ROAD N.E. SILVERTON, OREGON 97381	i		
Material From To Amt sacks/lbs				
Seal:	(40) CIDA DECLETA DED A DEVEL			
(3) DRILL METHOD	(10) STATIC WATER LEVEL Date SWL(psi)			
Rotary Air Rotary Mud Cable Auger Cable Mud	Existing Well / Pre-Alteration Date SWL(psi)	+ SWL(ft)		
Reverse Rotary Other	Completed Well 11/9/2020	46		
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?			
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first for	ound 64 00		
Thermal Injection Other	1	psi) + SWL(ft)		
	_	751) - SWL(II)		
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy	11/9/2020 64 132 200	46		
Depth of Completed Well 150.00 ft.				
BORE HOLE SEAL sacks/ Dia From To Material From To Amt lbs				
14.5 0 40 Cement w/4% Bentonity 0 40 22 S	1			
10 40 150 Calculated 14.08	1			
	(11) WELL LOG Ground Flevation			
Calculated	Ground Elevation			
How was seal placed: Method A B XC D E	Material From	n To		
Other	Top Soil 0			
Backfill placed from ft. to ft. Material	Firm brown clay 1	12		
Filter pack from ft. to ft. Material Size	Soft sandy brown clay Sticky brown clay 12			
Explosives used: Yes Type Amount	Sticky gray clay 30			
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	Sandy brown clay w/small gravels 41			
Proposed Amount Actual Amount	Brown sand and medium to large gravel 52	2 61		
(c) CACING/LINED	Sticky tan clay and gravel 61	1 64		
(6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd	Medium gravel w/some brown sand 64			
● 10 X 2 150 .250 ● X	Large loose gravel 73			
	Loose brown sand and small gravel 89 Tight medium gravel 96			
	Loose large gravel and brown sand 10			
	Loose gray coarse sand w/large gravel 12			
	Tan semi-cemented sand 13:	32 139		
Shoe X Inside Outside Other Location of shoe(s) 150	Dark gray semi-cemented sand 13	39 142		
Temp casing \times Yes Dia $_{14}$ From $_{14}$ From $_{14}$ To $_{35}$	Sticky gray clay 14:	12 150		
(7) PERFORATIONS/SCREENS				
Perforations Method Holte				
Screens Type Material	Date Started 10/29/2020 Completed 11/9/2	2020		
Perf/ Casing/Screen Scrn/slot Slot # of Tele/	(unbonded) Water Well Constructor Certification			
Screen Liner Dia From To width length slots pipe size Perf Casing 10 110 120 .2 1 363	I certify that the work I performed on the construction, dec	epening, alteration, or		
1 C1 Cusing 10 110 120 .2 1 303	abandonment of this well is in compliance with Orego			
	construction standards. Materials used and information repo	orted above are true to		
	the best of my knowledge and belief.			
	License Number 1903 Date 11/12/20)20		
(8) WELL TESTS: Minimum testing time is 1 hour	Signed			
Pump Bailer • Air Flowing Artesian	Signed RYAN PILLSBURY (E-filed)			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification			
200 140 2	I accept responsibility for the construction, deepening, alter	I accept responsibility for the construction, deepening, alteration, or abandonmen		
	work performed on this well during the construction dates rep	ported above. All world		
	performed during this time is in compliance with Orego			
Temperature 53 °F Lab analysis Yes By	construction standards. This report is true to the best of my k	nowledge and belief.		
Water quality concerns? Yes (describe below) TDS amount 180 ppm From To Description Amount Units	License Number 1273 Date 11/16/2020)		
From To Description Amount Units	Signed FLOYD SIPPEL (E-filed)	_		
	12012 511122 (2 11104)			
	Contact Info (optional)			
ODICINAL WATER DESCRIBES I	DED A DEMENT			