

ORIGINAL LOG

RECEIVED MARI 69572 MARI 738

4/IW-23

NOTICE TO WATER WELL CONTRACTOR
 The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

State Well No. _____
 State Permit No. _____

(1) OWNER:
 Name Elbert Olds
 Address Rte 1
Hubbard, Oregon

(2) LOCATION OF WELL:
 County Marion Driller's well number _____
1/4 Section 23 T. 4S R. 1W W.M.
 Bearing and distance from section or subdivision corner _____

(3) TYPE OF WORK (check):
 New Well Deepening Reconditioning Abandon
 abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):
 Domestic Industrial Municipal
 Irrigation Test Well Other

(5) TYPE OF WELL:
 Rotary Driven
 Cable Jetted
 Dug Bored

(6) CASING INSTALLED: Threaded Welded
6" Diam. from 0 ft. to 140 ft. Gage _____
 " Diam. from _____ ft. to _____ ft. Gage _____
 " Diam. from _____ ft. to _____ ft. Gage _____

(7) PERFORATIONS: Perforated? Yes No
 Type of perforator used Millknife
 Size of perforations 1/4 in. by 1 1/2 in.
32 perforations from 132 ft. to 134 ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.

(8) SCREENS: Well screen installed Yes No
 Manufacturer's Name _____ Model No. _____
 _____ Slot size _____ Set from _____ ft. to _____ ft.
 Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(9) CONSTRUCTION:
 Well seal—Material used in seal Bentonite Mud
 Depth of seal 40 ft. Was a packer used? no
 Diameter of well bore to bottom of seal 9 in.
 Were any loose strata cemented off? Yes No Depth _____
 Was a drive shoe used? Yes No
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.
 Did any strata contain unusable water? Yes No
 Type of water? _____ Depth of strata _____
 Method of sealing strata off _____

(10) WATER LEVELS:
 Static level 58 ft. below land surface Date _____
 Artesian pressure _____ lbs. per square inch Date _____

(11) WELL TESTS: Drawdown is amount water level is lowered below static level
 Was a pump test made? Yes No If yes, by whom? driller
 Yield: 65 gal./min. with 42 ft. drawdown after hrs.
 " " " " "
 " " " " "
 " " " " "
 Bailor test gal./min. with ft. drawdown after hrs.
 Artesian flow g.p.m. Date _____
 Temperature of water Was a chemical analysis made? Yes No

(12) WELL LOG: Diameter of well below casing _____
 Depth drilled 140 ft. Depth of completed well 140 ft.
 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

MATERIAL	FROM	TO
Surface	0	3
Sandy brown clay	3	45
Brown sand	45	88
Broken sand and small gravel	88	93
Clay	93	99
Red sand	99	107
Broken sand and gravel	107	140

RECEIVED
 DEC 21 2020
 OWRD

Work started Feb 20 1962 Completed March 12 1962
 Date well drilling machine moved off of well March 12 1962

(13) PUMP:
 Manufacturer's Name Rapidayton
 Type: Submersible H.P. 1 1/2

Water Well Contractor's Certification:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME John Truman Miller (Type or print)
 Address P O Box 42 Hubbard, Oregon

Drilling Machine Operator's License No. _____
 [Signed] John Truman Miller (Water Well Contractor)
 Contractor's License No. 277 Date March 12, 1962

Online Start Card Form

Start Card Number: 1045243

Owner Information

Company BPMHP LLC

First Name MARK Last Name PASSANNANTE

Street1 8904 NE HAZELDALE AVE
Street2

City VANCOUVER State Washington Zip 98665

Home Phone Work Phone 503-789-5600

Email

Type of Work

Fee Required: New Conversion Deepening

No Fee Required: Alteration Abandonment

Original Start Card Nbr.: Original Well Label Nbr: L 738

Construction

Proposed Commencement Date 10/12/2019 Existing/Or Proposed Depth (ft) 140 Diameter (in) 6

Use

Domestic Community Industrial/Commercial Irrigation
 Thermal Injection Livestock Other:
 Monitoring Piezometer Dewatering

Proposed Well Location

Street address of well, if not assigned, nearest address:

Same as above?

19798 HWY 99 HUBBARD OR, 97032

Tip: You may copy/paste the address into the 'Find address or place' in the map search to zoom to this location.


Location Description:

Enter the latitude/longitude, or
You may zoom and click on the map directly to find the latitude/longitude.

Latitude/Longitude
DDD.DDDDD° DDD° MM' SS.S" DDD° MM.MMM'

Decimal Degrees
Latitude:
Longitude:

TRS-QQ
Township 4.00 S County Marion
Range 1.00 W Taxlot N/A
Section 23
QQ/Q SE SW



RECEIVED
DEC 21 2020
OWRD