STATE OF OREGON WATER SUPPLY WELL REPORT **MARI 70439**

WELL I.D. LABEL# L 140541

START CARD # 1056789

ORIGINAL LOG #

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	5/27/2022	ORIGINAL LOG#			
(1) LAND OWNER Owner Well I.D.					
First Name PAUL Last Name SNEGIREV	_ (9) LO(CATION OF WELL (legal d	description)		
Company BOONES FERRY FARM		IARION Twp 4.00 S N	_	WM	
Address 19602 BOONES FERRY RD		SW 1/4 of the SW			
City HUBBARD State OR Zip 97032 2) TYPE OF WORK New Well Deepening Conversion					
	Lat	° ' " or 45 2023993.	8 DMS or 1	DD	
Alteration (complete 2a & 10) Abandonment(complete 2a) PRE-ALTERATION	Long	°" or122.803382	246 DMS or l	DD	
Dia + From To Gauge Stl Plstc Wld Thrd	7	Street address of well Ne			
Casing:	19602 BC	OONES FERRY RD, HUBBARD, O	R 97032		
Material From To Amt sacks/lbs					
Seal:	(10) ST	ATIC WATER LEVEL			
Rotary Air Rotary Mud Cable Auger Cable Mud		Date	SWL(psi) + SWL(ft)		
Reverse Rotary Other		Existing Well / Pre-Alteration			
	Comp	eleted Well 5/26/2022			
4) PROPOSED USE Domestic Irrigation Community		Flowing Artesian?	_		
Industrial/Commericial Livestock Dewatering	WATER B		ater was first found 90.00		
Thermal Injection Other	SWL D	ate From To Es	t Flow SWL(psi) + SWL(ft))	
5) BORE HOLE CONSTRUCTION Special Standard (Attac	ch copy) 5/26/20	22 90 120	100 44	٦	
Depth of Completed Well 120.00 ft.					
BORE HOLE SEAL	sacks/				
Dia From To Material From To Amt 10 0 30 Bentonite Chips 0 30 24	lbs S				
6 30 120 Calculated 15					
	(11) WE	LLLOC		_	
Calculated]]]	(11) WELL LOG Ground Elevation			
How was seal placed: Method A B C D E		Material	From To	_	
X Other POURED AND PROBED	Top soil a	nd rocks on soft silty	0 2 12	\dashv	
Backfill placed from ft. to ft. Material Size	Clay brow	•	12 73	\dashv	
	I	firm sticky	73 90		
Explosives used: Yes Type Amount		brown fine to small grained	90 99		
5a) ABANDONMENT USING UNHYDRATED BENTONITE	Gravel mu	alti color W/sand black med	99 120	4	
Proposed Amount Actual Amount				+	
6) CASING/LINER Casing Liner Dia + From To Gauge Stl Plstc Wld	TI 1			\dashv	
Casing Liner Dia + From To Gauge Stl Plstc Wld (a) (b) (c) (6) (x) 1.5 120 250 (c) (x)	Thru				
	Ħ II			_	
				\dashv	
				\dashv	
				\neg	
Shoe X Inside Outside Other Location of shoe(s) 120					
Temp casing \times Yes Dia $\underline{10}$ From $+ \times \underline{1}$ To $\underline{9}$				\dashv	
7) PERFORATIONS/SCREENS	_			\dashv	
Perforations Method					
Screens Type Material Perf/ Casing/Screen Scrn/slot Slot # of T	Date Sta	rted <u>5/25/2022</u> Com	pleted <u>5/26/2022</u>		
Screen Liner Dia From To width length slots pip	/ 1 1	ed) Water Well Constructor Certif	ication		
		hat the work I performed on the co			
		nent of this well is in compliant on standards. Materials used and in			
		f my knowledge and belief.	normation reported above are in	ie to	
	License N	, ,	ate		
8) WELL TESTS: Minimum testing time is 1 hour				_	
Pump Bailer (a) Air Flowing Artesi	Signed				
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)		Water Well Constructor Certifica	tion		
100 110	¬ l` ′	esponsibility for the construction, d		nmer	
	work perfe	ormed on this well during the constru	uction dates reported above. All	wor	
		during this time is in compliance			
Temperature 55 °F Lab analysis Yes By		on standards. This report is true to the		ief.	
Water quality concerns? Yes (describe below) TDS amount 87 p From To Description Amount Un		umber <u>1725</u> D	sate 5/26/2022	_	
Trom To Description Amount On	— I	TROY REYNOLDS (E-filed)			
	 ` .	fo (optional) Troy Reynolds		—	
		(T · · · · ·)			

continuation page	5/27/2022	ORIGINAL LOG #	30707
2a) PRE-ALTERATION	Water Quali	ty Concerns	·
Dia + From To Gauge Stl Plstc Wld Thrd		To Description	Amount Units
Material From To Amt sacks/lbs			
5) BORE HOLE CONSTRUCTION		C WATER LEVEL	
DODE HOLE CEAL	SWL Date	From To Est Flow	v SWL(psi) + SWL(ft)
Dia From To Material From To Amt			
Calculated			
Calculated			
Calculated			
Calculated			
FILTER PACK From To Material Size	(11) WELL	LOG	
119		Material	From To
6) CASING/LINER			
Casing Liner Dia + From To Gauge Stl Plstc Wld T	Thrd		
88-1-88-1			
	\sqcup		
7) PERFORATIONS/SCREENS			
	Tele/		
	ipe size		
	—— ———		
	Comments/	Remarks	
(8) WELL TESTS: Minimum testing time is 1 hour	Devin Reynolo	ls was a helper on this hole and recei	ved 20 hrs experience!!!!
_			
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr]		
	-		
	1		
] []		

MARI 70439

5/27/2022

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



LOCATION OF WELL

Latitude: 45.20239938 Datum: WGS84

Longitude: -122.80338246

Township/Range/Section/Quarter-Quarter Section:

WM4.00S1.00W22SWSW

Address of Well:

19602 BOONES FERRY RD, HUBBARD, OR 97032

Well Label: 140541

Printed: May 27, 2022

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

