STATE OF OREGON WATER SUPPLY WELL REPORT

MARI 71152

WELL I.D. LABEL# L 77203

START CARD # 1072708

ORIGINAL LOG # MARION 59050

WATER SUPPLY WELL REPORT		START CARD#	10/2/08	
(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	2/26/2024	ORIGINAL LOG #	MARION 59050)
(1) LAND OWNER Owner Well I.D. 77203				
First Name Last Name Company MACLEAY CONFERENCE AND RETREAT CENTER		TION OF WELL (legal o		
Address 2887 74TH AVE SE		ON Twp 8.00 S N		
City SALEM State OR Zip 97317	$\frac{-}{-}$ Sec $\frac{3}{-}$	SW 1/4 of the SE	_ 1/4 Tax Lot <u>0600</u>)
(2) TYPE OF WORK New Well Deepening Conversi	ion Tax Map Numb	oer " or 44.9004145" " or -122.91499	Lot	DMS or DD
Alteration (complete 2a & 10) Abandonment(comp	lete 5a) Lat	or _122 91/199	1/05	DMS or DD
(2a) PRE-ALTERATION Dia + From To Gauge Stl Plstc Wld Thrd	Long	treet address of well No	earest address	DIVIS OF DD
Casing: 6 X 1 108 .250 • X		VE SE, SALEM, OR 97317		
Material From To Amt sacks/lbs				
Seal: Bentonite Chips 0 1 0.5 Sacks	(40) GELLERY			
(3) DRILL METHOD	(10) STATI	C WATER LEVEL Date	. CMI (')	CIVII (C)
Rotary Air Rotary Mud Cable Auger Cable Mud	Existing W	Vell / Pre-Alteration 2/6/2024	e SWL(psi) +	SWL(ft) 76.25
Reverse Rotary Other	Completed	1 Well 2/6/2024		76.25
(4) PROPOSED USE		Flowing Artesian?	Dry Hole?	
Industrial/ Commericial Livestock Dewatering	WATER BEAR	ING ZONES Depth w	vater was first found 70	6.00
Thermal Injection Other	SWL Date	=	st Flow SWL(psi)	
(5) BORE HOLE CONSTRUCTION Special Standard (Atta	nch copy)			
Depth of Completed Well 318.00 ft.	ен сору)	+ + +		
BORE HOLE SEAL	sacks/	+ + +		
Dia From To Material From To Amt	lbs			
10 0 318				
Calculated	 			
Calculated	(11) WELL	LOG Ground Elevation	on 469.78 FT	
Seal placement method A B C D E Other:		Material	From	То
Backfill placed from ft. to ft. Material	Existing boreh	ole	0	318
Filter pack from ft. to ft. Material Size				
Explosives used: Type Amount				
Seal Placement Begin Date Begin Time				
(5a) ABANDONMENT USING UNHYDRATED BENTONITE				
Proposed Amount Actual Amount				
(6) CASING/LINER				
Casing Liner Dia + From To Gauge Stl Plstc Wlo				
(a) 4.5 (b) 98 (sch 40) (c) (d)				
	├			
Shoe Inside Outside Other Location of shoe(s)	¹			
(7) PERFORATIONS/SCREENS Perforations Method				
Screens Type Westlake Certa Loc Material PVC	Construction Begin Date 2/	6/2024 Begin Time 08	00 End Date	2/6/2024
Perf/ Casing/ Screen Scrn/slot Slot # of	Tele/	0/2021		2,0,2021
Screen Liner Dia From To width length slots pi	ipe size	Vater Well Constructor Certife the work I performed on the c		alteration of
Screen Liner 4.5 98 318 .02		of this well is in compliance		
	construction st	tandards. Materials used and in		
	the best of my	knowledge and belief.		
	License Numb	er <u>2090</u>	Date <u>2/6/2024</u>	
(8) WELL TESTS: Minimum testing time is 1 hour	Signed			
Pump Bailer Air Flowing Artes	sian Signed JAC	CK BOLLER (E-filed)		
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Wate	er Well Constructor Certifica	ition	
		nsibility for the construction, of	1 0	
		d on this well during the constr		
		ring this time is in complian andards. This report is true to the		
Temperature 54 °F Lab analysis Yes By		1	· ·	ge anu benel.
	ppm License Number	er <u>1394</u> D	Date 2/26/2024	
Description Thrown C.		GENE MACK (E-filed)		
		optional) Mack Drilling Compa	any	
		. /		

Description

ELL I.D. LABEL# L		
START CARD #	1072708	
ORIGINAL LOG#	MARION	59050

Amount Units

Est Flow SWL(psi) + SWL(ft)

From

continuation page	2/26/2024	ORIGINAL L
(2a) PRE-ALTERATION	Water Quality Co	oncerns
Dia + From To Gauge Stl Plstc Wld Thrd	From To	Descrip
		+
Material From To Amt sacks/lbs		
		_
Cement w/5% Bentonite 1 108 26 Sacks	$\frac{\Box}{(10) \text{ STATIC W}}$	ATED I EVEL
	SWL Date From	
(5) BORE HOLE CONSTRUCTION		
BORE HOLE SEAL	sacks/	
Dia From To Material From To An	nt lbs	
Calculated		
Calculated		
Calculated		
Calculated	(11) WELL LOC	Ť
FILTER PACK	Ma	aterial
From To Material Size		
(6) CASING/LINER		
Casing Liner Dia + From To Gauge Stl Plstc Wle	d Thrd	
	, _	
	 	
(7) DEDEOD A TIONG/CODEENS		
(7) PERFORATIONS/SCREENS		
Perf/ Casing/ Screen Scrn/slot Slot # of Screen Liner Dia From To width length slots	Tele/ pipe size	
Screen Liner Dia From To width length slots	pipe size	
	Name of person(s) wh	
	ISAAC MCCLINTO	1
	ISAAC WCCLINTO	CK HEL
	—— <u> </u>	
(8) WELL TESTS: Minimum testing time is 1 hour		
Yield gal/min Drawdown Drill stem/Pump depth Duration	(hr) Comments/Rem	
	No liner pipe was ev	

Jame of person(s) who assisted v	with construction a	nd Trainee Li	cense # / Helpe
Assistant Name			# #
		ype	8888852
ISAAC MCCLINTOCK	HELPER WA	HELPER WATER	
			1
Comments/Remarks			

from 98 to 318 and 4.5" sch 40 liner from 98 to ground level. Filled the outside of liner with 8/12 Silica sand. Pulled out pump on arrival and reset

pump when done. Test pumping completed by Saffron Supply.

MARI 71152

2/26/2024

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



Well Label: 77203

Printed: February 6, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

LOCATION OF WELL

Latitude: 44.90041458 Datum: WGS84

Longitude: -122.91499495

Township/Range/Section/Quarter-Quarter Section:

WM8.00S2.00W3SWSE

Address of Well:

2887 74TH AVE SE, SALEM, OR 97317

