

STATE OF OREGON WATER SUPPLY WELL REPORT

MARI 71322

WELL I.D. LABEL# L 151662 START CARD # 1074211 ORIGINAL LOG #

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)

8/15/2024

(1) LAND OWNER

Owner Well I.D. First Name Last Name Company KUENZI TURF & NURSERY Address 6475 STATE STREET City SALEM State OR Zip 97317

(2) TYPE OF WORK

New Well Deepening Conversion Alteration (complete 2a & 10) Abandonment(complete 5a)

(2a) PRE-ALTERATION

Casing: Dia + From To Gauge Stl Plstc Wld Thrd Seal: Material From To Amt sacks/lbs

(3) DRILL METHOD

Rotary Air Rotary Mud Cable Auger Cable Mud Reverse Rotary Other

(4) PROPOSED USE

Domestic Irrigation Community Industrial/ Commercial Livestock Dewatering Thermal Injection Other

(5) BORE HOLE CONSTRUCTION

Depth of Completed Well 278.00 ft. Special Standard (Attach copy)

Table with columns: Dia, From, To, Material, SEAL, From, To, Amt, sacks/lbs. Rows include Bentonite and Cement.

Seal placement method A B C D E Other: BENTONITE POURED &

Backfill placed from 170 ft. to 175 ft. Material ROCK & SAND

Filter pack from ft. to ft. Material Size

Explosives used: Type Amount

Seal Placement Begin Date 7/23/2024 Begin Time 12 30

(5a) ABANDONMENT USING UNHYDRATED BENTONITE

Proposed Amount Actual Amount

(6) CASING/LINER

Table with columns: C/L, Dia, From, To, Gauge, Mat. Type, Wld, Thrd, Shoe, Location. Row 1: C, 8, 1.33, 275, .25, S, X, out, 275.

Temp casing Yes Dia 12 From 0 To 155

(7) PERFORATIONS/SCREENS

Perforations Method Holte air perforator

Screens Type Material

Table with columns: Perf/ Screen, Casing/ Screen, Dia, From, To, Scrm/slot width, Slot length, # of slots, Tele/ Pipe size.

(8) WELL TESTS: Minimum testing time is 1 hour

Table with columns: Type of Test, Yield (gal/min), Drawdown, Drill Stem/ Pump Depth, Duration (hr). Rows for Air and Pump tests.

Temperature 57 °F Lab analysis Yes By

Water quality concerns? Yes (describe below) TDS amount 120 ppm

Table with columns: From, To, Description, Amount, Units.

(9) LOCATION OF WELL (legal description)

County MARION Twp 7.00 S N/S Range 2.00 W E/W WM Sec 28 SE 1/4 of the SE 1/4 Tax Lot 900

NW CORNER OF INTERSECTION OF STATE ST. & 63RD AVE

(10) STATIC WATER LEVEL

Table with columns: Existing Well / Pre-Alteration, Date, SWL(psi), SWL(ft). Row 1: Completed Well, 8/2/2024, 56.

Flowing Artesian? Dry Hole?

WATER BEARING ZONES

Depth water was first found 65.00

Table with columns: SWL Date, From, To, Est Flow, SWL(psi), SWL(ft). Rows for 8/2/2024.

(11) WELL LOG

Ground Elevation 232.92 FT

Table with columns: Material, From, To. Rows include soil, clay brown medium, claystone gravel, etc.

Construction

Begin Date 7/3/2024 Begin Time 15 00 End Date 8/2/2024

(unbonded) Water Well Constructor Certification

I certify that the work I performed on the construction, deepening, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards.

License Number Date

Signed

(bonded) Water Well Constructor Certification

I accept responsibility for the construction, deepening, alteration, or abandonment work performed on this well during the construction dates reported above.

License Number 688 Date 8/15/2024

Signed STEVEN STADELI (E-filed)

Drilling Company: Westerberg Drilling Inc

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

MARI 71322


8/15/2024

Map of Hole

**STATE OF OREGON
WELL LOCATION MAP**

This map is supplemental to the WATER SUPPLY WELL REPORT

Oregon Water Resources Department
725 Summer St NE, Salem OR 97301
(503)986-0900



LOCATION OF WELL
Latitude: 44.92778000 Datum: WGS84
Longitude: -122.93507000
Township/Range/Section/Quarter-Quarter Section:
WM7.00S2.00W28SWSE
Address of Well:
NW CORNER OF INTERSECTION OF STATE ST. & 63RD AVE

Well Label: 151662
Printed: August 15, 2024

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.
Provided by well constructor

