NOTICE TO WATER WELL CORRECT ENGINEER WELL REPORT

of this report are to be JUL 10 1970 STATE OF OREGON

STATE ENGINEER, SALEM, OREGON ESTENGINEER (Please type or print)

within 30 days from the SALEM. OREGON

of well completion.

State Permit No. ....

(1) OWNER:	(11) LOCATION OF WELL:		
Name L.E KUNSMAN	County MARION Driller's well number		
Address 5-220 LARDON RD. N.E.	14 NE 1/4 Section / 7 T. 75 R. 2W W.M.		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.			
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(12) WELL LOG: Diameter of well below casin	. 8	
Cable Jetted Domestic Industrial Municipal	Depth drilled 95 tt. Depth of completed well	95° ft.	
Dug	Formation: Describe color, texture, grain size and structu	re of materials:	
CASING INSTALLED: Threaded Welded & Welded & Threaded Thre	and show thickness and nature of each stratum and aque with at least one entry for each change of formation. Rep in position of Static Water Level as drilling proceeds. No	uifer penetrated, oort each change	
" Diam. from ft, to ft, Gage	MATERIAL From	To≰े SWL	
ft. toft. Gage	TOPSOK	4	
'6) PERFORATIONS: Perforated?   Yes   No.		at s	
e of perforator used	CLAY Blue 28	56	
Size of perforations in. by in.	SAHD BROWN FINE 56	60	
	CONGLOMERITE 60	-24	
perforations from	CLAY GRAY STRKY 71	73	
perforations from tt. to tt.	SANDY CLACK 13	391	
perforations from	CONSCONERATE 81	A = 200	
perforations from ft. to ft.	GRAVEL & SAND 15 - 94	93 391	
performance and the second sec			
(7) SCREENS: Well screen installed?   Yes No			
Manufacturer's Name			
Type Model No			
Diam Slot size Set from ft. to ft.			
Diam Slot size Set from ft. to ft.			
(8) WATER LEVEL: Completed well.  Static level 39' ft. below land surface Date 7-8-70			
tesian pressure lbs. per square inch Date			
( WELL TESTS: Drawdown is amount water level is			
is well below static level			
Was a pump test made? ☐ Yes No If yes, by whom?	Work started 7- 6 190 Completed 7-	R- 1926	
eld: gal./min. with ft. drawdown after hrs.	Date well drilling machine moved off of well	<u> </u>	
, , , , , , , , , , , , , , , , , , ,	Date wen drining machine moved off of wen	0 - 19 >	
n n n	Drilling Machine Operator's Certification:		
Bailer test 50 gal./min. with 26 ft. drawdown after hrs.	This well was constructed under my direct super rials used and information reported above are true		
Artesian flow g.p.m. Date	knowledge and belief.	_	
Temperature of water (57 Was a chemical analysis made? ☐ Yes 🖈 No	[Signed] N. T. Success Date >-	8- 19>0	
	(Drilling Machine Operator)	•	
(10) CONSTRUCTION:  Well seel Metarial used BENTONITE	Drilling Machine Operator's License No	•••••	
Weil Seal-Material used	Water Well Contractor's Certification:		
Depth of seal 50 ft.	This well was drilled under my jurisdiction and	this renow i-	
Diameter of well bore to bottom of seal	true to the best of my knowledge and belief.	mis report is	
	NAME JASKEED & SAKS	************************	
Was a drive shoe used? Wes No	(Person, firm or corporation) (Type	or print)	
Did any strata contain unusable water? Yes No	Address 3910 SILVERSON ROSALO	4 OPC	
Type of water? SANDY depth of strata 73 7081	Oak 1		
Method of sealing strata off CASEO	[Signed]	•••••	
Was well gravel packed?  Yes No Size of gravel:	(Water Well Contractor)		
Gravel placed from ft. to ft.	Contractor's License No Date	- 19,20	