STATE OF OREGON WATER SUPPLY WELL REPORT

MARI 71811

WELL I.D. LABEL# L
155832

START CARD # 1079211

ORIGINAL LOG # MARION

			upe	-	OI	_
L	155832					
	1079211					
	MARION	5075				

(as required by ORS 537.545 & 537.765 and OAR 690-205-0210)	9/9/2025 ORIGINAL LOG # MARION 5075
(1) LAND OWNER Owner Well I.D. DR-3801	
First Name Last Name	(9) LOCATION OF WELL (legal description)
Company CHAPIN ORCHARDS LLC.	County MARION Twp 6.00 S N/S Range 3.00 W E/W WN
Address P. O. BOX 9406	- Sec <u>23 NW 1/4 of the NW 1/4 Tax Lot 100</u>
City SALEM State OR Zip 97305 (2) TYPE OF WORK New Well Deepening Conversi	
	LL of " or 45 04217366 DMS or DD
X Alteration (complete 2a & 10) Abandonment(comp)	lete 5a) Long or -123.02997595 DMS or DD
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well • Nearest address
Casing: 10 0 32 0.250 • X	SE OF: 700 SALMON ST. N.
Material From To Amt sacks/lbs	SALEM OR. 97303
Seal:	440.000.000
(3) DRILL METHOD	(10) STATIC WATER LEVEL
Rotary Air Rotary Mud Cable Auger Cable Mud	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration
Reverse Rotary Other	Completed Well 9/6/2025 28
(4) PROPOSED USE Domestic X Irrigation Community	Flowing Artesian? Dry Hole?
Industrial/ Commercial Livestock Dewatering	WATER BEARING ZONES Depth water was first found 64.00
Thermal Injection Other	
	SWL Date From To Est Flow SWL(psi) + SWL(ft)
(5) BORE HOLE CONSTRUCTION Special Standard (Atta	ch copy) 9/2/2025 64 99 30 28
Depth of Completed Well 178.00 ft.	9/3/2025 99 182 850 28
BORE HOLE SEAL Dia From To Material From To Am	sacks/
Dia From 10 Material From 10 Am 16 0 19 Bentonite 0 19 23	
10 19 182 Calculated 21.5	
	(11) WELL LOC
Calculated	(11) WELL LOG Ground Elevation 123.17 FT
Seal placement method: A B C D E Other: POURED DRY	Material From To
Backfill placed from ft. to ft. Material	Existing Borehole (Alluvial Soil) 0 2
Filter pack from ft. to ft. Material Size _	Existing Borehole (Brown Clay) 2 15
Explosives used: Type Amount	Existing Borehole (Gravel & Boulders) 15 32 Gravel Brown Cemented w/ Cobbles 32 37
Explosives used: Type Amount Seal Placement Begin Date $8/23/2025$ Begin Time 17 00	Gravel W/ Silt Gray Sandy 37 49
(5a) ABANDONMENT USING UNHYDRATED BENTONITE	
Proposed Amount Actual Amount	Gravel Cemented Brown Sandy 64 78
(6) CASING/LINER Mat	Gravel Large w/ Some Sand 78 94
Witt.	Shoe Gravel Small w/ Sand Brown/Black 94 109
C/L Dia + From To Gauge Type Wld Thrd Shoe L	107 100
C 10 X 2.4 178 0.250 ST X IN.	178 Gravel Black Sandy 127 129 Sand Black w/ Wood-Heaving Heavily 129 153
	Gravel Large w/ Some Sand Black 153 175
	Cobbles Large Black/Blue Layered 175 182
Temp casing Yes Dia From+ To	
(7) PERFORATIONS/SCREENS	
Perforations Method Holte Air Perforator	Construction
Screens Type Material	Begin Date <u>8/23/2025</u> Begin Time <u>15</u> 00 End Date <u>9/6/2025</u>
	Tele/ ipe size (unbonded) Water Well Constructor Certification
Perf Casing 10 159 176 .25 1 816	I certify that the work I performed on the construction, deepening, alteration, or
	abandonment of this well is in compliance with Oregon water supply well
	construction standards. Materials used and information reported above are true to
	the best of my knowledge and belief.
	License Number 1974 Date 9/9/2025
(8) WELL TESTS: Minimum testing time is 1 hour	Signed CINUGENT (F-filed)
Yield Drill Stem/ Duration	
Type of Test (gal/min) Drawdown Pump Depth (hr)	(bonded) Water Well Constructor Certification
Air 850 175 3	I accept responsibility for the construction, deepening, alteration, or abandonmer
	work performed on this well during the construction dates reported above. All wor
	performed during this time is in compliance with Oregon water supply we
Temperature 53 °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.
Water quality concerns? Yes (describe below) TDS amount 86 From To Description Amount U	ppm License Number 664 Date 9/9/2025
Troni 10 Description Amount Of	Signed CHARLES NUGENT (E-filed)
	Drilling Company: Nugent Drilling Co. Lebanon OR. 541-258-7816
	Drining Company. 13gent Drining Co. Ecoanon Ort. 341-230-7010

WATER SUPPLY WELL REPORT - continuation page
2a) PRF_AI TERATION

MARI 71811

WELL I.D. LABEL# L 155832 START CARD # 1079211

continuation page	9/9/20)25	ORIGINA	L LOG # MARION	5075	
2a) PRE-ALTERATION	W	Vater Quality				
Dia + From To Gauge Stl Plstc Wld Thrd	F	rom To	De	escription	Amount U	Jnits
					+	
					+ +	
Material From To Amt sacks/lbs						
Material From To Amt sacks/lbs					1	
	<u> </u>	O) STATIC	WATER LEV	TOT		
		SWL Date	From To	Est Flow SWI	((nsi) + 9	SWL(ft)
5) BORE HOLE CONSTRUCTION	Ϊ́	J I Dute	Tiom To	LSt 110W SW1	(psi)	, WE(It)
BORE HOLE SEAL	sacks/				$= \Box$	
Dia From To Material From To	Amt lbs				- $ +$	
					$\dashv \vdash$	
Calculated	—— <u>—</u> —————————————————————————————————				$= \Box$	
Calculated					$-\!\!\!\!-\!\!\!\!\!+$	
					-	
Calculated	——————————————————————————————————————					
Calculated		1) WELL L	.OG			
FILTER PACK			Material		From	То
From To Material Size						
6) CASING/LINER	-					
Mat.	Shoe					
C/L Dia + From To Gauge Type Wld Thrd S	Shoe Location					
A DEDEOD A MIONG/GODEENG	—— <u> </u>					
) PERFORATIONS/SCREENS						
	of Tele/ ots Pipe size					
Screen Liner Dia From To width length sle	ots Tipe size					
						
	Na	_	 who assisted with tant Name 	construction and Trair Type	iee License #	# / Helper #
		Assisi IM NICHOLS		1 ype HELPER WATER	100	# 88849
		TAI TAICHOLS	O14	III DI WAIEK	00	00047
	 - _					
(8) WELL TESTS: Minimum testing time is 1 hour						
Tield 5		omments/R		1 11 11 11	1	
Type of Test (gal/min) Drawdown Pump Depth (h)" Casing. Re drilled port MARI: 5075	and deepened in the s	ame location	١.
		-	port MARI: 50/5 e drive shoe was us	ed.		
				as present in water.		
	 н	ole caved back	to 178'	-		
		asing is 2' 4" to	account for flood	plain.		

WATER SUPPLY WELL REPORT - Map with location identified must be attached and shall include an approximate scale and north arrow

MARI 71811

9/9/2025

Map of Hole

STATE OF OREGON WELL LOCATION MAP

This map is supplemental to the WATER SUPPLY WELL REPORT

Datum: WGS84

Oregon Water Resources Department

725 Summer St NE, Salem OR 97301 (503)986-0900



Well Label: 155832 LOCATION OF WELL

Latitude: 45.04217366 Printed: September 9, 2025 Longitude: -123.02997595

Township/Range/Section/Quarter-Quarter Section: WM6.00S3.00W23NWNW

Address of Well:

SE OF: 700 SALMON ST. N.

SALEM OR. 97303

DISCLAIMER: This map is intended to represent the approximate location the well. It is not intended to be construed as survey accurate in any manner.

Provided by well constructor

