NO

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion. WATER WELL REPORT STATE OF OREGON
(Please type or print)

4/1W-22R

within 30 days from the date (Please type or print) of well completion.		State Permit No.		
1) OWNER:	(11) WELL TESTS: Drawdown is amount water level is lowered below static level			
fame Mark Smith		☐ No If yes, by whor		ller
Address RTI BOX 27713		with 1 H 3 ft. drawdov		hrs.
Aurora Cres	" 3.95 "	113 "		H "
	" "	"		"
2) LOCATION OF WELL:	Bailer test gal./mir	n. with ft. drawd	own after	hrs.
County Marlon Driller's well number	Artesian flow	g.p.m. Date		
SE 14SE 14 Section H T. 22 R. / W.M.	Temperature of water 53 V	Vas a chemical analysis	made? 🔲 ነ	Yes 🕱 No
Bearing and distance from section or subdivision corner 626,72 FF	(12) WELL LOG: D	iameter of well below co	seing N	177 -
North 108. Ft W of The SE Corner	<b>\</b>			
of Sec 22.		Depth of completed we		ft.
	Formation: Describe by color, c show thickness of aquifers and stratum penetrated, with at lea	haracter, size of materion the kind and nature of	ıl and stru the materi	cture, and al in each
	stratum penetrated, with at lea	ist one entry for each (	hange of j	formation.
	MATERIA	AL	FROM	ŢΟ
(3) TYPE OF WORK (check):	TAP GOVE A Born	wn C/24	0	27
Wew Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	OIL BANGE		27	53
bandonment, describe material and procedure in Item 12.	Carl Car		53	80
	Gravel & fine	gand	80	83
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Clay stone (170	72/11	93	93
Domestic ' Industrial Municipal Cable	(10) 310 Hz. (12) 27	7 / 1 /	93	105
Cable   Cab	0134 1 1 7 814	<u>e                                    </u>	105	124
(a) CACTIVO TICMATTEN	01/4 123 4	<u> </u>	134	147
(6) CASING INSTALLED: Threaded   Welded	0/24 /22/6	STICKLY	147	153
10 "Diam. from		1 /	1, 23	166
" Diam. from ft. to ft. Gage	20 1 10	nd water	166	176
" Diam. from ft. to ft. Gage	0.1.	Waltr	136	121
(7) PERFORATIONS: Perforated?	Clay Green		1.1,6	131
Type of perforator used STAY 4 WAY				
Size of perforations 1/11 in. by 1/2 in.			-	
H. 80 perforations from 93 ft. to 10.5 ft.				
100 perforations from 172 ft. to 177 ft.				
perforations from ft. to ft.				
perforations from ft. to ft.				
perforations from ft. to ft.				
The state of the s				
(8) SCREENS: Well screen installed? ☐ Yes ∠No				
Manufacturer's Name				
Model No.				
Slot size Set from ft. to ft.	Work started H/26/63	19 Completed	5/16	1963
Diam, Slot size Set from ft. to ft.	Date well drilling machine mo	ved off of well 5	117	19
(9) CONSTRUCTION:	(13) PUMP:		<u></u>	
Well seal-Material used in seal 47066	Manufacturer's Name			
Depth of seal HC ft. Was a packer used? MO	Type:		H.P	•41•44••••
Diameter of well bore to bottom of seal in.	Water Well Contractor's Ce	rtification:		
Were any loose strata cemented off? Yes You Depth				
Was a drive shoe used?  Yes No_	This well was drilled u	nder my jurisdiction	and this	report is
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	l	_	1 111	
Gravel placed from ft, to ft.	NAME John Be	ck Wella	121/11	ng
Did any strata contain unusable water?  Yes No				
Type of water? depth of strata	Address PT 3 Box	- TO (1966)	.j <u>C'7</u> .	
Method of sealing strata off	Drilling Machine Operator	's License No.		
(10) WATER LEVELS:		1.162	1,	
./ /.	[Signed]	(1) 1) ec	K	
Static level 32 ft. below land surface Date 5/16/63		(water well Contractor)	<i>a</i> .	<i>/</i>
Artesian pressure lbs_per square inch Date	Contractor's License No	Date5././.	8	, 19. <i>.le.)</i>
(USE ADDITIONAL S	HEETS IF NECESSARY) 4 4	<b>∤</b> ' '		