OTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

JJH 20 196 STATE OF OREGON (Please type or print)

STATE ENGINEER, SALEM, OREGON 97310 JJI 20 196 STATE OF OREGO (Please type or print of well completion.

State Well No. 4/16-23

State Permit No. ...

(1) OWNER: STATE ENGINEERS	(11) WELL TESTS: Drawdown is amount of lowered below static le	vei	
Name Elbert Olds	Was a pump test made? ☑ Yes ☐ No If yes, by whom	1? driller	
Address Rte 1	Yield: 28 gal./min. with 78 ft. drawdow	vn after 3 hrs.	
Hubbard, Oregon	" " "		
(2) LOCATION OF WELL:			
County Marian Driller's well number	Bailer test gal./min. with ft. drawdo	own after hrs.	
County Marian Driller's well number 14 14 Section 23 T. 4S R. 1W W.M.	Artesian flow g.p.m. Date Temperature of water Was a chemical analysis is	made? [] Ves M No	
Bearing and distance from section or subdivision corner			
Dearing and distance storing control of the storing and distance storing	(12) WELL LOG: Diameter of well below ca	sing	
	Depth drilled 115 ft. Depth of completed we		
	Formation: Describe by color, character, size of materia show thickness of aquifers and the kind and nature of	l and structure, and the material in each	
	stratum penetrated, with at least one entry for each c	hange of formation	
	MATERIAL	FROM TO	
(3) TYPE OF WORK (check):	Surface	0 3	
New Well ☑ Deepening ☐ Reconditioning ☐ Abandon ☐	Brown clay	3 45	
andonment, describe material and procedure in Item 12.	Brown sand	45 88	
(A) PROPOSED VICE (1 1) (F) EVIDE OF WELL.	Broken sand and small gravel	88 93	
(4) PROPOSED USE (check): (5) TYPE OF WELL:	Clay	93 99	
Domestic Industrial Municipal Cable A Jetted	Red sand	99 107	
Irrigation Test Well Other Dug Bored	Broken sand and gravel	107 115	
(6) CASING INSTALLED: Threaded Welded			
6 "Diam. from 0 ft. to 115 ft. Gage 14"			
		 	
(E) DEDUCE AMIONG			
(7) PERFORATIONS: Perforated? ☐ Yes ☑ No			
Type of perforator used			
Size of perforations in. by in.		1	
perforations from ft. to ft.			
perforations from ft. to ft.			
perforations fromft. toft.			
perforations from ft. to ft.			
(8) SCREENS: Well screen installed? ☐ Yes ☑ No			
Manufacturer's Name			
T Model No.			
I Slot size Set from ft. to ft.	Work started June 1 1967 Completed J	une 5 1967	
Diam Slot size Set from ft. to ft.		Tune 5 1967	
(9) CONSTRUCTION:	(13) PUMP:		
	1 ` '		
Well seal—Material used in seal Puddled Mud	Manufacturer's Name		
Depth of sealft. Was a packer used?	Type: H.P.		
Diameter of well bore to bottom of seal	Water Well Contractor's Certification:		
Were any loose strata cemented off? Yes X No Depth	This well was drilled under my jurisdiction	and this report i	
Was a drive shoe used? ☐ Yes ☑ No Size of gravel:	true to the best of my knowledge and belief.		
Gravel placed from	NAME John Truman Miller		
Did any strata contain unusable water? Yes X No	(Person, firm or corporation) (Type or print)		
Type of water? depth of strata	Address P 0 Box 42 Hubbard, Oregon		
Method of sealing strata off	Duilling Machine Character's License No.		
(10) WATER LEVELS:	Drilling Machine Operator's License No26,		
~ l **	[Signed] M.M. (Wager Wein Contractor)		
Static level 52 ft. below land surface Date 6/5/67			
Artesian pressure lbs. per square inch Date	Contractor's License No. 277 Date June	6 , ₁₉ 67	

(USE ADDITIONAL SHEETS IF NECESSARY)