NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the STATE OF OREG WATER RESOURCES DEPARTMENT, JUL 3 1985 state well No. SALEM, OREGON 97310 (Please type or print) within 30 days from the date (Do not write above this the RESOURCES Sep Permit No. of well completion. SALEM. OREGON (1) OWNER: (10) LOCATION OF WELL: Name NEW HOPE CHURCH County Marion Driller's well number 2559 Address 4963 Swegle Rd. N.E SE 1/4 NW 1/4 Section 20 T. 7S R. 2W Salem Orecon 97305 Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): 4963 Swegle Rd. N.E. New Well 🕱 Deepening [ Reconditioning [ Abandon [ If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Rotary Driven | Domestic K Industrial | Municipal | Static level Cable Jetted 🔲 ft. below land surface. Date 6/21/85 Irrigation 

Test Well 

Other Dug Bored [ Artesian pressure lbs. per square inch. Date , CASING INSTALLED: Threaded [] Welded [X] (12) WELL LOG: Diameter of well below casing .... 6 " Diam. from +1½ ft. to 99 ft. Gage .250 Depth drilled ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in , PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? Y Yes No. ype of perforator used Torch MATERIAL From 3/8 Size of perforations in. by 6 Topsoil 0 2 ..... 28 perforations from ....... **3**93 ft. to 99 Brown Clay 2 15 ..... perforations from ..... Sticky Blue Clay 15 53 ..... perforations from ..... Blue Clay and Black Sand 53 60 Black Sand and Gravel 60 76 (7) SCREENS: Well screen installed? 
Yes 
No Brown Clay 76 83 Manufacturer's Name ..... Brown Sand and Gravel 83 99 Diam. ...... Slot size ...... Set from ...... ft. to ..... ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Tyes 🔀 No If yes, by whom? gal./min. with ft. drawdown after hrs. Airtest 100+ Gpm for a period of 1 hours Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. perature of water Depth artesian flow encountered ..... Work started 6/21/85 Completed 6/21/8519 Date well drilling machine moved off of well (9) CONSTRUCTION: Well seal-Material used Portland Cement Drilling Machine Operator's Certification: This well was constructed under my direct supervision. Materials used and information reported above are true to my Diameter of well bore to bottom of seal ... 10 in. best knowledge and belief Bec Date 6/24/85, 19 [Signed] ///a-Number of sacks of cement used in well seal .................8. (Drilling Machine Operator) How was cement grout placed? pumped to bottom of annulus Drilling Machine Operator's License No. ....811 Water Well Contractor's Certification: This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Was a drive shoe used? 🛚 Yes 🗌 No Plugs ...... Size: location .......... Name WILLAMETTE DRILLING CO. (Type or print) Did any strata contain unusable water? 🗌 Yes 🔀 No

Gravel placed from ...... ft. to Contractor's License No. 753 Date 6/24/85 19 (USE ADDITIONAL SHEETS IF NECESSARY)

depth of strata

Size of gravel: ....

Type of water?

Method of sealing strata off

Was well gravel packed? ☐ Yes 🏋 No

Address 7365 O'Neil Rd. N.E. Salem, Oregon 97303