## NOTICE TO WATER WELL CONTRACTOR PI. MAKI

The original and first copy of this report are to be filed with the

## WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON
(Please type or print)

State Well No. 7/2w-22abcb

<u> </u>	State Permit No		
(1) OWNER:	(11) WELL TESTS: Drawdown is amoun	t water le	vel is
Name PERRY DELAPP	(11) WELL TESTS: Drawdown is amoun lowered below static Was a pump test made? Yes \( \bigcap \) No If yes, by who	level STE	PTLER
Address 6924 SUNNYVIEW RP. N.E. SALEN OLY	Yield: 4.50 gal./min. with 49 ft. drawde	<u>)m?</u>	SUPPLY
SALEH DRY	" 500 " 54' "	wn after	hrs
(2) LOCATION OF WELL:	" " "		
County MARIUN Driller's well number	Bailer test gal./min. with ft. draw.		
	Artegion flow	down after	r hrs
Received and state 14 Section 22 T. 75 R. 2 W W.M.		<del></del>	
Bearing and distance from section or subdivision corner	(19) THEFT T OC		
		asing	0'
	Depth drilled 300° ft. Depth of completed w	ell A	20' ft.
	Formation: Describe by color, character, size of materi	al and stri	ucture, and
	Formation: Describe by color, character, size of materishow thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	the mater change of	ial in each
(2) TYPE OF MORE (1. 1.)	MATERIAL		
(3) TYPE OF WORK (check):	TOPSOIL	FROM	ТО
New Well 🗽 Deepening 🗆 Reconditioning 🗆 Abandon 🗆		0	
andonment, describe material and procedure in Item 12.			20
(4) PROPOSED USE (check): (5) TYPE OF WELL:	CLAY BLUE COLOR	29	11
· · · · · · · · · · · · · · · · · · ·	COHBLOMERATE GRAVEL	4/1	5-6
Irrigation of most way of an Cable of Jetted		30	57
Dug Bored	CONBLOMERATE	51	2.3
(6) CASING INSTALLED: Threaded C Wolded	GRAVEL COMRSE	57	58
Threaded   Welded   Welded   Welded   tt. Gage   tt. Gage   tt.	CONGLOMERATE	1.8	76
"Diam from ft. to ft. Gage ft. Gage	BRAVEL 15"	76	77
" Diam from	CONBLOMERATE	77	92
	CLAY YELLOW COLOR	92	93
(7) PERFORATIONS: Perforated? Yes No	CONGLORIERATE	93	167
Type of perforator used	GRAVEL + SAND 15"-	167	174
Size of perforations in. by in.	CLAY yellow Color	174	197
1270 perforations from 52' ft. to 175' ft.	CLRY BLACK. SHMDY	197	200
perforations from ft. to ft.			
perforations from ft. to ft.			·
perforations from			
perforations fromft. toft.			
(9) COPERIG			
Wen screen instanced Yes X No			
Manufacturer's Name			
₩ Model No			
1 Slot size Set from ft. to ft.	Work start 1 C 4		
Diam Slot size Set from ft. to ft.	Work started 6-2. 1966 Completed	<u> </u>	1966
(9) CONSTRUCTION:	Date well drilling machine moved off of well	10-	1966
	(13) PUMP:		
Well seal-Material used in seal BENTINITE	Manufacturer's Name		
Depth of sealft. Was a packer used? VES	Type: H		
Diameter of well bore to bottom of seal		.P	
Were any loose strata cemented off? 🗌 Yes 🔏 No Depth	Water Well Contractor's Certification:		
Was a drive shoe used? ✓ Yes □ No	This well was drilled under my jurisdiction at		
Was well gravel packed? 🗆 Yes 💆 No 💮 Size of gravel:	true to the best of my knowledge and belief.	nd this re	eport is
Gravel placed from ft. to ft.		-	
Did any strata contain unusable water?   Yes	NAME J. R. SNEED + SON 5 (Person, firm or corporation) (Type	or print)	•••••
Type of water? depth of strata	Address 39/0 SILVERION 20.	or print)	. 6.
Method of sealing strata off			, ,-
10) WATER LEVELS:	Drilling Machine Operator's License No. 189		
0 = (4)	$\mathcal{O}$		************
static level 276 ft. below land surface Date 6.10.66	[Signed] (Water Well Contractor)	•••••	•••••
	Contractor's License No Date		
(IISE ADDITIONAL CONTRACTOR OF THE CONTRACTOR OF	Contractor s License No Date Date	,	19.64