## MARI..... 7631

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

## WATER WELL REPORT

STATE OF OREGON (Please type or print)

7/2w-22p

of wen completion,		State Permit No	***************************************	
(1) OWNER:  Name JOHN SHAMBERGO		(11) WELL TESTS: Drawdown is amoun lowered below station	10000	el is
Address 7/25 FRUITI AND PD	11.5	was a bump test made? \( \text{Yes}  No If yes, by when the state of the	iom?	
	NIE.	Yield: 25 gal./min. with 97 ft. drawdo	own after	hrs
SALEM ORU		<u>" 200 " 80 "</u>		<i>f</i> "
(2) LOCATION OF WELL:		31 31		"
County MARIOM Driller's well number		Bailer test gal./min. with ft. drawd	own after	hrs
		Artesian flow g.p.m. Date	The diver	140
	LW. W.M.	Temperature of water 5 Was a chemical analysis	model $\square$	<del></del>
Bearing and distance from section or subdivision corner		Was a chemical analysis	made?	Yes No
200 ft. North & 2000 ft east fr	om SW	(12) WELL LOG: Diameter of well below	casing 8	<b>&gt;</b> //
cor, section 22.		Depth drilled 151 ft. Depth of completed		<u>س</u> ۳
		Formation: Describe by color, character, size of mater show thickness of aquifers and the kind and nature of stratum penetrated, with at least one entry for each	rial and stru f the mater change of	cture, and ial in each formation
		MATERIAL	Time to the second	1
(3) TYPE OF WORK (check):			FROM	ТО
Well Deepening ☐ Reconditioning ☐	Abandan F	TOPSOIL	0	2
bandonment, describe material and procedure in Item 12.	Abandon 🗌	YELLOW ELRY	2	29
Total 12.	*	BLUE CLAY	29	37
(4) PROPOSED USE (check): (5) TYPE O	F WELL.	CONELOMERATE 4'-	39	100
		CLAY TAH EOLOR	100	103
Cable	Driven □ Jetted □	CLAY BLUE CULOR	103	114
	Bored 🗆	CONSLOWERATE 4"-	1111	150
(C) CACING INCMALLED		CLAY YELLOW SANDY	177	125
(6) CASING INSTALLED: Threaded □ Welde	المعرر الأقاف		122	127
"Diam. from 0 ft. to 129 ft. Gage		CLAY RED COLOR	125	13/
ft. Gage		BASALT WEATHEROD	137	151
ft. Gage		BASALT SOLID		
(7) PERFORATIONS: Perforated? Yes	□ No			
Type of perforator used MILLS TYPE				
Size of perforations 5/1 in. by 2 in.				
128 perforations from 112 ft. to 12	73 #		1	
45.6 perforations from 44 ft. to 10	10		+	
perforations from ft. to	- 1		+	
perforations from			+	
			-	
perforations from	ft.		<del>  </del>	
(8) SCREENS: Well screen installed  Yes	No No			
			<u> </u>	
Model No.				
Set from ft. to		Work storted 6-4- 162. Completed 6	- 9-	196.
Diam. Slot size Set from ft. to	ft.	Date well drilling machine moved off of well		19
(9) CONSTRUCTION:				
· • • • • • • • • • • • • • • • • • • •	. 1	(13) PUMP:	RO	0 1.110
Well seal-Material used in seal PUDDLED CLRY		Manufacturer's Name TUR BINE	DCK	1126
Depth of seal	25	Type: TURBING	н.р. 🚄.	5
Diameter of well bore to bottom of seal in.				
Were any loose strata cemented off? 🗌 Yes 🕍 No Depth		Water Well Contractor's Certification:		
Was a drive shoe used? Yes \( \subseteq \text{No} \)				
Was well gravel packed?   Yes No Size of gravel:		This well was drilled under my jurisdiction true to the best of my knowledge and belief.	and this r	eport is
		==		
Gravel placed from ft. to ft.		NAME JASNEED + JONS		
Did any strata contain unusable water? 🗌 Yes 🎽 No	ı	(Person, firm or corporation) (7	Type or print	)
Type of water? Depth of strata		Address 3910 SILUER TON RD	N.E.	SAL
Method of sealing strata off				······································
(10) THAMED I DIVING		Drilling Machine Operator's License Not		
(10) WATER LEVELS:		rolm 12 Page Lead		
tatic level 30' ft. below land surface Date 6-	-9-62	[Signed] (Water Well Contractor)	, 	••••••
Artesian pressure lbs. per square inch Date			0	1 4
	' '	Contractor's License No Date	Z,	19.62