GINAL SEP 10 1956 WATER WELL DRILL	LERS REPORT   Do Not State Well No. 7/2w - 29R (1)
riginal, and acate with the TE ENGINEER STATE OF OR	FIN RV.9.61 Fill In State Permit No.
ALEM, OREGON WILSON	
(1) OWNER: Harlan A. Wilson	(10) WELL TESTS: Max Wymore Lic. # 24
Name	Was a pump test made? Y Yes \( \subseteq \text{No If yes, by whom?} \)
Address Rt. 5 Box 864	Yield: gai./min. with
Salem, Oregon	100 " 0 "
(2) LOCATION OF WELL:	" 200 " 26 " 2   Artesia 225
Marion	Shut-in 155 ure lbs. 48 square inch.
R. F. D. or Street No. Rt. 5 Box 864 Salem, Oregon	Bailer test g.p.m. with ft. drawdown
R. F. D. of Street Mo. Street Mo. 1 1 is	Temperature of water 56 Was a chemical analysis made?  Yes No
	Was electric log made of well? □ Yes MNo
non the S.E. corner of Sec. 29; being wine S.E. 4 of the S.E. 4 of Sec. 29; Tsp.	(11) WELL LOG:
S. R.2 W. in Marion County, Oregon	10
	Diameter of Well,
(3) TYPE OF WORK (check):  Well Deepening Reconditioning Abandon Abandon	Total depth IIO ft. Depth of completed wen III
ndonment, describe material and procedure in Item 11.	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.
PROPOSED USE (check): (5) EQUIPMENT:	Top" 3 " Top Soil
Domestic   Industrial   Municipal   Rotary   Cable	100
Irrigation Test Well Other Dug Well D	3 Zo Drunn Cady
	To "GAn ology & CMAVAL
CASING INSTALLED: If gravel packed	
aded Welded Gage	co " 70 " Brown clay
or Diameter from to Wall of Bore ft. ft.	70 " 86 " Blue clay
Top " 110" 10 *31 *26 * " "	86 " 96 " Sand & Gravel (Water)
<u>" " 279" " " " " " " " " " " " " " " " " " " </u>	os " 110 " Gravel
" " 31•20# " " "	110" 120 " Clay & Gravel (Tight)
n n n n n n n n	n n
n n n n	. "
Type and size of shoe or well ring Size of gravel:	11 11
Describe joint Welded Spring Steel 3/8 X 3	n n
PERFORATIONS: Wills	D D
France of perforator used	n n
SIZE of perforations 2 in., length, by 3/8 in perf per foot No. of row	<u> </u>
FROM it. to it.	
60 up "to 52 "	11 11
up"to 86 " " " " " " " " " " " " " " " " " "	11 11
	"
	" "
SCREENS: No Screens Give Manufacturer's Name, Model No. and Size	"
GAVE MARINALOUS S.	n "
CONSTRUCTION: Puddled Clay 20 f	" "
	it. " "
Were any strata sealed against pollution?   Yes   No	Ground elevation at well site
If yes, note depth of strata	Work started Mug 12 1904 Compacts
FROM ft. to ft.	Well Driller's Statement:
n n	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
METHOD OF SEALING	Wax Wymore
(9) WATER LEVELS:	NAME (Person, firm, or corporation) (Typed or printed)
Party of which water was first found 45	Rt.2 Salem. Oregon
Standing level before perforating 43.ft.	ft. Address
	ft. Driller's well number 288
	- Isimod May Tilmmade
Log Accepted by: [Signed] Mis Harlin Hilsopated aug 14, 19.5	[Signed] (Well Driller) 13, 1056
[Signed] Mis Autum / MacDated CMA 7, 19.	License No. 24 Dated 19 19
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	