M131.....

WATER WELL REPORT

State Well No. 7/3w - 35 A

File Original and First Copy with the STATE ENGINEER, SALEM, OREGON

STATE OF OREGON G2133

State Well No.

| DIDDIN, ORDGON  |   |
|---|---|
| (1) OWNER:  | (11) WELL TESTS: Drawdown is amount water level is lowered below static level   |
| Name CURLYS DAIRY INC. Address 2310 MISSION ST  | Was a pump test made? ☐ Yes ☐ No If yes, by whom?   |
| Address 2310 MISSION ST   | Yield: gal./min. with ft. drawdown after h  |
| SALUM ORG   | 11 11 11 11 11 11 11 11 11 11 11 11 11  |
| (2) LOCATION OF WELL:   | Bailer test .50 gal./min. with 60 ft. drawdown after / h  |
| County MARION Owner's number, if any-   | Artesian flow g.p.m. Date   |
| 14 14 Section T. 7 R. 3 W   | W.M. Temperature of water, 55 Was a chemical analysis made? ☐ Yes   |
| Bearing and distance from section or subdivision corner   | (12) WELL LOC. Diameter of well inch  |
|   | (12) WELLI LOG.   |
|   | Formation. Describe by color character size of material and structure.  |
|   | show thickness of aquifers and the kind and nature of the material in eastratum penetrated, with at least one entry for each change of formatic |
|   | MATERIAL FROM TO  |
|   | CONCLOMERATE 4"- 0 16   |
| (3) TYPE OF WORK (check):   | on SAND + GRAVEL 16 17  |
| New Well Deepening Reconditioning Aban<br>Reandonment, describe material and procedure in Item 11.  | CONGLOMERATE 4"- 172  |
|   | - COBBLESTONES - W. B 27 5:   |
| (4) PROPOSED USE (check): (5) TYPE OF WE  | L. BLUE CLAY 52 67  |
| Domestic   Industrial   Municipal   Rotary   Driven Cable   Jetted  | CONGLOMERITIE 3"- 67 71   |
| Irrigation Test Well   Other   Dug   Bored  | i GRAY CLAY 71 90   |
| (6) CASING INSTALLED: Threaded  Welded  |   |
| (6) CASING INSTALLED: Threaded Welded Some fit. to fit. Gage fit.   | 4 <sup>th</sup>   |
| "Diam. from   |   |
| "Diam. from ft. to ft. Gage   |   |
|   |   |
| (7) PERFORATIONS: Perforated? Yes 🗆 N   |   |
| Type of perforator used SIZE of perforations 3/1/2 in. by 3-3 in.   |   |
| SIZE of perforations with the state of perforations from the state of | ft.   |
| perforations fromft. to   | ft.   |
| perforations from ft. to  |   |
| perforations from   |   |
| perforations from ft. to  | ft.   |
| (8) SCREENS: Well screen installed  |   |
| (8) SCREENS: Well screen installed  |   |
| Type Model No   |   |
| Slot size Set from ft. to   |   |
| Diam Slot size Set from ft, to  | ft. Work started 9-14- 196/ Completed 9-19- 19  |
| (A) CONSTRUCTION.   | (13) PUMP:  |
| (9) CONSTRUCTION: Was well gravel packed?  Yes No Size of gravel:   |   |
| Gravel placed fromft. toft.   | Manufacturer's Name  Type: Type: H.P. 5   |
| Was a surface seal provided? Yes \[ \] No To what depth?  | ft.   |
| Material used in seal— PUMP COVER€D   | Well Driller's Statement:   |
| Did any strata contain unusable water? Yes \( \subseteq No \)   | This well was drilled under my jurisdiction and this report true to the best of my knowledge and belief.  |
| Type of water? 700 SHALLOBERTH of strata /6 70  |   |
| Method of sealing strata off CASCD & BHCR 47  | NAME J. H. SWEED + SOMS (Person, firm, or corporation) (Type or print)  |
| (10) WATER LEVELS:  | 1505 BROOMS CT SALEN  |
| Static level 15 ft. below land surface Date 9-1   | Address DECONS  |
| Artesian pressure lbs. per square inch Date   | Driller's well number   |
| Log Accepted by:  | Isimal M. J. Suced.   |
| Log Accepted by.  | [Signed] (Well Driller)   |
| and the state of the state of the transfer of   |   |
| [Signed] Date Date  | 96/ License No. 6 Date 7-19- 19.  |