

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are filed with the

RECEIVED
MAY 16 1968
STATE ENGINEER
SALEM, OREGON

WATER WELL REPORT

STATE OF OREGON

(Please type or print) (Do not write above this line)

MARIAN 85

State Well No. 4/1w-30 L

State Permit No. G-4400

(1) OWNER:

Name Augustin Palacios
Address Rte 1 Box 385 Hubbard, Oregon

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

CASING INSTALLED:

Threaded Welded
8" Diam. from 0 ft. to 103 ft. Gage 1/4"
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

PERFORATIONS:

Perforated? Yes No.
Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 23 ft. below land surface Date 5/13/68
Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level
Was a pump test made? Yes No If yes, by whom? driller
200 gal./min. with 60 ft. drawdown after 4 hrs.
" " " "
" " " "
Baller test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? Yes No

(10) CONSTRUCTION:

Well seal—Material used Bentonite mud
Depth of seal 12 24 ft.
Diameter of well bore to bottom of seal in.
Were any loose strata cemented off? Yes No Depth
Was a drive shoe used? Yes No
Did any strata contain unusable water? Yes No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? Yes No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County Marian Driller's well number
1/4 1/4 Section 30 T. 4S R. 1W W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8
Depth drilled 115 ft. Depth of completed well 115 ft.
Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

MATERIAL	From	To	SWL
Soil	0	3	
Brown sandy clay	3	27	
Blue sandy clay	27	81	
Black sand	81	87	
Blue sandy clay	87	98	
Blue clay	98	104	
Black sand	104	115	
Blue clay	115	--	

Work started May 3 1968 Completed May 13 1968
Date well drilling machine moved off of well May 13 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] John T. Miller Date May 14, 1968
(Drilling Machine Operator)
Drilling Machine Operator's License No. 26

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
NAME John Truman Miller
(Person, firm or corporation) (Type or print)
Address P O Box 342 Hubbard, Oregon
[Signed] John T. Miller
(Water Well Contractor)
Contractor's License No. 277 Date May 14, 1968