NOTICE TO WATER WELL CONTRACTOR
The original and first by E C |
of this report are to E C |
filed with the

state engineer, salem, oregon visit 2 1973 (Pie within 30 days from the determined by the completion of well completion of well

type or print)

State Well No. 85 | 1W-14 ba

SALEM OREGON	· ·		
(1) OWNER:	(10) LOCATION OF WELL:		
Name Talumph Inc	County MARION Driller's well number		
Address RT 1 B a x 50 - Sublimity (ac		R. [W W.M.	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner		
New Well Deepening Reconditioning Abandon			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL Complete		
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.  Depth at which water was first found 29		
Rotary Driven Domestic Industrial Municipal			
Cable Jetted   Industrial Industr	The state of the s		
CASING INSTALLED: Threaded   Welded	(12) WELL LOC.		
8 Diam from 0 ft. to 38 ft. Gage	Denth drilled 9 / 2 # Denth of completed with Denth of		
ft. to ft. Gage	- 3/0 it.		
"Diam. from ft. to ft. Gage	_   and snow thickness and nature of each stratu	m and aquifer penetrated	
PERFORATIONS: Perforated?   Yes   No.	with at least one entry for each change of forma position of Static Water Level and indicate prin	tion. Report each change in	
Type of perforator used	MATERIAL	From To SWL	
Size of perforations in. by in.	Not Sall	0 33 9	
perforations from		3 825	
perforations from		25 27	
perforations from	Historian Benefit	37 /35	
(7) SCREENS: Well screen installed?  Yes No	Sill Duk	135 160	
Manufacturer's Name	Black Basaltini	178 9.19	
Type Model No	Braken Basell Block	219 8 44	
Diam.         Slot size         Set from         ft. to         ft.           Diam.         Slot size         Set from         ft. to         ft.	Below Baralt WB, V	24/10/1	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level  Was a pump test made? See I No If yes, by whom? MILLER YUL			
1: 406 gal./min. with // ft. drawdown after 6 hrs.			
· · · · · · · · · · · · · · · · · · ·			
Bailer test gal./min. with ft. drawdown after hrs.			
ssian flow g.p.m.			
Imperature of water Depth artesian flow encountered ft.	Work started 2 - 6 19 7 Completed 3 - 6 19 7		
(9) CONSTRUCTION:	Date well drilling machine moved off of well	2-6 197	
Well seal-Material used C.E.m.ch.T	Drilling Machine Operator's Certification:		
Well sealed from land surface to ft.	This well was constructed under my Materials used and information reported	direct supervision.	
Diameter of well bore to bottom of seal	best knowledge and belief.		
Diameter of well bore below seal	[Signed] Nellert Headures Date 3-10, 1973		
Number of sacks of cement used in well seal	Drilling Machine Operator's License No. O. W. L. R.		
Number of sacks of bentonite used in well sealsacks  Brand name of bentonite		5	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:	Water Well Contractor's Certification:	
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is		
Was a drive shoe used? ☐ Yes ☑ No Plugs Size: location ft.	true to the best of my knowledge and beli	ef.	
Did any strata contain unusable water? 📋 Yes 🗷 No	(Person, firm or corporation)	Name (Person, firm or corporation) (Type or print)	
Type of water? depth of strata	Address		
Method of sealing strata off			
Was well gravel packed? ☐ Yes ঐ No Size of gravel:	[Signed](Water Well Contra	ctor)	
Gravel placed from ft. to ft.	Contractor's License No Date		
	HERTS IF NECESSARY)	17	