NOTICE TO WATER WELL CONTRACTOR ILULI The original and first copy WATER WELL REPORT_{NOV 1 8 1974} State Well No. 45/1W-30 of this report are to be filed with the STATE OF OREGON STATE ENGINEER STATE ENGINEER, SALEM, OREGØN 97310 (Please type or print) within 30 days from the date (Do not write above this line) SALEM, OREGONATE Permit No. of well completion. (1) OWNER: (10) LOCATION OF WELL: Leonard M Bizon Name Marion County Driller's well number Rt. 1 Box 429 Address 32 T. 1/4 Section 1 R. 1w W.M. Hubbard Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): New Well Deepening [Reconditioning [Abandon [7] If abandonment, describe material and procedure in Item 12 (11) WATER LEVEL: Completed well. (3) TYPE OF WELL: (4) PROPOSED USE (check): Depth at which water was first found Driven [] Rotary Domestic | Industrial | Municipal | 1,6 Static level ft. below land surface. Cable Jetted [Dug Bored Irrigation Test Well Other Artesian pressure lbs, per square inch. Date CASING INSTALLED: Threaded | (12) WELL LOG: Diameter of well below casing .. 147 Depth drilled ft. Depth of completed well Formation: Describe color, texture, grain size and structure of materials; " Diam. from and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in PERFORATIONS: position of Static Water Level and indicate principal water-bearing strata. Perforated? TYes

No. Type of perforator used Mills Knife MATERIAL From SWT. in by $3\frac{1}{4}$ Size of perforations Top soil 0 225 perforations from ... Brown elay 2 23 23 Brown sandy clay 36 perforations from _____ ft. to Blue elay 36 50 perforations from 50 Grey sandy elay 83 (7) SCREENS: Well screen installed? ☐ Yes 😰 No 83 Grey clay 103 Manufacturer's Name Black sand 103 115 Black sand with gravel-small 115 125 125 Diam. Slot size Set from ft. to ft. Black sand & gravel 129 Diam. Slot size Set from ft. to ft. Brown sand & gravel 129 142 Blue clay 142 1Ц7 Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made? Tyes \(\subseteq \) No If yes, by whom? Stettlers gal./min. with 84 ft. drawdown after Bailer test gal./min. with ft. drawdown after Artesian flow g.p.m. erature of water 9-10-7419 Depth artesian flow encountered Work started Completed 1971 Date well drilling machine moved off of well 9-20 19 7 (9) CONSTRUCTION: Cement Drilling Machine Operator's Certification: Well seal-Material used This well was constructed under my direct supervision. Well sealed from land surface to Materials used and information reported above are true to my Diameter of well bore to bottom of seal best knowledge and belief. [Signed] (Drilling Machine Operator Diameter of well bore below seal _____12 ____in. Date 10/15 1974 Number of sacks of cement used in well seal Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gailons This well was drilled under my jurisdiction and this report is Ibs./100 gals true to the best of my knowledge and belief. Was a drive shoe used? Yes No Plugs Size: location ft. William D. Christenson Jr.

Person, firm or corporation)

(Type or print) Did any strata contain unusable water? 🗌 Yes 🖼 No (Person, firm or corporation) Type of water? depth of strata Method of sealing strata off

Contractor's License No. 511 Date 10-15

Was well gravel packed? [Yes No Size of gravel:

Gravel placed from ft, to