NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT RECEIVED

STATE OF OREGON

(Please type or print)

(Do not write above this line)

JUL 181978 Well No. 85

TER RESOURGIA POLITI No. 5-9722 SALEM. OREGON

(1) OWNER:	(10) LOCATION OF WELL:	
Name RT Masman	County Marion Driller's well number	
Address 5999 Culver DR SE.	14 14 Section 4 T. 85 R. 2 4	<u> w.м.</u>
salum, Oregon	Bearing and distance from section or subdivision corner	
(2) TYPE OF WORK (check):		
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐		
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	-
	Depth at which water was first found	140 ft.
	-7 -	
Rotary Driven Domestic I Industrial Municipal Domestic II Industrial III Municipal II		
□ Bored □ Irrigation □ Test Well □ Other □	Artesian pressure lbs. per square inch. I	Date
(5) CASING INSTALLED: Threaded Welded 5  "Diam. from ft. to ft. Gage 50  "Diam. from ft. to ft. Gage f	Depth drilled 48 ft. Depth of completed well formation: Describe color, texture, grain size and struct and show thickness and nature of each stratum and act with at least one entry for each change of formation. Report	ture of materials; quifer penetrated, ort each charmin
(6) PERFORATIONS: Perforated?   Yes No.	position of Static Water Level and indicate principal wat	
Type of perforator used	MATERIAL From	To SWL
Size of perforations in. by in.		·
perforations from ft. to ft.	Pinck Prisalt Rock 10:7	i55 32'
perforations from ft. to ft.		
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? ☐ Yes ☐ No		
, -		
Manufacturer's Name Model No.		
Diam. Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
Was a pump test made? 🗌 Yes 🛅 No If yes, by whom?	· · · · · · · · · · · · · · · · · · ·	-
Gield: gal./min. with ft. drawdown after hrs.		
n n n		
" D12 " " "		
Bailer test 40 gal./min. with/23ft. drawdown after 1 hrs.		
Temperature of water Depth artesian flow encountered ft.	Work started 4.28 1978 Completed	4-29 1
Temperature of water Depth attestar for executive	Date well drilling machine moved off of well	1-29 1978
(9) CONSTRUCTION:		
Well seal—Material used	(Drilling Machine Operator)	are true to my
How was cement grout placed?		
	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction a true to the best of my knowledge and belief.	ana this report is
Was a drive shoe used?  Yes No Plugs Size: location ft	Nome MILLER AWELT DOLLIN	16
Did any strata contain unusable water?   Yes  Yo	(Person firm or corporation).	Type or print)
Type of water? depth of strata	Address 5875 CAATN RD.S.E.	
Method of sealing strata off	Land Michael William	0
	[Signed] (Water Well Contractor)	j
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Contractor's License No. 633 Date MAL	, 19/8