NOTICE TO WATER WELL CONTRACTOR

The original and first opposition of this report are take to the contract of this report are taken to the contract of the contract of

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date ENGINEER (Please type or print)
of well completion.

SALEM. OREGON POON THE SALEM. OREGON POON THE SALEM.

State Permit No.

(1) OWNER:	(10) LOCATION OF WELL:		
Name Hoodview Mobile Estates	County Marion Driller's well number		
Address 33 Pacific Hy.	1/4 1/4 Section 3/4 T. /18 R. 1 W W.M.		
Hubbard, Oregon	Bearing and distance from section or subdivis		******
(2) TYPE OF WORK (check):	Searing and distance from section of subdivis	ion corner	
New Well ☑ Deepening □ Reconditioning □ Abandon □	1		<del></del>
If abandonment, describe material and procedure in Item 12.	(11) YELAMOND T TAYYOU CO. 1 / 1		······································
(3) TYPE OF WELL: (4) PROPOSED USE (check):	(11) WATER LEVEL: Completed well.		
Potony II Dulman II	Depth at which water was first found		ft
Cable Domestic Lindustrial Municipal	Static level 20 ft. below land	surface. Date	7-12-71
Dug ☐ Bored ☐ Irrigation ☐ Test Well ☐ Other ☐	Artesian pressure lbs. per squar	re inch. Date	•
CASING INSTALLED: Threaded Welded 20  8 "Diam from 0 ft. to 119 ft. Gage 250 ft. to ft. Gage 7 Diam from ft. Gage 7 Diam ft. Gage	(12) WELL LOG: Diameter of well below casing 8 Depth drilled 120 ft. Depth of completed well 119 ft. Formation: Describe color, texture, grain size and structure of materials;		
PERFORATIONS: Perforated?   Yes No.	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.		
Type of perforator used	MATERIAL	From To	SWL
Size of perforations in. by in,	Top soil	0 3	
perforations from	Brown sandy clay	3 3	5
perforations from ft. to ft.	Brown sand	35 5	5
perforations from ft. to ft.	Blue clay		0
	Black sand	90 10	5
(7) SCREENS: Well screen installed?   Yes  No	Black sand and gravel	105 11	ō l
Manufacturer's Name	Black sand	110 11	6
Type Model No.	Sand and gravel	116 12	
Diam. Slot size Set from ft. to ft.			
Diam. Slot size Set from ft. to ft.			
(8) WELL TESTS: Drawdown is amount water level is lowered below static level			
Was a pump test made? The I No If yes, by whom? Iriller			
Yield: 90 gal./min. with 60 ft. drawdown after 24 hrs.	<u> </u>		
<u> </u>			
" " "			
Bailer test gal./min. with ft. drawdown after hrs.	The second secon		
Artesian flow g.p.m. tt. drawdown after hrs.			
Temperature of water 54 Depth artesian flow encounteredft.	The state of the s		ــــــــــــــــــــــــــــــــــــــ
Temperature of water 54. Depth artesian now encounteredft.	Work started 6-4 197 Complete	d 7-12	171
(F) CONSTRUCTION:	Date well drilling machine moved off of well	7-1	3 19 71
Well seal-Material used Bentonite clay & drill cuttings	Drilling Machine Operator's Certification:	A: '	
Well sealed from land surface toft.	This well was constructed under my Materials used and information reported	above are fr	ervision.
Diameter of well bore to bottom of seal 12 in.	best knowledge and belief.		ac to my
Diameter of well bore below seal in.	[Signed] (Drilling Machine Operator)	Date 7-12	, 19.71.
Number of sacks of cement used in well seal	Drilling Machine Operator's License No		
Number of sacks of bentonite used in well seal sacks	Materials Operator's License 140	201	
Brand name of bentonite Prinville	Water Well Contractor's Certification:		
Number of pounds of bentonite per 100 gallons of water 100 gallons	This well was drilled under my jurisdiction and this report is		
E.	the to the best of my knowledge and belief.		
Was a drive shoe used? No Yes Doc Plus Size: locationft.  Did any strata contain unusable water? DYes No	Name William D. Christenson Jr.		
Type of water? opth of strata	(Type or print)		
	Address P. O. Box 313 Hubbard Oregon		
Method of sealing strata off	[Signed] / // // // // ()	Zalla es	= K.
Was well gravel packed? ☐ Yes ☑ No Size of gravel:	(Water Well Contra	ctor)	X
Gravel placed fromft.	Contractor's License No. 511 Date	7-12	, 197.1.
			,