ORIGINAL File Original, and Duplicate with the STATE ENGINEER,	WATER WELL DRILL	FCON	Do Not State	Well No. 8/2W-/	0 G(1)
SALEM, OREGON	12 3 3 01	G 1165	State i	Permit No	
(1) OWNER:		(10) WELL TESTS:			
Name C.J. Dallman		Was a pump test mad	e? ☐ Yes 🔯 No	If yes, by whom?	
Address 709 E. Hoyt St., Salem, Ore.		Yield: gal.	/min. with	ft. draw down after	hrs.
		21	,,	,,	,,
(2) LOCATION OF WELL:			"	**	
County Marion Owner's number, if any—		Artesian flow		·	
R. F. D. or Street No.		Shut-in pressure lbs. per square inch. Bailer test 7.0 g.p.m. with 45 ft. drawdown			
Bearing and distance from section or subdivision corner		Temperature of water			
1500 ft. west and 1400 ft. south of		Temperature of water X Was a chemical analysis made? Was electric log made of well? Yes No			
N.E. corner of Sec. 10, T-8-S.,R-2-W.					
		(11) WELL LOC	_		
TVDE OF WORK (sheets).		Diameter of well,	inches.		
(3) TYPE OF WORK (check):	Total depth 65 ft. Depth of completed well 65 ft.				
New well ☐ Deepening ☐ Recondi- If abandonment, describe material and procedu	Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.				
(4) PROPOSED USE (check):	(5) EQUIPMENT:	ft. tof			
mestic 🖫 Industrial 🗌 Municipal 🗀	Rotary Cable XX		Top soil		
Irrigation ☐ Test Well ☐ Other ☐				rown	
(6) CASING INSTALLED:	Tf graval nacked			rown (water)	
Threaded Welded XX	If gravel packed			rown (rown (water)	
Gage	Diameter from to	", ",		rown (water)	
FROM ft. to ft. Diam. Wall	of Bore ft. ft.	1) 1	 		
<u>" 0 " 65 " 6 " </u>	12" 8" 65 "	"	,		
, , , , , , , , , , , , , , , , , , ,	***	,,	,		
21 21 27 27 27	21 21	" ,	,		
3) 3) 3) 3) 3)	27 25				
Type and size of shoe or well ring	Size of gravel#2-round	, ,			
Describe joint 3/8" x2"-welded s	33 3				
(7) PERFORATIONS:		,, ,,			
Type of perforator used Acetylene t	corch		,		
	length, by $3/16$ in.	· ,,	,		
	per foot No. of rows	"	,		
" 13" 65 "1 every	3ft. "4"	,, ,	,		
23 23 21 21	33 33 33 33 33	,,	,	}	
27 27 23	2) 2) 2) 2) 2) 2)		,		
" " " "					
SCREENS:		,			
Give Manufacturer's Name, Model No. and Size None			,		
		,			
(8) CONSTRUCTION: Was a surface sanitary seal provided? ☒ Yes □		,			
Was a surface sanitary seal provided? X Yes □ No To what depth 8 ft. Were any strata sealed against pollution? □ Yes X No		Ground elevation at v	vell site	500 feet above mea	forrel cas ne
If yes, note depth of strata		Work started Aug			
FROM ft. to	ft.	Well Driller's State		- 202000,	<u> </u>
,,	"	This well was	drilled under m	ny jurisdiction and this	s report is
METHOD OF SEALING Concrete		true to the best of	my knowledge a	and belief.	*
(9) WATER LEVELS:		NAME R. S	tadeli &	Sons	
Depth at which water was first found	(Person	tadeli & in firm, or corpora	ation) (Typed or pri	nted)	
Standing level before perforating	Address Rte.	3,Box 177.	A,Silverton,O	regon	
Standing level after perforating	Driller's well numb		100		
Log Accepted by:	[Gime#]	X XX	TadoVi.		
·	[Signed]		Well Driller)		
[Signed] Dated	1, 19	License No	84 D	Dated Sept.,16	, 1955