W

State Well No.	45/1W-34
----------------	----------

VATER WELL REPORT	MARI. L. S	State Well No. 45 W
STATE OF OREGON		Ctata Damait No.
	D CHEAST REEL PRINT IN INK	State Permit No.

(1) OWNER: MAR 2 8 1983	(10) LOCATION OF WELL:
Name City of Hubbard WATER RESOURCES DE	Prounty Marian Driller's well number
Address Hubbard, Oregon 97032SALEM. OREGON	4 4 Section 34 T.1W R. 4S W.M.
City State	Tax Lot # Lot Blk Subdivision
	Address at well location: 51 ft. North of new city well
(2) TYPE OF WORK (check):	
New Well □ * Deepening □ Reconditioning □ Abandon 💆	(11) WATER LEVEL: Completed well.
If abandonment, describe material and procedure in Item 12.	_
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found ft.
Rotery Air Driven Domestic Industrial Municipal X	Static level ft. below land surface. Date Artesian pressure lbs. per square inch. Date
Ratery Mud Dug Irrigation Test Well Other	
☐ Thermal: Withdrawal ☐ Reinjection ☐	(12) WELL LOG: Diameter of well below casing
(5) CASING INSTALLED: Steel Plastic	Depth drilled ft. Depth of completed well ft.
Threaded 🕱 Welded, 🗆	Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry
12 "Diam from 0 ft to 241 ft. Gauge standard	for each change of formation. Report each change in position of Static Water Level
"Diam. from	and indicate principal water-bearing strata.
LINER INSTALLED:	MATERIAL From To SWL
	Remarks:
(6) PERFORATIONS: Perforated? ☑ Yes □ No	This well was grilled
Type of perforator used	
Size of perforations in. by unknown in.	many years ago for the city
perforations from ft. to ft.	by an unknown driller.
perforations from	No formation logs could
perforations from ft. to ft.	be located.
(7) SCREENS: Well screen installed? ☐ Yes 🕱 No	I abandoned by placing
Manufacturer's Name	3 yards of ¾" - gravel
Type Model No	Then 10 of mud, then
Diam. Slot Size Set from ft. to ft. to ft.	-placing 5' cement plug
Diam. Slot Size	at 52! to 57!, then
Drawdown is amount water level is lowered	-perforating with millknife
(8) WELL TESTS: below static level	perforator from 10' to 50'
a pump test made? Yes No If yes, by whom?	Then pressure grouting
Held: gal./min. with ft. drawdown after hrs.	emment from 50' through 2"
<i>II</i>	pipe to 3' from surface
Air test gal./min. with drill stem at ft. hrs.	
Bailer test gal./min. with ft. drawdown after hrs.	200
esian flow g.p.m.	
Temperature of water Depth_artesian flow encounteredft.	Work started Jan 10 1983 Completed Jan 11 1983
(9) CONSTRUCTION: Special standards: Yes □ No □	Work started Jan 10 1983 Completed Jan 11 1983 Date well drilling machine moved off of well 19
Well seal—Material used	
Well sealed from land surface to	(unbonded) Water Well Constructor Certification (if applicable):
	This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore to bottom of seal	[Signed] Date, 19
Number of sacks of cement used in well sealsacks	
How was cement grout placed?	Bonded Water Well Constructor Certification: Bond 464537 Issued by Safe co. Ths. Co.
How was cement grout placed:	Bond 464537 Issued by: Safeco Ins. Co. Surety Company Name
	This well was drilled under my jurisdiction and this report is true to
Was pump installed?	the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Name Toh N T. M. II.e.R. (Person, firm or corporation) (Type or print)
Did any strata contain unusable water?	Address 1780 Tomlin Woodburn, Oregon 9707
Type of Water? depth of strata	
Method of sealing strata off	[Signed] Water Well Constructor
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	DateMarch 26
Gravel placed from	



Water Resources Department

MILL CREEK OFFICE PARK

555 13th STREET N.E., SALEM, OREGON 97310

PHONE

378-8128 or 1-800-452-7813 (message line)

March 14, 1983

RECEIVED

John T. Miller 1780 Tomlin Avenue Woodburn, OR 97071

Dear Mr. Miller:

MAR 2 8 1983 WATER RESOURCES DEPT. SALEM, OREGON

I received your letter describing the abandonment of the two City of Hubbard wells. Your method of abandonment agrees with what we had discussed back in November of 1982. However, we must have a well log for each of these abandonments. Please submit the information on the standard Water Well Report forms. I have enclosed some Water Well Report forms for your use.

Sincerely,

CLIFTON R. KING Watermaster, District 16

CRK:wpc enclosure 5477B