OTICE TO WATER WELL CONTRACTOR The original and first copy effinis report are to be filed with the L  WATER RESOURCES DEPARTMENT.  SALEM, OREGON 97310 U 6 1977  Within 30 days from the date of well completion ER RESOURCES  STATE OF  OF not write ab	OREGON MORR 10 State Well No.	15/2	Æ.	- <u>3</u> cc
1) OWNER:	(10) LOCATION OF WELL:			
Tame ROD MURRA WATER RESOURCES	County (SR) Driller's well m			
Address /ONE ORE	36 486 4 Section 3 T. 15	R. 2	14E	<u> </u>
	Bearing and distance from section or subdivisi	on corner	r <sub></sub> .	· · · · · · · · · · · ·
The state of the control of the cont				
New Well Deepening Reconditioning Abandon I If abandonment, describe material and procedure in Item 12.	THEY I	11 '		·
	(11) WATER LEVEL: Completed w	ell.	1	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found /05 ft.			
Cable    Jetted		ft. below land surface. Date 8-5-77		
Dug	Artesian pressure lbs. per square inch. Date			
Threaded Welded 5 S Diam from +2 ft. to 28 ft. Gage 1250	(12) WELL LOG: Diameter of well			8
	Depth drilled 340 ft. Depth of completed well 340 ft.			
	Formation: Describe color, texture, grain size and show thickness and nature of each stratu			
PERFORATIONS: Perforated?   Yes 24-No.	with at least one entry for each change of forma position of Static Water Level and indicate prin	_		
PERFORATIONS: Perforated? ☐ Yes <b>2</b> -No.  Type of perforator used	MATERIAL	From	То	SWL
Size of perforations in. by in.	SOIL	0	6	
perforations from ft. to ft.	GREVEL	6	18	
perforations fromft. toft.	BEGELT BLOCK	18	35	
perforations from ft. to ft.	4. Bleck w Take	35	41	
	SCORIA RED	41	43	
(7) SCREENS: Well screen installed? ☐ Yes INO	Baszit Black	43	75	
Manufacturer's Name	GRey	75	105	-
Diam. Slot size Set from ft. to ft.	4 Black w/BLC	125	125 200	
Diam. Slot size Set from ft. to ft.	4 GREY		330	
(8) WELL TESTS: Drawdown is amount water level is	11 Block Scoria	330	340	
Was a pump test made? Leves L' No If yes, by whom? DRILLER			.,	771
Yield: 200 gal./min. with 300 ft. drawdown after / hrs.		<del>  </del>		<del></del>
" "		+		
,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,, ,,				
Bailer test gal./min. with ft. drawdown after hrs.				
Artesian flow g.p.m.				
perature of water 64 Depth artesian flow encountered ft.	Work started 8-2 19 77 Complete	ted &	-6-	779
(9) CONSTRUCTION:	Date well drilling machine moved off of well 8-7-77 19			
PARTICIA COMPLET	Drilling Machine Operator's Certification:			
Well sealed from land surface to 28 ft.	This well was constructed under my	direct	super	vision.
Diameter of well bore to bottom of sealin.	Materials used and information reported best knowledge and belief.	above a	are true	e to my
Diameter of well bore below seal	[Signed] Jany Burnel Date 8-7, 1977.			
Number of sacks of cement used in well sealsacks	Drilling Machine Operator)  Drilling Machine Operator's License No			
How was cement grout placed?	Drilling Machine Operator's License No.	7 <i>?</i>	. <i></i>	
	Water Well Contractor's Certification:			
······································	This well was drilled under my jurisdiction and this report is			
Was a drive shoe used? ☐ Yes ♠ No Plugs Size: location ft.	true to the best of my knowledge and belief.			
Did any strata contain unusable water?   Yes	Name Jary Burd Well Diel	Kling (T)	pe or pri	int)
Type of water? depth of strata	Address 5543 Swe Dove	1 .	<i>کر</i>	Penso.
Method of sealing strata off				7-2
Was well gravel packed?   Yes Ano Size of gravel:	[Signed] (Water Well Cont	ractor)		/
	Contractor's License No. 5.74 Date		1	197
Gravel placed fromft. toft.	CONTROL IN NECESCARY		-	, 10,