NOTICE TO WATER WELL CONTRACTOR		
The original and first copy of this report are to be	L REPORT NC	2/26E-26bd
The original and first copy of this report are to be RECEIVEMENT WELL REPORT filed with the RECEIVEMENT OF OREGON State Well No. 53/26E-26bd		
STATE ENGINEER, SALEM, OREGON 97310 (Please type or print) Within 30 days from the date SEP 1 9 1977 (Please type or print) State Permit No. 6-8158 EG-8356		
of well completion. (Do not write above this line)		
The state of the s	(10) LOCATION OF WELL:	
(1) OWNER: SALEM, CRECON	County MORROW Driller's well number	r ·
Name MAX HELLBERG	SE 14 NW4 Section 26 T. 5 R.	21. E W.M.
Address RT2BOX 452 IRRIGON ORC		
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner WELL IS 30 WEST AND 284 South OF THE ME.	
Abandon []	CORNER OF SE 1/4 NN 1/4 Sec 5	
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐ If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
	Depth at which water was first found 58 ft.	
	1/9	
Rotary Driven Domestic Industrial Municipal Dug Bored Irrigation Test Well Other		
Dug Bored Irrigation Test Well Other	Artesian pressure lbs. per square inch. Date	
CASING INSTALLED: Threaded □ Welded □	(12) WELL LOG: Diameter of well below casing 18"	
18" Diam. fromft. toft. Gage250	Depth drilled 87 ft. Depth of completed well 87 ft.	
ft, Gageft, The contract of the contrac	Formation: Describe color, texture, grain size and structure of materials;	
" Diam. from ft. to ft. Gage	and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in	
PERFORATIONS: Perforated? Y Yes No.	position of Static Water Level and indicate principa	l water-bearing strata.
	MATERIAL F	om To SWL
Will Fil	Chuny Cail	1 9
Size of perforations /4 in. by 5 in. perforations from	SAND & GRAVEL	9 87
perforations fromft. toft.		• • • • • • • • • • • • • • • • • • • •
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? ☐ Yes ☐ No		
Manufacturer's Name		
Diam. Slot size Set from ft. to ft.		
Diam. Slot size Set from ft. to ft.		
lowered below static level		
Was a pump test made? Yes No If yes, by whom?		
Yield: gal./min. with ft. drawdown after hrs.		
, , , , , , , , , , , , , , , , , , , ,		
" " "		
Bailer test gal./min. with ft. drawdown after hrs.		
Artesian flow g.p.m.		
mperature of water Depth artesian flow encountered ft.	Work started NOV 2 1976 Completed	AUG 28 19/1
(9) CONSTRUCTION:	Date well drilling machine moved off of well	19 _
DON TOW ITE	Drilling Machine Operator's Certification:	
Well seal-Material used	This well was constructed under my di Materials used and information reported ab	rect supervision.
Diameter of well bore to bottom of sealin.	best knowledge and belief.	
Diameter of well bore below seal	[Signed] May Helley Date 29 , 19.77	
Number of sacks of cement used in well seal sacks	Dailling Machine Operator's License No.	
Number of sacks of bentonite used in well seal sacks		
Brand name of bentonite	Water Well Contractor's Certification:	
Number of pounds of bentonite per 100 gallons of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.	
of water		
Did any strata contain unusable water? Yes No	Name (Person, firm or corporation)	(Type or print)
Type of water? depth of strata	Address	
Method of sealing strata off	Signed	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed](Water Well Contract	or)
Gravel placed fromft. toft.	Contractor's License No Date	, 19
(IISE ADDITIONAL S	HEETS IF NECESSARY)	SP*45656-119