NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL EPORT E VE

STATE OF ORIGIN NOV 19 1971

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date

Gravel placed from ___57 ___ ft. to __100 ___ ft.

(Please type or print)

(no not write abov Sh A TE ENGINEER Permit No. of well completion. Well No 7 SALEM. OREGON G- 5652 (1) OWNER: (10) LOCATION OF WELL: Name DESERT MAGIC. INC. Marrow Driller's well number Address P.O.Box 216 SE 1/4 Section 33 T. 5 NO.R. 26 E W.M. Boardman, Oregon Bearing and distance from section or subdivision corner (2) TYPE OF WORK (check): 1400 North & 1400 West of SE Corner Sec 33 New Well X Reconditioning [Deepening [Abandon | If abandonment, describe material and procedure in Item 12. (11) WATER LEVEL: Completed well. (4) PROPOSED USE (check): (3) TYPE OF WELL: Depth at which water was first found Rotary Driven [ft. below land surface. Date 7-31-71 Cable Jetted | Dug Irrigation X Test Well | Other Artesian pressure lbs, per square inch. Date CASING INSTALLED: Threaded ___ Welded 🙀 (12) WELL LOG: Diameter of well below casing ... 16 " Diam from 0 ft. to 100 ft. Gage 250 Depth drilled 100 ft. Depth of completed well 100 " Diam, from _____ft. Gage _____ Formation: Describe color, texture, grain size and structure of materials; ________ft. Gage ______ft. and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata. **PERFORATIONS:** Perforated? Yes No. Type of perforator used MATERIAL Size of perforations in. by top soil 0 2 perforations from ft. to 2 coarse gray sand 16 perforations from _____ ft. to _____ ft. 16 sand & gravel 31 perforations from ft. to sand gravel & houlders 31 100 (7) SCREENS: Well screen installed? W Yes No Manufacturer's Name Johnson Diam. 16 Slot size 50 Set from 85 ft. to 100 ft. Drawdown is amount water level is lowered below static level (8) WELL TESTS: Was a pump test made?

✓ Yes

No If yes, by whom? Driller gal./min. with 29 ft. drawdown after 12 hrs. Bailer test gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. mperature of water Depth artesian flow encountered ft. Work started 7-26 1971 Completed 7-3] 1977 Date well drilling machine moved off of well (9) CONSTRUCTION: **Drilling Machine Operator's Certification:** Well seal-Material used <u>cement</u> This well was constructed under my direct supervision. Well sealed from land surface to Materials used and information reported above are true to my best knowledge and belief. Steve Moore Date of 19, 197/ Diameter of well bore below seal 24 in. [Signed] Drilling Machine Operator's License No. 755 Number of sacks of bentonite used in well seal Brand name of bentonite Water Well Contractor's Certification: Number of pounds of bentonite per 100 gallons This well was drilled under my jurisdiction and this report is lbs./100 gals true to the best of my knowledge and belief. Was a drive shoe used? Yes No Plugs Size: location ft. Name Desert Magic, Inc. Did any strata contain unusable water? 🗆 Yes 💆 No (Type or print) Type of water? Address Box 21/6 Boardman, Oregon depth of strata Method of sealing strata off Was well gravel packed? X Yes No Size of gravel: 1/8 to

Contractor's License No. Date Oct 19, 1971