NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

state Well No. 5N/265 -34 ado

(Do not write above this line) ENGINEER STATE ENGINEER

| 11815 | | <u> </u> | | | | |
|--|--|--|------------------|---|--|--|
| (1) OWNER: | (10) LOCATION OF WELL: | | | | | |
| Name DESERT MAGIC, INC. #12 | County Morrow Driller's well | number | | | | |
| Address P.O. Box 216 | SE 34 NE 34 Section 34 T. 5N | | Er . | W.M. | | |
| Boardman, Oregon | Bearing and distance from section or subdivi | | | | | |
| (2) TYPE OF WORK (check): | 1050' North & 1190' West of 1/4 corner common | | | | | |
| New Well Deepening □ Reconditioning □ Abandon □ | 850' to Sections 34/35 | | | | | |
| If abandonment, describe material and procedure in Item 12. | (11) WATER LEVEL: Completed | vell. | | - | | |
| (3) TYPE OF WELL: (4) PROPOSED USE (check): | Depth at which water was first found | 44 | - | ft | | |
| Rotary Driven Domestic Industrial Municipal Domestic Industrial Domestic Do | Static level 44 ft. below land surface. Date 10-8-71 | | | | | |
| Dug ☐ Bored ☐ Irrigation 🕱 Test Well ☐ Other ☐ | Artesian pressure lbs. per squa | | ÷ - | | | |
| CASING INSTALLED: Threaded Welded 17 | (12) WELL LOG: | | | | | |
| | Depth drilled 81 ft. Depth of comp | | | ft. | | |
| "Diam. from ft. to ft. Gage | Formation: Describe color, texture, grain size | | | naterials: | | |
| Diam. from | and show thickness and nature of each strate | ım and aq | uifer pe | enetrated, | | |
| PERFORATIONS: Perforated? Yes I No. | with at least one entry for each change of form position of Static Water Level and indicate pri | ncipal wat | er-bearin | cnange in ng strata. | | |
| Type of perforator used | - MATERIAL | From | То | SWL | | |
| Size of perforations in. by in. | top soil - brown sandy | 0 | 2 - | | | |
| perforations from ft. to ft. | coarse gray sand & gravel | 2 | 25 | | | |
| perforations from ft. to ft. | sand gravel & boulders | 25 | 81 | | | |
| perforations fromft. toft. | basalt | | | | | |
| (7) SCREENS: Well screen installed? X Yes \(\subseteq \) No | | | | - | | |
| Manufacturer's Name Johnson | | | | - | | |
| Type Model No. | | | | | | |
| Diam16 | : " | <u> </u> | | | | |
| Diam. Slot size Set from ft. to ft. | | 1 | | | | |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level | | | | | | |
| Was a pump test made? ■ Yes □ No If yes, by whom? Driller | | | | | | |
| Yield: 1865 gal./min. with 26 ft. drawdown after 8 hrs. | | | | | | |
| " " " | | | | *************************************** | | |
| " " | | | i | | | |
| Bailer test gal./min. with ft. drawdown after hrs. | | | | **** | | |
| Artesian flow g.p.m. | - 1.4 A 1 1 12 12 12 12 12 12 12 12 12 12 12 12 | - | | | | |
| perature of water Depth artesian flow encountered ft. | Work started 9-30 1971 Complete | ed 10-8 | | _19 7] | | |
| (0) CONSUBLICATION. | Date well drilling machine moved off of well | 10-8 | | 1971 | | |
| (9) CONSTRUCTION: | -24 | | | 10 1 | | |
| Well seal—Material used | Drilling Machine Operator's Certification This well was constructed under my Materials used and information reported best knowledge and belief. | direct | super re true | vision. to my | | |
| Diameter of well bore below seal24 in. | [Signed] Steve moore | Date O | 1.19 | 197/ | | |
| Number of sacks of cement used in well seal | (Drilling Machine Operator) | | | , 20 | | |
| Number of sacks of bentonite used in well seal sacks | Drilling Machine Operator's License No. | | <i></i> | ************ | | |
| Brand name of bentonite | Water Well Contractor's Certification: | | | | | |
| Number of pounds of bentonite per 100 gallons | This well was drilled under my jurisd | iction and | thie n | enort is | | |
| of waterlbs./100 gals. | true to the best of my knowledge and be | lief. | t tills It | short 18 | | |
| Was a drive shoe used? ☐ Yes ☒ No Plugs Size: location ft. Did any strata contain unusable water? ☐ Yes ☐ No | Name Desert Magic, Unc. | ************* | | | | |
| | Address Box 216 Booseman | Typ) | e or prin | 2,0 | | |
| Type of water? depth of strata | Address 05 016 000 coman | Crie. | 170 | | | |
| Method of sealing strata off | [Signed] Howard Kartehre | v Ki | w. | ******* | | |
| Was well gravel packed? ★ Yes No Size of gravel: 1/8to3/8 | (Water Well Cont | ractor) | a | 7/ | | |
| Gravel placed from 44 ft. to 81 ft. | Contractor's License No Date | , U -/ | 7 | ., 19// | | |



Oregon Water Resources Department 725 Summer Street NE, Suite A Salem Oregon 97301 (503) 986-0900 www.wrd.state.or.us

Application for Well ID Number

Well #12
Permit G-16951
Do not complete if the well already has a Well I.D Number.

| Current Owner Name (please pi | | | | | |
|---|--|------------------------|--------------------------|-------------|-------------------------|
| Mailing Address: P.O. Box 1191 | | | | | |
| City: Hermiston | State: OR | | Zip: | 97838 | |
| Mailing Address (to send Well) | I.D.): P.O. Box 1191 | | | | |
| City: Hermiston | State: OR | | Zip: | 97838 | |
| II. WELL INFORMATION (I | Do not complete this section if th | he well report is atta | ched.) | | |
| Township: 5 North | (North/South) Range: | 26 East | (East/West) | Section: 34 | |
| Tax Lot: 100 | County: Morrow | SE | (2.132 \(\text{VOSt} \) | | 1/4 |
| Street Address of Well: N/A | | | City: N/A | | |
| Owner at time the well was cons | estructed. (if known): Desert Mag | ic, Inc | - · | | _ |
| If the property had a different st | | | | | |
| | - | - | 'report is attached) | | |
| Use of Well (domestic, irrigation Date Well Constructed: 10-8-197 | n, commercial, industrial, monit | - | | Diameter: | |
| Use of Well (domestic, irrigation Date Well Constructed: 10-8-197 | n, commercial, industrial, monit | coring): Irrigation | | Diameter: | |
| Use of Well (domestic, irrigation Date Well Constructed: 10-8-197 Other Information: Please refer to | n, commercial, industrial, monit Total Well attached Well Log Morr 1269 | coring): Irrigation | | ALC: N | 720 |
| Use of Well (domestic, irrigation Date Well Constructed: 10-8-197 Other Information: Please refer to SUBMITTED BY (please print) | n, commercial, industrial, monit Total Well attached Well Log Morr 1269 Bill Porfily | coring): Irrigation | Casing | | ED |
| Use of Well (domestic, irrigation Date Well Constructed: 10-8-197 Other Information: Please refer to SUBMITTED BY (please print) | n, commercial, industrial, monit Total Well attached Well Log Morr 1269 Bill Porfily | toring): Irrigation | Casing | ALC: N | 2013 |
| Use of Well (domestic, irrigation Date Well Constructed: 10-8-197 Other Information: Please refer to SUBMITTED BY (please print) PHONE: (541) 449-1327 Send application to Oregon Water 0902. Applications are processed | n, commercial, industrial, monit Total Well attached Well Log Morr 1269 Bill Porfily FA | Summer St NE, Suit | Casing 7 | MAR 07 | 7 20 2013 |

MORR 1269

NOTICE TO WATER WELL CONTRACTOR

The original and first copy
of this report are to be
filed with the

STATE ENGINEER, SALEM, OREGON 97210 within 30 days from the date of well completion.

| No 12 | STATE ENGINEER | 5657 | | |
|--|--|---------------|-------------------|--------------|
| (1) OWNER: | (16) LOCATION OF WELL: | | | |
| Name DESERT MAGIC, INC. #12 | County Morrow - Driller's well m | итрет | | *** |
| Address P.O. Box 216 | SH 14 NH 14 Section 24 T. 5N | | P | W.M. |
| Roardman, Oregon | Bearing and distance from section or subdivis | on come | er . | |
| (2) TYPE OF WORK (check): | 4000 North & 1400 West of | 1/4 co | rner | common |
| New Well (X Deepening Reconditioning Abandon | 850' to Sections 34/35 | • | • . • | |
| If abendonment, describe material and procedure in Item 13. | (11) WATER LEVEL: Completed w | ell. | | |
| (8) TYPE OF WELL: (4) PROPOSED USE (check): | Depth at which water was first found | 44 | | ft. |
| Rotary Driven Domestic Industrial Municipal Cable I Jetted Domestic Industrial Municipal I | Static level 44 ft. below land | urface. | Date 1 | 0-8-71 |
| Dug Bored Prigation Test Well Other | Artesian pressure lbs. per squar | | | |
| CASING INSTALLED. | - | , | , | |
| CASING INSTALLED: Threaded Welded 20 16 Diam from 0 ft to 81 ft Gage 250 | (12) WELL LOG: Dismeter of well | below car | ring | |
| # Diam from # 45 to # Class | Depth drilled 81 ft. Depth of comp | leted well | 1. 81 | £t. |
| "Diam. from ft. to ft. Gage | Formation: Describe color, texture, grain size | | | |
| | and show thickness and nature of each stratu with at least one entry for each change of forms | tion. Rep | ort each | change in |
| PERFORATIONS: Perforated? Yes Yo. | position of Static Water Level and indicate prin | otpal wa | ter-bearin | ng strata. |
| Type of perforator used | " "A P THATERIAL . "II | From | To | SWL |
| Size of perforations in. by in. | top soil - brown sandy | 0 | 2 . | |
| perforations from ft. to ft. | coarse gray sand & gravel | 2 | 25 | |
| perforations fromft. toft. | sand gravel & boulders | 25 | 81 | |
| perforations from ft. to ft. | _hasalt | | | |
| (7) SCREENS: Well screen installed? X Yes No | | · · · · · · · | | |
| Manufacturer's Name Johnson | NECTWED! | | | |
| Type Model No. | | | | |
| Diam. 16. Slot size 50. Set from 71. ft. to 81. ft. | - GAN 0 75 9040 | | | |
| Diam. Slot size Set from ft. to ft. | PIFN_U 7_ZUIJ | | | |
| (8) WELL TESTS: Drawdown is amount water level is lowered below static level | | | | |
| Was a pump test made! E Yes No If yes, by whom? Driller | S/ADD CREADING | | | |
| Yield: 1865 gal./mm. with 26 ft. drawdown after 8 hrs. | A Committee of the Comm | | | *** |
| gan, min. 20 1. trappown, area. 6 uga, | | | | |
| H TO SEE HE STORY | | | | |
| * ** * ******************************* | | | | |
| <u> </u> | The second secon | | | |
| Artesian flow g.p.m. | | | | |
| persture of water Depth artesian flow encountered fi. | | | | 19 7] |
| (9) CONSTRUCTION: | Date well drilling machine moved off of well | 10-8 | | 1971 |
| Well seal-Material used | Drilling Machine Operator's Certification: | | | |
| Well sealed from land surface toftftftftft | This well was constructed under my Materials used and information reported | above a | super are true | vision. |
| Diameter of well bore to bottom of sealin. | best knowledge and belief. | | _ | _ |
| Diameter of well bore below seel24 in. | [Signed] | Date 🚈 | 417 | ., 19.// |
| Number of sacks of cement used in well seal | Drilling Machine Operator's License No. | 75 | 5 | |
| Number of sacks of bentonite used in well seal sacks Brand name of bentonite | | | | |
| Number of pounds of bentonite per 100 gallons | Water Well Contractor's Certification: | | | |
| of water lbs./100 gals. | This well was drilled under my jurisdi true to the best of my knowledge and bel | | d this r | eport is |
| Was a drive shoe used? 🗆 Yes 😩 No Plugs Size: location ft. | Name Desert Moace Inc | | | |
| Did any strata contain unusable water? Yes No | (Person, firm or corporation) | (T) | pe or priz | |
| Type of water? depth of strets | Address Box 3/6 Goordman | Che | . 7 <i>7</i> | 10 |
| Method of sealing strata off | [Bigned] Frank Karther | 2 | ue. | |
| Was well gravel packed? I Yes No Size of gravel 1/8 to 3/8 | (Water Well Contr | ector) | | 7/ |
| Gravel placed from 44 ft. to 81 ft. | Contractor's License No Date | 0 7 | 19 | ., 19 |
| (USE ADDITIONAL SE | ERTS IF NECESSARY) | | AF | *45656-110 j |