WATER WELL REPORT

STATE OF OREGON

(1) OWNER:

New Well □

Rotary Mud 🗆



RECEIVED State Well No.

JUN 10 1982

State Well 110.		_
<u> </u>		
State Permit No.	***************************************	- 10

WATER RESOURCES DEPT

	SALEM, OREGON Kerracum	
1) OWNER:	(10) LOCATION OF WELL:	
	County Morrow Driller's well number	
Name Kingua Corp,	SE 4 SW 4 Section 21 T. 2 S. R. 26 E. W.M.	
11 14 97836	Tax Lot # Lot Blk Subdivision	
2) TYPE OF WORK (check):	Address at well location:	
•		
New Well □ Deepening □ Reconditioning ★ Abandon □ f abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed well.	
	Depth at which water was first found ft.	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Static level 45 ft. below land surface. Date 6-1-82	
Rotary Air Driven Domestic Kindustrial Municipal Driven Driven Triggin Test Well Dother	Artesian pressure lbs. per square inch. Date	
otary Mud	(12) WELL LOG: Diameter of well below casing	
	Depth drilled ft. Depth of completed well ft.	
(5) CASING INSTALLED: Steel Plastic Welded Welded	Formation: Describe color, texture, grain size and structure of materials; and show	
1 tree" Diam. from	thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level	
"Diam from ft. to ft. Gauge	and indicate principal water-bearing strata.	
LINER INSTALLED:	MATERIAL From To SWL	
—	7	
	Reamed & Cleaned	
(6) PERFORATIONS: Perforated? Yes No	to a fine 8"	
Type of perforator used	- V & 9	
Size of perforations in. by in.	From 55 ft to 350 ft.	
perforations from ft. to ft.		
perforations from ft. to ft.		
perforations from ft. to ft.		
(7) SCREENS: Well screen installed? ☐ Yes ☐ No		
Manufacturer's Name		
Type		
Diam. Slot Size Set from ft. to ft. to		
Diam. Slot Size Set from ft. to ft. to		
(8) WELL TESTS: Drawdown is amount water level is lowered below static level		
¥ a pump test made? ☐ Yes ☐ No If yes, by whom?		
d: gal./min. with ft. drawdown after hrs	<u>.</u> :	
<i>H</i>		
Air test gal/min. with drill stem at ft. hrs	3	
Bailer test gal/min. with ft. drawdown after hrs	3.	
esian flow g.p.m.	-	
Depth artesian flow encountered fe	t. Work started 5-24 19 \$2 Completed 6-1 19 \$2	
(9) CONSTRUCTION: Special standards: Yes \(\text{No} \(\text{I} \)	Date well drilling machine moved off of well 4-/ 1982	
Well seal-Material used Not disturbed	Drilling Machine Operator's Certification:	
Well sealed from land surface to f	t. This well was constructed under my direct supervision. Materials used	
Diameter of well bore to bottom of sealin.	and information reported above are true to my best knowledge and belief.	
Diameter of well bore below sealin.	[Signed] Ama Select Date 6-1, 1982	
Number of sacks of cement used in well seal sack		
How was cement grout placed?		
	Water Well Contractor's Certification:	
	This well was drilled under my jurisdiction and this report is true to	
Was pump installed? Type	the best of my knowledge and belief. Name TROY GRIFFIN	
Was a drive shoe used?	it. (Person, firm or corporation) (Type or print)	
Did any strata contain unusable water? Yes No	Address 900 HERMISTOHAVE, HERMISTON OF	
Type of Water? depth of strata	- rower front Girellin	
Method of sealing strata off	[Signed] (Water Well Contractor)	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	Contractor's License No. 65 Date 6-/ ,1962	

Gravel placed from ft. to ft. NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the