

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

RECEIVED SEP 16 1969 STATE ENGINEER SALEM, OREGON

WATER WELL REPORT

RECEIVED MAR 11 1970

MORR 194

STATE ENGINEER SALEM, OREGON 97310 Permit No. 2/27-32 ab 26-A674

(1) OWNER:

Name RICHARD T. WILKINSON Address PO Box 68 HEPPNER OREGON 97236

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [x] Abandon []

(3) TYPE OF WELL:

Rotary [] Driven [] Cable [x] Jetted [] Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

CASING INSTALLED:

12 1/2" Diam. from 0 ft. to 34 1/2 ft. Gage 250

PERFORATIONS:

Perforated? [] Yes [x] No. Type of perforator used Size of perforations in. by in.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level 31 ft. below land surface Date 8-15-69 Artesian pressure lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [x] Yes [] No Yield: 150 gal./min. with 325 ft. drawdown after 6 hrs. Morrow County Green Growers. Baller test 700 draw down with balls gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Date Temperature of water 58 Was a chemical analysis made? [] Yes [x] No

(10) CONSTRUCTION:

Well seal—Material used cement Depth of seal 34 1/2 ft. Diameter of well bore to bottom of seal 18 in. Were any loose strata cemented off? [] Yes [x] No Depth Was a drive shoe used? [] Yes [x] No Did any strata contain unusable water? [] Yes [x] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [x] No Size of gravel: Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County MORROW Driller's well number .3 NW 1/4 SW 1/4 Section 32 T. 2S R. 27 E W.M. Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 12 in Depth drilled 350 ft. Depth of completed well 330 ft. Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Rows include soil with bone-like rocks, base gravel and rock, brown clay with some rock, gray basalt, gray basalt some green shale, brown loam rock, grey basalt some green shale, hard grey basalt, green shale and some red rock, hard grey basalt with brown stain, hard grey basalt, yellow shale and red rock, hard grey basalt.

Work started May 20 1969 Completed Aug 15 1969 Date well drilling machine moved off of well Aug 27 1969

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] William C. Walter Date Sept 13, 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 619

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME WILLIAM C. WALTER (Person, firm or corporation) (Type or print)

Address PO Box 351 IONE OREGON 97243

[Signed] William C. Walter (Water Well Contractor)

Contractor's License No. 508 Date Sept 13, 1969