NOTICE TO WATER WELL CONTRACTOR	ELL REPORT
filed with the	F OREGON
STATE ENGINEER, SALEM OREGON 97310 (Please ty	vpe or print)
of well completion AFR 211369	above this line) State Permit No.
AFRALIOU	
(1) OWNER: STATE FL.	(11) LOCATION OF WELL:
Name DICK WILKGASON	
	County Morrow Driller's well number
Address Heppner One	1 W 14 5W 14 Section 32 T. 2 R. 27 W.M.
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well Deepening Reconditioning Abandon	
If abandonment, describe material and procedure in Item 12.	-
Botary Driven CI	(12) WELL LOG: Diameter of well below casing 8 200
Cable 🔲 Jetted 🔲 Domestic 🗌 Industrial 🗌 Municipal 🗌	Depth drilled 3 7,5 ft. Depth of completed well 3 7,5 ft
Dug 🗌 Bored 🗌 . Irrigation 📝 Test Well 🗌 Other 📋	Formation: Describe color, texture, grain size and structure of materials
CASING INSTALLED: Threaded D Welded	and show thickness and nature of each stratum and aquifer penetrated
8 " Diam. from ft. to ft. Gage	with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates
". Diam. from	
"Diam. fromft. toft. Gage	MATERIAL From To SWL
	1045016 0 H'
PERFORATIONS: Perforated? 🖸 Yes 🖄 No.	GRAVEL MED 4 12
Type of perforator used	Rock GRey HARD 12 80
Size of perforations in. by in.	ROCK GREY BROKEN WATER 80 200 38
perforations fromft. toft.	ROCK BROWN SOFT 200 365
perforations from ft, to ft.	ROCK GREY HARD 365 375 33'
perforations from ft. to ft.	
perforations from ft. to ft.	
perforations from ft. to ft.	
(7) SCREENS: Well screen installed?	
(1) SCREENS: Well screen installed? _ Yes INo	
TypeModel No.	This well was dolled
Diam	by Fingil Bronin and
Diam Slot size Set from ft. to ft.	
	Am. Kuebler Vergel Bronsor
(8) WATER LEVEL: Completed well.	refused to give me the well log
Static level 3.3 ft. below land surface Date fund 9, 68	the structure Aliel he bod one to
an pressure lbs. per square inch Date	The second of the second second
(9) WELL TESTS: Drawdown is amount water level is	to sais is the reliever to got
lowered below static level	Miles Notest (
Was a pump test made? Ves No If yes, by whom?	Work started may 28 19 68 Completed June 9 1968
Vield: gal./min. with ft. drawdown after hrs.	
II	Date well drilling machine moved off of well June 9 196
U U U V V V V V V V V V V V V V V V V V	Drilling Machine Operator's Certification:
Bailer test gal./min. with ft. drawdown after hrs.	This well was constructed under my direct supervision. Mate- rials used and information reported above are true to my best
Artesian flow g.p.m. Date	knowledge and belief.
Temperature of water 62 "Was a chemical analysis made? Ves	[Signed] 20 12 R Kuebby Date June 9, 19.68
	(Orilling Machine Operator)
(10) CONSTRUCTION:	Drilling Machine Operator's License No. 524
Well seal-Material used <u>CEMENT GROUT</u>	
Depth of seal $\frac{20}{12}$ ft.	Water Well Contractor's Certification:
Diameter of well bore to bottom of seal	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Were any loose strata cemented off? Use KNo Depth	NAME Roy I French
Was a drive shoe used? [] Yes [] No	(Person, firm or corporation) (Type or print)
Did any strata contain unusable water? 🔲 Yes 🖻 No	Address Ato 2 Box 129 Pendleton Gr
Type of water? depth of strata	
Aethod of sealing strata off	[Signed] Down Frinch
	(Water Well Contractor)
Vas well gravel packed? 🗌 Yes 🖉 No 👘 Size of gravel:	langer har en de la stat de la service de

(USE ADDITIONAL SHEETS IF NECESSARY)

----