

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM 10, OREGON within 30 days from the date of well completion.

WATER WELL REPORT

STATE OF OREGON (Please type or print)

State Well No. 3/26-2

State Permit No.

(1) OWNER:

Name Carl W Thorpe Address Heppner, Ore.

(2) LOCATION OF WELL:

County Morrow Driller's well number 1/4 Section 2 T. 35 R. 26 E W.M. Bearing and distance from section or subdivision corner

(3) TYPE OF WORK (check):

New Well [] Deepening [x] Reconditioning [x] Abandon [] abandonment, describe material and procedure in Item 12.

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [x] Test Well [] Other []

(5) TYPE OF WELL:

Rotary [x] Driven [] Cable [] Jetted [] Dug [] Bored []

(6) CASING INSTALLED:

Threaded [] Welded [x] 8" Diam. from 0 ft. to 30 ft. Gage 250

(7) PERFORATIONS:

Perforated? [] Yes [x] No Type of perforator used Size of perforations in. by in.

(8) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name type Model No. am. Slot size Set from ft. to ft. Diam. Slot size Set from ft. to ft.

(9) CONSTRUCTION:

Well seal--Material used in seal Cement back to ground Depth of seal 0 to 30 ft. Was a packer used? Diameter of well bore to bottom of seal in. Were any loose strata cemented off? [] Yes [] No Depth Was a drive shoe used? [] Yes [] No Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ft. to ft. Did any strata contain unusable water? [] Yes [] No Type of water? Depth of strata Method of sealing strata off

(10) WATER LEVELS:

Static level flowing ft. below land surface Date May 4, 1966 Artesian pressure lbs. per square inch Date

(11) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [] No If yes, by whom? Yield: gal./min. with ft. drawdown after hrs. "It tested this well with a air compressor, approx. 200 ps/min Bailer test gal./min. with ft. drawdown after hrs. Artesian flow 12 g.p.m. Date May 4, 1966 Temperature of water 58 Was a chemical analysis made? [] Yes [x] No

(12) WELL LOG:

Diameter of well below casing 8 in to 140 Depth drilled 90 ft. Depth of completed well 234 ft. Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

Table with columns MATERIAL, FROM, TO. Entries include: Top soil broken rock (0-12), Basalt cubes (12-25), hard (25-50), some water (50-90), more water (90-93), hard cubes (93-105), vertical planks (105-137), black soft honeycomb (137-144). This well was drilled to this point by Edwards of Phe Ore. casing left unsealed. black broken basalt soft (144-152) this was very heavy with water grey basalt very hard (152-197) black broken basalt soft (197-234). This well flows approx 12 gal per min. This well is 8 inch to 144 ft well was completed with 90 ft of 8 inch hole.

Work started Apr 30 1966 Completed May 3 1966 Date well drilling machine moved off of well May 4 1966

(13) PUMP:

Manufacturer's Name Type: H.P.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME Roy T FRENCH (Person, firm or corporation) (Type or print)

Address 1015 S.W. Trajler Bendleton Ore.

Drilling Machine Operator's License No. 209

[Signed] Roy T French (Water Well Contractor)

Contractor's License No. 107 Date July 11, 1966