## NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

## WATER WELL REPORT

## STATE OF OREGON

State Well No. S 246-350

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

MORR 360) ..

(Please type or print)
(Do not write above this line)

WATER RESOURCES DEPT.

	LANGE COMPANY OF THE PARTY OF T			
(1) OWNER:	(10) LOCATION OF WELL:		-	
Name Marvin Padberg	County MORROW Driller's well n	how		
Address FONC ORE	NE 14 NE 14 Section 35 T. 15	R. 24	E	
	Bearing and distance from section or subdivis		<u> </u>	W.M.
(2) TYPE OF WORK (check):	Bearing and distance from Section of Subdivis	ion corner		
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐				
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed v			******
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	ven.	19.	<i>6</i>
Rotary Driven Domestic Dindustrial Di Municipal D				<u>ク ft.</u>
Cable	Static level // L ft. below land  Artesian pressure lbs. per squa		ate <i>7</i> . ate	- 2 - 7
CASING INSTALLED: Threaded Welded 7  "Diam. from 2 ft. to 18 ft. Gage 1250  "Diam. from ft. to ft. Gage	(12) WELL LOG: Diameter of well Depth drilled 400 ft. Depth of comp Formation: Describe color, texture, grain size	leted well	40	
PERFORATIONS: Perforated? \(\text{Ves}\)	and show thickness and nature of each stratu with at least one entry for each change of forms	ım and aquation. Report	iifer pe	netrated,
Type of perforator used	position of Static Water Level and indicate prin	T	1	
	MATERIAL	From	То	SWL
Size of perforations in. by in.  perforations from ft. to ft.	SOIL		3	
perforations fromft. toft.	BASALT Black		2	
perforations from ft. to ft.	" BROWN /SS	T	47	
	" Blech		5	
(7) SCREENS: Well screen installed?   Yes I No	11 BRN + BLK W/SS		7	
Manufacturer's Name	11 Black		78	
Type Model No.	1 Black + BROWN/SS		42	
Diam. Slot size Set from ft. to ft.	11 Black	142 1	170	
Diam. Slot size Set from ft. to ft.	BROWN /55	170 1	195	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Red Scoria H20	195 2	215	
Was a pump test made? Yes \( \sigma\) No If yes, by whom? OWNCE	BASALT Black		78	·····
100-3	Black & BROWN/SS		370	
AND	Black	390 4	00	<del></del> -
				<del></del>
Bailer test gal./min. with ft. drawdown after hrs.				
Artesian flow g.p.m.				
erature of water 57 Depth artesian flow encountered ft.	Work started 9-18 19 77 Complete	ed <i>9-21</i>	~77	19
(9) CONSTRUCTION:	Date well drilling machine moved off of well	9-2	1-77	19
Well seal—Material used PORTLEND COMENT  Well sealed from land surface to	Drilling Machine Operator's Certification: This well was constructed under my Materials used and information reported	direct s	uperv	ision.
Diameter of well bore to bottom of sealin.	best knowledge and belief.			•
Number of sacks of cement used in well seal	[Signed] (Drilling Machine Operator)	Date <b>7</b>	<u> 21,</u>	19 <i>Z.Z</i>
How was cement grout placed?	Drilling Machine Operator's License No.			
A distribution of the second o		<u> </u>		
Alice Constitution of the	Water Well Contractor's Certification:			
The second secon	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.			
Was a drive shoe used?   Yes No Plugs Size: location ft.	Name Jany Bund Well Dullive (Person, firm or corporation) (Type or print)			
Did any strata contain unusable water?   Yes 1400	(Person, firm or corporation)	(Type	or print	t)
Type of water? depth of strata	Address Pendliton or			
Method of sealing strata off	[Signed] Jony Bund (Water Well Contr.			
Was well gravel packed? Tyes No Size of gravel:	(Water Well Contr	actor)		
Gravel placed from ft. to ft.	Contractor's License No. 544 Date	9-21		19.7.7