NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be

WATER WELL REGEIVED

113	1741	=-35

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON JAN 301976

State Well No	o	
---------------	---	--

of well completion. (MORK 38) (Do not write a	abovMATER) RESOURCES DEPT. Permit No.
(1) OWNER:	(10) LOCATION OF WELL:
Name MARVIN PAPBERGO	County MORROW Driller's well number
Address TONE ORE	SITU AIRVANI
1 1 2 1 1 2 1 1 2 1 1 1 1 1 1 1 1 1 1 1	
(2) TYPE OF WORK (check):	Bearing and distance from section or subdivision corner
New Well ☐ Deepening ☐ Reconditioning ☐ Abandon ☐	
If abandonment, describe material and procedure in Item 12.	Nagy and winding a manage. No. 2 / 2 A2
(3) TYPE OF WELL: (4) PROPOSED USE (check):	- (11) WATER LEVEL: Completed well.
Rotary Driven D	Depth at which water was first found ft.
Cable	to state 12 24
CACING INCHALL TO	Artesian pressure lbs. per square inch. Date
(b) CASING INSTALLED: Threaded Welded	(12) WELL LOG: Diameter of well below costno (C" 70 44
16 "Diam. from 1 ft. to -10 ft. Gage 1250	- Well below casing
" Diam. fromft. toft. Gage	
"Diam. from ft. to ft. Gage	_ and show thickness and nature of each stratum and aquifer nenetrated
PERFORATIONS: Perforated? Yes 14-No.	with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.
Type of perforator used Perforated? Type Of Perforator used	MATIETY AY
	MATERIAL From To SWL
1	See PREVIOUS LOG
perforations from ft. to ft.	
perforations from ft. to ft	
(7) CODEDAG	
(7) SCREENS: Well screen installed? ☐ Yes ☐ No	
Manufacturer's Name	
Type Model No	
Diam. Slot size Set from ft. to ft.	
Diam. Slot size Set from ft. to ft.	DECTIVITY
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	- RabiaVaj
Was a pump test made? Yes No If yes, by whom?	JAN 3 0 1976
d: gal/min with	
gal./min. withft. drawdown afterhrs.	WATER RESOURCES DEPT'
" " " " " " " " " " " " " " " " " " " "	SALEM, DREGON
" " " " " " " " " " " " " " " " " " "	-
Bailer test gal./min. with ft. drawdown after hrs.	
Artesian flow g.p.m.	
perature of water Depth artesian flow encountered ft.	Work started 12 ~16 19 75 Completed 12 ~ 24 19 75
(9) CONSTRUCTION:	Date well drilling machine moved off of well /2-24 19 75
Well seal-Material used PORTLOND Coment	Drilling Machine Operator's Certification:
Well sealed from land surface to	This well was constructed under my direct currentials
Diameter of well bore to bottom of sealft.	Materials used and information reported above are true to my best knowledge and belief.
Diameter of well bore below sealin,	best knowledge and belief.
Number of sacks of cement used in well seal 22 sacks	[Signed] Jan Brand Date 12 -24, 19 75 (Driving Machine Operator)
Number of sacks of bentonite used in well seal sacks	Drilling Machine Operator's License No. 933
Brand name of bentonite	
Number of pounds of bentonite per 100 gallons	Water Well Contractor's Certification:
of water lbs./100 gals.	This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Was a drive shoe used? Yes No Plugs Size: location ft.	Nome Law Bur of navil Das Iline
Did any strata contain unusable water? Yes Li No	Name Jary Brind nucle Dulling (Person, firm or corporation) (Type or print)
Type of water? depth of strata	Address la Boy 411 Pendlation er
Method of sealing strata off	
Was well gravel packed? ☐ Yes ☐ No Size of gravel:	[Signed]
Gravel placed from ft. to ft.	Contractor's License No. 5411 Part 12:24