

Rotary Air Drilled

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

RECEIVED

WATER WELL REPORT

STATE ENGINEER, SALEM, OREGON 97310

within 30 days from the date of well completion

STATE OF OREGON

(Please type or print) Do not write above this line

STATE ENGINEER SALEM OREGON

State Well No. 1N/23-27 db

State Permit No.

(1) OWNER:

Name FRANKLIN ELY
Address Lone, Oreg.

(2) TYPE OF WORK (check):

New Well [x] Deepening [ ] Reconditioning [ ] Abandon [ ]

If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [x] Driven [ ]
Cable [ ] Jetted [ ]
Dug [ ] Bored [ ]

(4) PROPOSED USE (check):

Domestic [ ] Industrial [ ] Municipal [ ]
Irrigation [x] Test Well [ ] Other [ ]

CASING INSTALLED:

Threaded [ ] Welded [x]

10" Diam. from 0 ft. to 18 ft. Gage .250
8" Diam. from 0 ft. to 140 ft. Gage .250

PERFORATIONS:

Perforated? [ ] Yes [x] No.

Type of perforator used

Table with columns: Size of perforations, in. by, in., perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [ ] Yes [x] No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.

(8) WATER LEVEL: Completed well.

Static level ft. below land surface Date
Artesian pressure unknown lbs. per square inch Date

(9) WELL TESTS:

Drawdown is amount water level is lowered below static level

Was a pump test made? [ ] Yes [x] No If yes, by whom?
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m. Date
Temperature of water Was a chemical analysis made? [ ] Yes [x] No

(10) CONSTRUCTION:

Well seal-Material used Cement
Depth of seal 140 ft.
Diameter of well bore to bottom of seal 10 in.
Were any loose strata cemented off? [ ] Yes [x] No Depth
Was a drive shoe used? [ ] Yes [x] No
Did any strata contain unusable water? [ ] Yes [x] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [ ] Yes [x] No Size of gravel:
Gravel placed from ft. to ft.

(11) LOCATION OF WELL:

County MORROW Driller's well number 84
NW 1/4 SE 1/4 Section 27 T. 1N R. 23E W.M.
Bearing and distance from section or subdivision corner

(12) WELL LOG:

Diameter of well below casing 8"

Depth drilled 297 ft. Depth of completed well 297 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level as drilling proceeds. Note drilling rates.

Table with columns: MATERIAL, From, To, SWL. Includes entries like Top Soil - Sandy, Rock Basalt Gray, Clay-Blue, Basalt-Black-Hard, Lava Rock-Red-porous, Rock Basalt-Black, Porous (Artesian 35gal), Lava Rock-Red, Rock Basalt-Black, Rock Basalt-Grey, Lava Rock-BLK-porous, Rock Basalt-Black.

Work started 11/20 1968 Completed 11/24 1968
Date well drilling machine moved off of well 11/25 1968

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Frankl. C. Ely Date Jan 6, 1969 (Drilling Machine Operator)

Drilling Machine Operator's License No. 280

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

NAME EDWARD BOEHRS WELL DRILLING (Person, firm or corporation) (Type or print)

Address 207414 OAKLAND ORE

[Signed] Edward Boehrs (Water Well Contractor)

Contractor's License No. 456 Date 1-9, 1969