

NOTICE TO WATER WELL CONTRACTOR The original and first copy
of this report are to be
filed with the
STATE ENGINEER, SALEM 10, OREGON
within 30 days from the date
of well completion.

WATER WELL REPORT

State Well No.

STATE OF OREGON
(Please type or print)

within 30 days from the date of well completion.	(Please typ	pe or print) ර-30	State Per	mit No	
(1) OWNER: Tame Lewrence D. & Corri	ne Lindsay	(11) WELL 7	TESTS: Drawdow lowered h	m is amount water level below static level yes, by whom? ari	_
Address		Yield: 325	gal./min. with 15	ft. drawdown after	8 hrs.
Lexington, Oregon	.,	93	**	*	
		**	**	"	**
2) LOCATION OF WELL:		Bailer test	gal./min. with	ft. drawdown after	hrs.
County Driller's well		Artesian flow	g.p.m. D	ate	
14 14 Section 1 T.	1 Nr. 25 Ew.m.	Temperature of wa	ter Was a chemi	ical analysis made?	Yes No
Bearing and distance from section or subdivisi	on corner	(10) THEFT T T	00	o u	
		(12) WELL I		well below casing 811	
·		Depth drilled 20		completed well 20	
		Formation: Describ show thickness of a stratum penetrated	e by color, character, s quifiers and the kind a , with at least one ent	ize of material and stru nd nature of the mater ry for each change of	cture, and lal in each formation.
			MATERIAL	FROM	TO
(3) TYPE OF WORK (check):	Soil		O	نخ	
→ Well Deepening Recond	Soil and	gravel	2	48	
abandonment, describe material and proced		own	48	51	
(A) BRODOSED TISE (check)	(5) TYPE OF WELL:	Clay, gr	avel, water	51	90
(4) PROPOSED USE (check):	Rotary Driven	Rock, bl	ack, medium	90	98
Comestic Industrial Municipal	Cable 🔀 Jetted 🗆	Sand, bl	ack, water	98	99
rrigation N Test Well Other Stock	Dug 🗍 Bored 🗍	Rock, bl	ack, medium	99	118
(6) CASING INSTALLED: Three	aded K Welded □	Rock, bl	ack, soft, v	vater 118	122
0 ft. to		Rock, bl	ack, medium	122	156
" Diam, from ft, to	•		own, medium	156	162
"Diam, from ft. to		ack, medium	162	193	
		Rock, bl	ack, soft, w	vater 193	205
.,	forated? 🗌 Yeş 🏿 No	. ————			
Type of perforator used	*				
Size of perforations in. by	in.				
perforations from					
perforations from					
perforations from perforations					
perforations from		-			
periorations from	It. W				
(8) SCREENS: Well screen insta	alled? 🗌 Yes 🔣 No				
Manufacturer's Name	***************************************				
3 Mo	odel No				
Diam Slot size Set from	ft. to ft.	Work started	ay 15 19 64 c	Completed Jun 22	1964
Diam Slot size Set from		nachine moved off of v		1964	
(9) CONSTRUCTION:				ven ouric so	2003
Well seal—Material used in seal padded	clav	(13) PUMP:			
Well seal—Material used in seal 200000			me		***************************************
Depth of sealft. Was a	Туре:		н.р.	•	
Diameter of well bore to bottom of seal1		Water Wall Cont	ractor's Certification	•	
Were any loose strata cemented off? ☐ Yes	No Depth				
Was a drive shoe used? X Yes No	tize of gravel:	true to the best of	of my knowledge and	jurisdiction and this I belief.	report 18
Was well gravel packed? ☐ Yes ☒ No S Gravel placed from ft. to	lize of gravel:	Tohn	Hershey Wel		
		NAME	(Person, firm or corporati	lon) (Type o	r print)
Did any strata contain unusable water? Ye		Address Rt.	1, Box 552,	Hermiston, (regon)
Type of water? Depth of s Wethod of seeling strate off	STACE			2.45	
Method of sealing strata off		Drilling Machine	Operator's License	No. 143	•
(10) WATER LEVELS:		I Colombia D	Was Ho	ralia.	
Static level 25 ft. below land	surface Date 6/24/64	[Signed]	(Water V	Vell Contractor)	••••••
Artesian pressure lbs. per squa	are inch Date	Contractorio Tico	727 =		10