

NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT,
SALEM, OREGON 97310
within 30 days from the date
of well completion.

WATER WELL REPORT

STATE OF OREGON
(Please type or print)

(Do not write above this line)

MORR 4

State Well No. 15/23E-12aa

State Permit No. _____

(1) OWNER:

Name Earl E. Wilson
Address 904 Bonita Ave
Las Vegas, Nev. 89104

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary Driven
 Jetted
 Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(5) CASING INSTALLED:

Threaded Welded
16" Diam. from +2 ft. to 30 ft. Gage 1.375
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

(6) PERFORATIONS:

Perforated? Yes No

Type of perforator used _____

Size of perforations in. by in.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.
_____ perforations from _____ ft. to _____ ft.

(7) SCREENS:

Well screen installed? Yes No

Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level

a pump test made? Yes No If yes, by whom?
Yield: 1000 gal./min. with 119 ft. drawdown after 1 hrs.
" " " " " "
" " " " " "
_____ gal./min. with _____ ft. drawdown after _____ hrs.
_____ g.p.m.

Temperature of water 52 Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used Portland Cement
Well sealed from land surface to 25 ft.
Diameter of well bore to bottom of seal 20 in.
Diameter of well bore below seal 12 in.
Number of sacks of cement used in well seal 20 sacks
How was cement grout placed? Pumped

Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

(10) LOCATION OF WELL:

County MORROW Driller's well number _____
NE 1/4 NE 1/4 Section 12 T. 15 R. 23E W.M.
Bearing and distance from section or subdivision corner _____

(11) WATER LEVEL: Completed well.

Depth at which water was first found 130 ft.
Static level 21 ft. below land surface. Date _____
Artesian pressure _____ lbs. per square inch. Date _____

(12) WELL LOG:

Diameter of well below casing 12
Depth drilled 190 ft. Depth of completed well 190 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Soil	0	6	
gravel	6	20	
Black Basalt	20	130	
Black Bone Rock yellow red	130	165	
Black Basalt	165	190	

RECEIVED

SEP 02 1980

WATER RESOURCES DEPT
SALEM, OREGON

Work started 8-12 1980 Completed 8-15 1980
Date well drilling machine moved off of well 8-15 1980

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.
[Signed] Ladd Ho Date 8-26, 1980
(Drilling Machine Operator)
Drilling Machine Operator's License No. 1345

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
Name Ladd Ho Well Drilling
(Person, firm or corporation) (Type or print)
Address Box 14 Pilot Rock, Or 97136
[Signed] Ladd Ho
(Water Well Contractor)
Contractor's License No. 739 Date 8-26, 1980