OBSERVATION WELL

NOTICE TO WATER WELL CONTRACTOR The original and first copy of this report are to be filed with the

WATER WELL REPORT

MORR 419

aab

State Well No. 11/26-10 4:21

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

STATE OF OREGON (Please type or print)

State Permit No.

| (1) OWNER: | | (11) WELL TESTS: Drawdown is amount v | vater leve | l is |
|--|--------------------|---|-------------------------------------|--|
| Name William J. Doherty | | Was a pump test made? N Yes No If yes, by whom | | ler |
| Address | | Yield: 800 gal./min. with 17 ft. drawdow | | 7 hrs |
| Lexington, Oregon | | " " " | | ,, |
| (2) LOCATION OF WELL: | | " " | , | |
| | | Bailer test gal./min. with ft. drawdo | wn after | hrs |
| County Morrow Driller's well number | | Artesian flow g.p.m. Date | | |
| 14 14 Section 10 T. | 1N R. 26 E W.M. | Temperature of water 65 Was a chemical analysis r | nade? 🔲 ! | Yes No |
| Bearing and distance from section or subdivis | ion corner | (12) WELL LOG: Diameter of well below ca | seine 10 |)"-222 |
| | | 700 | | |
| | | Depth drilled 376 ft. Depth of completed we | | |
| | | Formation: Describe by color, character, size of materia show thickness of aquifiers and the kind and nature of stratum penetrated, with at least one entry for each classical stratum. | l and stru the mater hange of | cture, and ial in each formation |
| | | MATERIAL | FROM | то |
| (3) TYPE OF WORK (check): | • | 10" to 222 8" from 222 to 376 | Sin | 04/10 |
| New Well Deepening Recon | ditioning | Soil | 80 | 5 |
| ndonment, describe material and proce | dure in Item 12. | Soil and gravel, large | 5 | 18 |
| (4) PROPOSED USE (check): | (5) TYPE OF WELL: | Rock, grey hard | 18 | 55 |
| (4) I HOI OBID CBE (check). | Rotary Driven | Rock, blue & grey - hard | 55 | 99 |
| Domestic 🗷 Industrial 🗌 Municipal 🗌 | Cable X Jetted | Sand, grey and boulders | 99 | 111 |
| Irrigation Test Well Other | Dug 🗍 Bored 🗍 | Rock, grey - hard, some water | | 138 |
| (6) CASING INSTALLED: Three | aded Welded 🖫 | Rock red & brown, med. 15g. W. | 138 | 146 |
| `_'_ | 8½ ft. Gage 277 | Rock, grey - hard | 146 | 149 |
| | _ | Sand and boulders | 149 | 161 |
| "Diam. from ft. to | - | Rock, grey - hare | 161 | 173 |
| | 1t. Gage | Band and boulders | 173 | 183 |
| (7) PERFORATIONS: Perfo | orated? 🗌 Yes 🍒 No | Rock, grey - hard | 183 | 189 |
| Type of perforator used | | Sand and boulders | 189 | 196 |
| Size of perforations in. by in. | | Rock, grey - hard | 196 | 201 |
| perforations from | ft. to ft. | Sand and boulders | 201 | 205 |
| perforations from | ft. to ft. | Rock, blue - medium | 205 | 238 |
| perforations from | ft. to ft. | Sand and boulders | 238 | 249 |
| perforations from | ft. to ft. | Rock, grey - hard | 249 | 292 |
| perforations from | ft. to ft. | Sand and boulders | 292 | 301 |
| (8) SCREENS: Well screen insta | alled? Yes X No | Rock, grey - hard | 301 | 311 |
| | | Clay & fine gravel mixed | 311 | 315 |
| Manufacturer's Name | dodal No | Rock, grey - hard | 315 | 341 |
| Slot size Set from | | Rock, Red Soft & blue-water | 341 | 376 |
| Diam. Slot size Set from | | Work started Sept. 7 1964. Completed De | <u>c 2</u> | 1964 |
| | 20 00 | Date well drilling machine moved off of well De | <u>c 7</u> | 1964 |
| (9) CONSTRUCTION: | | (13) PUMP: | | |
| Well seal-Material used in seal padded | i mud and cement | Manufacturer's Name | | |
| Depth of seal 18 ft. Was a packer used? no | | Туре: Н.Р. | | |
| Diameter of well bore to bottom of sealin. | | | | |
| Were any loose strata cemented off? ☐ Yes | No Depth | Water Well Contractor's Certification: | | |
| Was a drive shoe used? M Yes ☐ No | | This well was drilled under my jurisdiction a | nd this | report is |
| Was well gravel packed? ☐ Yes ☑ No Size of gravel: | | true to the best of my knowledge and belief. | | |
| Gravel placed from ft. to ft. | | NAME John Hershey Well Drilling | | |
| Did any strata contain unusuable water? 📋 Yes 🔏 No | | (Person, firm or corporation) (Type or print) | | |
| Type of water? depth of s | itrata | Address Rt 1, Box 552, Hermist | on. O | regon |
| Method of sealing strata off | | Drilling Machine Operators Vicence 31 | | |
| (10) WATER LEVELS: | | Drilling Machine Operator's License No. 143 | | |
| 201.10 | | [Signed] John /71 /tersaul | | |
| | | (Water Well Contractor) | 4 | 11.1 |
| Artesian pressure lbs. per squ | are inch Date | Contractor's License No. 315 Date Lec | ! | ., 19 67 |