

NOTICE TO WATER WELL CONTRACTOR

The original and first copy of this report are to be filed with the

STATE ENGINEER, SALEM, OREGON 97310 within 30 days from the date of well completion.

MORROW 426

STATE OF OREGON STATE ENGINEER SALEM, OREGON RECEIVED 10 14 1972

State Well No. IN/26E-21 State Permit No.

(1) OWNER:

Name Vera Woody Address Rt 2 Heppner Oregon 97836

(2) TYPE OF WORK (check):

New Well [] Deepening [x] Reconditioning [] Abandon [] If abandonment, describe material and procedure in item 12.

(3) TYPE OF WELL:

Rotary [x] Cable [] Dug [] Driven [] Jetted [] Bored []

(4) PROPOSED USE (check):

Domestic [x] Industrial [] Municipal [] Irrigation [] Test Well [] Other []

CASING INSTALLED:

1 1/2" Diam. from ... ft. to ... ft. Gage ...

PERFORATIONS:

Type of perforator used Size of perforations in. by in. perforations from ... ft. to ... ft.

(7) SCREENS:

Well screen installed? [] Yes [x] No Manufacturer's Name Type Model No. Diam. Slot size Set from ... ft. to ... ft.

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level Was a pump test made? [] Yes [x] No Yield: gal./min. with ft. drawdown after hrs. Artesian flow g.p.m. Temperature of water Depth artesian flow encountered ... ft.

(9) CONSTRUCTION:

Well seal—Material used not disturbed Well sealed from land surface to ... ft. Diameter of well bore to bottom of seal ... in. Number of sacks of cement used in well seal ... sacks Brand name of bentonite Number of pounds of bentonite per 100 gallons of water Was a drive shoe used? [] Yes [] No Plugs Size: location ... ft. Did any strata contain unusable water? [] Yes [] No Type of water? depth of strata Method of sealing strata off Was well gravel packed? [] Yes [] No Size of gravel: Gravel placed from ... ft. to ... ft.

(10) LOCATION OF WELL:

County Morrow Driller's well number 1/4 Section 21 T. 17N. R. 26E. W.M. Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ... ft. Static level 60 ft. below land surface. Date 11-27-72 Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing 6" Depth drilled 70 ft. Depth of completed well 135 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

Table with columns: MATERIAL, From, To, SWL. Rows include: Rock, med. black (65-95), Rock, black + green claystone (95-111), Basalt, small, gray (111-129), Claystone, green (129-135).

Work started 11-27 1972 Completed 11-27 1972 Date well drilling machine moved off of well 11-28 1972

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief. [Signed] James T. Litch Date 12-1, 1972 Drilling Machine Operator's License No. 665

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief. Name TROY GRIFFIN Address 900 HERMISTON AVE. HERMISTON ORE. [Signed] Troy Griffin Contractor's License No. 65 Date 12-1, 1972