NOTICE TO WATER WELL CONTRACTOR
The original and first copy of this report
are to be filed with the

WATER RESOURCES DEPARTMENT, SALEM, OREGON 97310 within 30 days from the date of well completion.

WATER WELL REPORT EIVED M

STATE OF OREGON APR 11 1977 State Well No. (Please type or print)

(Do not write above this life)? RESOURCES SEE Rermit No. SALEM. OREGON

Ġ	2730

(1) OWNER:	(10) LOCATION OF WELL:		
Name BURL WATTENBURGER	County Morrow Driller's well number		
Address ECHO ORE	NW 14 SE 14 Section 3 T./N R. 27 E W.M		
BUTTER CREEK HIGHLAND	Bearing and distance from section or subdivis		
(2) TYPE OF WORK (check):		ACCOUNTED	
New Well ☐ Deepening → Reconditioning ☐ Abandon ☐			
If abandonment, describe material and procedure in Item 12.	(11) WATER LEVEL: Completed v	vell	
(3) TYPE OF WELL: (4) PROPOSED USE (check):	Depth at which water was first found	3 <i>45</i> ft	
Rotary Driven Domestic Industrial Municipal Domestic		surface. Date 3-25-7	
Dug ☐ Bored ☐ Irrigation	A	re inch. Date	
CASING INSTALLED: Threaded Welded Threaded Thread	(12) WELL LOG: Diameter of well	below casing 978	
" Diam, fromft, toft. Gage	Depth drilled \$ 424ft. Depth of comp	leted well 684 ft	
" Diam. from ft. to ft. Gage	Formation: Describe color, texture, grain size	and structure of materials	
PERFORATIONS: Perforated? Yes Z-No.	and show thickness and nature of each stratu with at least one entry for each change of format position of Static Water Level and indicate pri	ation Report each change is	
Type of perforator used	MATERIAL	From To SWL	
Size of perforations in. by in.	GREY BASALT	260 340	
perforations from ft. to ft.	Blach "	340 345	
perforations fromft. toft.	Black W/ReD !!	345 360	
perforations fromft. toft.	Black	360 368	
(7) SCREENS: Well screen installed? Yes 4-40	Black w/s/s " Black w/Ren v	368 397	
Manufacturer's Name	BLECK WROD V	397 430 430 469	
Type	Black w/RED 55 11	469 491	
Diam. Slot size Set from ft. to ft.	Black "	491 620	
Diam. Slot size Set from ft. to ft.	Black W/RED "	620 622	
(8) WELL TESTS: Drawdown is amount water level is lowered below static level	Black	622 624	
Was a pump test made? Yes No If yes, by whom?	Black W/GREEN \$5 11	624 634	
Yield: 450 gal./min. with 3 ft. drawdown after 24 hrs.	BLECH - BROWN W/GR S/5	634 647	
" " "	BLZCH	655 660	
" " "	BLOCK W 9/3 RPD	660 667	
Bailer test gal./min. with ft. drawdown after hrs.	Blech /	667 684	
Artesian flow g.p.m.			
erature of water 65 Depth artesian flow encountered ft.			
	Work started 3 - 20 19 77 Complete		
(9) CONSTRUCTION:	Date well drilling machine moved off of well	3-25 1977	
Well seal—Material used	Drilling Machine Operator's Certification:		
Well sealed from land surface to ft. Diameter of well bore to bottom of seal in.	Malerials used and information reported above are true to me		
Diameter of well bore below sealin.	best knowledge and benef.		
Number of sacks of cement used in well seal	[Signed] (Drilling Machine Operator)	Date 3-25, 1977	
How was cement grout placed?	Drilling Machine Operator's License No.	993	
	Water Well Contractor's Certification:		
	This well was drilled under my jurisdi	ction and this report is	
Was a drive shoe used? 🗌 Yes 🚺 No Plugs Size: location ft.	true to the best of my knowledge and belief.		
Did any strata contain unusable water? Yes	Name dany Bund Well (Person, firm or corporation)	Orellens (Type or print)	
Type of water?	Address 5543. S. 41 Douglas D.		
Method of sealing strata off			
Was well gravel packed? ☐ Yes INO Size of gravel:	[Signed] Water Well Control	ector)	
Gravel placed from ft. to ft.	Contractor's License No. 544 Date	•	
		108	