

MORR 482

RECEIVED
 APR 3 1967
 #2

26 bcd
 IN/27-

NOTICE TO WATER WELL CONTRACTOR
 The original and first copy
 of this report are to be
 filed with the
 STATE ENGINEER, SALEM, OREGON 97310
 within 30 days from the date
 of well completion.

WATER WELL REPORT
 STATE OF OREGON
 (Please type or print)

State Well No. 1N/27-
 State Permit No. G-4486

(1) **OWNER:**
 Name Healy Brothers (William J & Tom)
 Address Route 2
Heppner, Oregon 97836

(11) **WELL TESTS:** Drawdown is amount water level is lowered below static level.
 Was a pump test made? Yes No If yes, by whom? Farmore Co Athens, Ore.
 Yield: 20 gal./min. with 111 ft. drawdown after 1 hrs.
 " " " "
 " " " "
 " " " "
 " " " "
 " " " "
 Bailer test gal./min. with ft. drawdown after hrs.
 Artesian flow g.p.m. Date

(2) **LOCATION OF WELL:**
 County MORROW Driller's well number _____
1/4 Section 27 T. 1N R. 27 E W.M.
 Bearing and distance from section or subdivision corner

(12) **WELL LOG:** Diameter of well below casing 12"
 Depth drilled 133 ft. Depth of completed well 133 ft.
 Formation: Describe by color, character, size of material and structure, and show thickness of aquifers and the kind and nature of the material in each stratum penetrated, with at least one entry for each change of formation.

(3) **TYPE OF WORK (check):**
 New Well Deepening Reconditioning Abandon
 andonment, describe material and procedure in Item 12.

MATERIAL	FROM	TO
Soil	0	16
Fine Gravel	16	19
Grey rock	19	57
Brown rock, soft, water	57	60
Grey rock	60	90
Boulders and sand	90	95
Grey rock	95	102
Black rock, soft	102	108
Grey rock	108	112
Brown & black rock, soft, water	112	131
Grey rock	131	133

(4) **PROPOSED USE (check):** Domestic Industrial Municipal Irrigation Test Well Other
 (5) **TYPE OF WELL:** Rotary Driven Cable Jetted Dug Bored

(6) **CASING INSTALLED:** Threaded Welded
12" Diam. from 0 ft. to 25 ft. Gage 250
 " Diam. from _____ ft. to _____ ft. Gage _____
 " Diam. from _____ ft. to _____ ft. Gage _____

(7) **PERFORATIONS:** Perforated? Yes No
 Type of perforator used _____
 Size of perforations in. by in.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.
 _____ perforations from _____ ft. to _____ ft.

(8) **SCREENS:** Well screen installed? Yes No
 Manufacturer's Name _____ Model No. _____
 Slot size Set from ft. to ft.
 Diam. Slot size Set from ft. to ft.

(9) **CONSTRUCTION:**
 Well seal—Material used in seal padded mud and cement.
 Depth of seal 22 ft. Was a packer used? No
 Diameter of well bore to bottom of seal 15 in.
 Were any loose strata cemented off? Yes No Depth _____
 Was a drive shoe used? Yes No
 Was well gravel packed? Yes No Size of gravel: _____
 Gravel placed from _____ ft. to _____ ft.
 Did any strata contain unusable water? Yes No
 Type of water? _____ depth of strata _____
 Method of sealing strata off _____

Work started Feb 14 1967 Completed 17 Mar 1967
 Date well drilling machine moved off of well 17 March 1967

(13) **PUMP:**
 Manufacturer's Name _____
 Type: _____ H.P. _____
Water Well Contractor's Certification:
 This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.
 NAME John Hershey Well Drilling
 (Person, firm or corporation) (Type or print)
 Address Rt. 1, Box 552, Hermiston, Oregon
 Drilling Machine Operator's License No. 143

(10) **WATER LEVELS:**
 Static level 7 ft. below land surface Date 17 Mar 1967
 Artesian pressure _____ lbs. per square inch Date _____

[Signed] John Hershey
 (Water Well Contractor)
 Contractor's License No. 315 Date Mar 18, 1967