RECEIVED

MORP 50673

APR 1 7 2000

STATE OF OREGON 20428 WELL I.D. # I WATER SUPPLY WELL REPORT WATER RESOURCES DEPT. 110017 START CARD # (as required by ORS 537.765) Instructions for completing this report are on the last page of this form. SALEM. OREGON 1 (9) LOCATION OF WELL by legal description: Well Number County MORROW Latitude Longitude LLC TKO Name 克 or W. WM. N or Kange_ Address 73037 BUNKER HILL SE 1/4<u>NE</u> 1/4 Zip 97836 Section HEPPNER Tax Lot 1200 Lot Block Subdivision (2) TYPE OF WORK Street Address of Well (or nearest address) New Well Deepening Alteration (repair/recondition) Abandonment NORTH SIDE OF HWY 207 (3) DRILL METHOD: (10) STATIC WATER LEVEL: Rotary Air Rotary Mud Cable Auger Date 4-03-00 110 ft. below land surface. Other (4) PROPOSED USE: Artesian pressure lb. per square inch. Date (11) WATER BEARING ZONES: X Irrigation Community Industrial Domestic. Other Thermal Injection ☐ Livestock 155 (5) BORE HOLE CONSTRUCTION: Depth at which water was first found Special Construction approval [] The [] No. Depth of Completed Well 251 ft: To **Estimated Flow Rate** SWL Amount Explosives used Yes No Type 110 174 20+ GPM 155 SEAL HOLE 110 185 50+ GPM 174 Sacks or pounds To 110 1000+ GPM 185 251 0 35 24 SACKS 135 BENTONITE 0 35 | 251 (12) WELL LOG: Method A □В ПС Ground Elevation . How was seal placed: POURED DOWN DRY ☑ Other . From To SWL **Material** Material Backfill placed from ft. to 0 16 ft. Size of gravel SOIL & ROCK Gravel placed from ft. to 34 16 FACTURED BASALT (6) CASING/LINER: 34 155 BLACK BASALT Welded Threaded Gauge Steel Plastic FRACTURED GREEN BASALT 155 174 110 36 \square 10 Casing: 110 FRACTURED BLACK BASALT 174 185 251 110 185 VESICULAR GRAVELS П П NO SHOE USED Final location of shoe(s) (7) PERFORATIONS/SCREENS: Perforations Method Material Screens Casing Number, Diameter 4-3-00 3-22-00 Completed (8) WELL TESTS: Minimum testing time is 1 hour (unbonded) Water Well Constructor Certification: Flowing I certify that the work I performed on the construction, alteration, or abandonment of this well is in compliance with Oregon water supply well construction standards. Materials used and information reported above are true to the best of my knowledge XAir Artesian Pump Bailer Time Drill stem at Yield gal/mis 250 and belief. 1 hr. 800 **WWC Number** Date (bonded) Water Well Constructor Certification: Depth Artesian Flow Found Temperature of water I accept responsibility for the construction, alteration, or abandonment work performed on this well during the construction dates reported above. All work Yes By whom Was a water analysis done? Did any strata contain water not suitable for intended use? performed during this time is in compliance with Oregon water supply well construction standards. This report is true to the best of my knowledge and belief. Salty Muddy Odor Colored Other WWC Number 1556 Depth of strata: Date 4-11-00 Signed

TIPST CORY WATER RESOURCES DEPARTMENT SECOND CORY.CO

OPY-CUSTOMER