

NO. 100, TO WATER WELL CONTRACTOR
The original and first copy
of this report are to be
filed with the

WATER WELL CONTRACTOR

RECEIVED

STATE OF OREGON
(Please type or print)

MAR 17 1978

State Well No. 2N/24E-33

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

(Do not write space) WATER RESOURCES DEPT.

State Permit No. T5239

MORR 515

SALEM, OREGON

(1) OWNER:

Name ERIC ANDERSON
Address Box 233
Ione, Oregon 97862

(10) LOCATION OF WELL: owner #2

County Morrow well number #2
1/4 1/4 Section 33 T. 2N R. 24E W.M.

(2) TYPE OF WORK (check):

New Well Deepening Reconditioning Abandon
If abandonment, describe material and procedure in Item 12.

Bearing and distance from section or subdivision corner

(3) TYPE OF WELL:

Rotary Driven
Cable Jetted
Dug Bored

(4) PROPOSED USE (check):

Domestic Industrial Municipal
Irrigation Test Well Other

(11) WATER LEVEL: Completed well Additional

Depth at which water was first found 630 ft.
Static level 251 ft. below land surface. Date 3/7/78
Artesian pressure _____ lbs. per square inch. Date _____

CASING INSTALLED:

Threaded Welded
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____
" Diam. from _____ ft. to _____ ft. Gage _____

(12) WELL LOG: 537-1370

Diameter of well below casing 15 1/2 ft.
Depth drilled 833 ft. Depth of completed well 1370 ft.

Formation: Describe color, texture, grain size and structure of materials; and show thickness and nature of each stratum and aquifer penetrated, with at least one entry for each change of formation. Report each change in position of Static Water Level and indicate principal water-bearing strata.

MATERIAL	From	To	SWL
Black basalt	537	540	
Grey "	540	546	
Porous blk. basalt./sp. str.	546	563	
Black basalt	563	585	
Dk grey basalt	585	610	
Blk. basalt, seamy	610	630	
Porous blk. basalt (W.B.)	630	700	357
Black basalt	700	780	
Grey basalt	780	865	
Blk. & red conglomerate	865	905	
Blk. basalt	905	985	
Grey shale	985	1045	
Grey basalt	1045	1156	
Porous blk. basalt	1156	1210	329
Red & blk. conglomerate (water bearing)	1210	1235	
Porous blk. basalt	1235	1247	
Blk. basalt, seamy (W. B.)	1247	1290	277
Grey basalt	1290	1325	

Work started 7/18/77 19 78 Completed 3/7/78 19 78
Date well drilling machine moved off of well 2/24 19 78

(5) PERFORATIONS:

Perforated? Yes No.
Type of perforator used _____
Size of perforations in. by in.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.
perforations from _____ ft. to _____ ft.

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision. Materials used and information reported above are true to my best knowledge and belief.

[Signed] Donald J. Law Date 3-17, 1978
(Drilling Machine Operator)

Drilling Machine Operator's License No. 545

(7) SCREENS:

Well screen installed? Yes No
Manufacturer's Name _____
Type _____ Model No. _____
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.
Diam. _____ Slot size _____ Set from _____ ft. to _____ ft.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is true to the best of my knowledge and belief.

Name D. "DON" SMITH
(Person, firm or corporation) (Type or print)

Address Rt. 1 Box 116 M. F. Oregon 97862

[Signed] D. Smith
(Water Well Contractor)

Contractor's License No. 204 Date 3/17, 19 78

(8) WELL TESTS:

Drawdown is amount water level is lowered below static level. Donner, Pasco, Wn
Was a pump test made? Yes No If yes, by whom? _____
Yield: 1845 gal./min. with 6 ft. drawdown after 1 hrs.
3618 " 56 " " 1 "
" 4184 " 104 " " 2 "
Bailer test gal./min. with ft. drawdown after hrs.
artesian flow none g.p.m.
Temperature of water 80 Depth artesian flow encountered _____ ft.

(9) CONSTRUCTION:

Well seal—Material used _____
Well sealed from land surface to _____ ft.
Diameter of well bore to bottom of seal _____ in.
Diameter of well bore below seal _____ in.
Number of sacks of cement used in well seal _____ sacks
Number of sacks of bentonite used in well seal _____ sacks
Brand name of bentonite _____
Number of pounds of bentonite per 100 gallons _____
of water _____ lbs./100 gals.
Was a drive shoe used? Yes No Plugs _____ Size: location _____ ft.
Did any strata contain unusable water? Yes No
Type of water? _____ depth of strata _____
Method of sealing strata off _____
Was well gravel packed? Yes No Size of gravel: _____
Gravel placed from _____ ft. to _____ ft.

NOTICE TO WATER WELL CONTRACTOR
The original and best copy
of this report are to be
filed with the

WATER WELL REPORT

STATE OF OREGON

(Please type or print)

(Do not write above this line)

State Well No. 2N/24E-33

State Permit No.

STATE ENGINEER, SALEM, OREGON 97310
within 30 days from the date
of well completion.

(1) OWNER:

Name
Address

(2) TYPE OF WORK (check):

New Well [] Deepening [] Reconditioning [] Abandon []
If abandonment, describe material and procedure in Item 12.

(3) TYPE OF WELL:

Rotary [] Driven []
Cable [] Jetted []
Dug [] Bored []

(4) PROPOSED USE (check):

Domestic [] Industrial [] Municipal []
Irrigation [] Test Well [] Other []

(5) CASING INSTALLED:

Threaded [] Welded []

" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage
" Diam. from ft. to ft. Gage

(6) PERFORATIONS:

Perforated? [] Yes [] No.

Type of perforator used
Size of perforations in. by in.
perforations from ft. to ft.
perforations from ft. to ft.
perforations from ft. to ft.

(7) SCREENS:

Well screen installed? [] Yes [] No

Manufacturer's Name
Type Model No.
Diam. Slot size Set from ft. to ft.
Diam. Slot size Set from ft. to ft.

(8) WELL TESTS:

Drawdown is amount water level is
lowered below static level

Was a pump test made? [] Yes [] No If yes, by whom?
Field: gal./min. with ft. drawdown after hrs.
Bailer test gal./min. with ft. drawdown after hrs.
Artesian flow g.p.m.
Temperature of water Depth artesian flow encountered ft.

(9) CONSTRUCTION:

Well seal—Material used
Well sealed from land surface to ft.
Diameter of well bore to bottom of seal in.
Diameter of well bore below seal in.
Number of sacks of cement used in well seal sacks
Number of sacks of bentonite used in well seal sacks
Brand name of bentonite
Number of pounds of bentonite per 100 gallons
of water lbs./100 gals.
Was a drive shoe used? [] Yes [] No Plugs Size: location ft.
Did any strata contain unusable water? [] Yes [] No
Type of water? depth of strata
Method of sealing strata off
Was well gravel packed? [] Yes [] No Size of gravel: ft.
Gravel placed from ft. to ft.

(10) LOCATION OF WELL:

County Driller's well number
1/4 1/4 Section T. R. W.M.
Bearing and distance from section or subdivision corner

(11) WATER LEVEL: Completed well.

Depth at which water was first found ft.
Static level ft. below land surface. Date
Artesian pressure lbs. per square inch. Date

(12) WELL LOG:

Diameter of well below casing

Depth drilled ft. Depth of completed well ft.

Formation: Describe color, texture, grain size and structure of materials;
and show thickness and nature of each stratum and aquifer penetrated,
with at least one entry for each change of formation. Report each change in
position of Static Water Level and indicate principal water-bearing strata.

Table with 4 columns: MATERIAL, From, To, SWL. Rows include Blk. Basalt, Porous blk. basalt W.B., and Dark grey basalt.

This is the completed well report from
557. You have previously been sent the
first part of log on the Anderson
well #2

Work started 19 Completed 19
Date well drilling machine moved off of well 19

Drilling Machine Operator's Certification:

This well was constructed under my direct supervision.
Materials used and information reported above are true to my
best knowledge and belief.

[Signed] Date, 19
(Drilling Machine Operator)

Drilling Machine Operator's License No.

Water Well Contractor's Certification:

This well was drilled under my jurisdiction and this report is
true to the best of my knowledge and belief.

Name (Person, firm or corporation) (Type or print)

Address

[Signed] (Water Well Contractor)

Contractor's License No. Date, 19