STATE OF OREGON WATER SUPPLY WELL REPORT (as required by ORS 537.765 & OAR 690-205-0210)

MORR 52021

10/31/2012

WELL I.D. **START ORIGINA**

			1 450 1 01 2	_
LABEL# L				_
CARD#	1018267			
L LOG#	MORROW	1398		

(1) LAND OWNER Owner Well I.D.								
First Name Last Name	(9) LOCATION OF WELL (legal description)							
Company IRRIGON RURAL FIRE PROTECTION DISTRICT	County MORROW Twp 5.00 N N/S Range 27.00 E E/W WM							
Address P.O. BOX 647	Sec 19 SW 1/4 of the SW 1/4 Tax Lot 1500							
City IRRIGON State OR Zip 97844								
(2) TYPE OF WORK New Well Deepening Conversion	Tax Map Number Lot Lat " or DMS or DD							
Alteration (complete 2a & 10) X Abandonment(complete 5a) (2a) PRE-ALTERATION	Long' or DMS or DD							
Dia + From To Gauge Stl Plstc Wld Thrd	Street address of well Nearest address							
Casing: 16 X 2.8 56.5 .25 • X	EAST 7TH & NORTHEAST MAIN IRRIGON, OR							
Material From To Amt sacks/lbs								
Seal: Cement 0 23 59 Sacks								
(3) DRILL METHOD	(10) STATIC WATER LEVEL							
Rotary Air Rotary Mud X Cable Auger Cable Mud	Date SWL(psi) + SWL(ft) Existing Well / Pre-Alteration 10/30/2012 39							
Reverse Rotary Other	Existing Well / Pre-Alteration 10/30/2012 39 Completed Well							
(4) PROPOSED USE Domestic Irrigation Community	Flowing Artesian? Dry Hole?							
Industrial/ Commercial Livestock Dewatering								
Thermal Injection X Other MUNICIPAL	WATER BEARING ZONES Depth water was first found							
	SWL Date From To Est Flow SWL(psi) + SWL(ft)							
(5) BORE HOLE CONSTRUCTION Special Standard (Attach copy)								
Depth of Completed Well $\underline{0.00}$ ft.								
BORE HOLE SEAL sacks/								
Dia From To Material From To Amt lbs								
20 0 23 Cement 7 66 96 S								
17.5 23 56.5	1							
13 30.3 00	(11) WELL LOG Ground Elevation							
How was seal placed: Method A B C D E	Material From To							
XOther TREMMIE	National Tolling To							
Backfill placed from ft. to ft. Material								
Filter pack from ft. to ft. Material Size								
Explosives used: Yes Type Amount								
(5a) ABANDONMENT USING UNHYDRATED BENTONITE								
Proposed Amount Actual Amount								
(6) CASING/LINER								
Casing Liner Dia + From To Gauge Stl Plstc Wld Thrd								
Shoe Inside Outside Other Location of shoe(s)								
Temp casing Yes Dia From To								
(7) PERFORATIONS/SCREENS								
Perforations Method Mills knife								
Screens Type Material	Date Started 10/30/2012 Complete 10/30/2012							
Perf/ Casing/ Screen Scrn/slot Slot # of Tele/ Screen Liner Dia From To width length slots pipe size	(unbonded) Water Well Constructor Certification							
Screen Liner Dia From To width length slots pipe size Perf Casing 16 23 56 .375 3 132	I certify that the work I performed on the construction, deepening, alteration, or							
1011 000005 10 20 00 1070 0 102	abandonment of this well is in compliance with Oregon water supply well							
	construction standards. Materials used and information reported above are true to							
	the best of my knowledge and belief.							
	License Number 1735 Date 10/31/2012							
(8) WELL TESTS: Minimum testing time is 1 hour								
Pump Bailer Air Flowing Artesian	Signed CHAD COURTNEY (E-filed)							
Yield gal/min Drawdown Drill stem/Pump depth Duration (hr)	(bonded) Water Well Constructor Certification							
Tield gal/illin	I accept responsibility for the construction, deepening, alteration, or abandonment							
	work performed on this well during the construction dates reported above. All work							
	performed during this time is in compliance with Oregon water supply well							
Temperature °F Lab analysis Yes By	construction standards. This report is true to the best of my knowledge and belief.							
	License Number 1881 Date 10/31/2012							
Water quality concerns? Yes (describe below) TDS amount From To Description Amount Units	1001 10/31/2012							
	Signed GARRY L ZOLLMAN (E-filed)							
	Contact Info (optional) Garry Zollman							

MORR 52021

WELL I.D. LABEL# L

START CARD # 1018267

ORIGINAL LOG # MORROW 1398

		• 0							10/3	31/2012		OR	IGINAL LO	OG# MOR	ROW 1	1398	
	RE-A	LTERA	TION							Water Q	Quality C	oncerr	ıs				
Dia	+	From	То С	Gauge Stl	Plstc W	ld Thr	d			From	То		Descrip	tion	Amo	ount	Units
	4 📙											Τ					
	$\dashv \vdash \vdash$			$\longrightarrow F$	\leftrightarrow \vdash	┨	1										
Ma	⊐ ∟⊥ aterial		From	To	Amt sack	s/lbs	_										
			1	T	T T												
			<u> </u>							$\overline{(10)}$ STA	TIC W	ATEI	R LEVEL				
			ONSTR	UCTION						SWL Da		om	То	Est Flow	SWL(psi)) +	SWL(ft)
B0 Dia	ORE Fror	HOLE n To	_		SEA		_		sacks/							7 [
Dia	1101		N	/Iaterial	Froi	n	То	Amt	lbs] [
						-		-								┧┝	-
			$\dashv \vdash$													1 🖯	
][
			+			+									 	$\dashv \vdash$	
																16	
E		ER PAC To	K Material	Size	a.					(11) WE	LL LO	j					
	rom	10	Material	J.								aterial			From		To
																_	
6) CAS	SING	/LINER	<u> </u>													-	
				- -	C	G.1		*****	TD1 1								
Casıı	ng Lin	er Dia	+ I	From To	Gauge	Sti	Plstc	Wld	Thrd								
\bigcirc							0										
Q	\bigcirc						\Diamond										
8	- >		┧╠┼			18	\sim	Н	H						+		
\sim	$\overline{}$		┧┢				\sim	H									
Q	Q						Q										
\geq	$-\otimes$		┧╠╬┈			12	\sim	Н	Н							\neg	
\bowtie	\sim		┧╞╬╌				\prec	H	H								
				<u>'</u>	<u>'</u>												
	EOF	ATTON	IG/GCDI	TENIC													
		RATION	15/5CKI	LENS													
Perf/ Screen	Casing	g/ Screen Dia	F	то	Scrn/slot	Slo		# of slots	Tele/ pipe size							\dashv	
Screen	Liner	Dia	From	To	width	lengt	.n	SIOLS	pipe size								
							+								+		
							+										
																—	
										Comme							
(Q) 33 71	CT T	трете.	M:	um 40~4!-	a time e !	, 1 L -				Cut casing	g off 6' bel	ow grou	und level.				
					ng time is												
Yield	gal/mi	n Dra	wdown	Drill ste	m/Pump de	pth	Dur	ation (hr)								
									\dashv								